

PURCHASE REQUEST

Entity Name: MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL 20 **Fund Cluster:** Office/Section: 2024-03-0114 PR No.: Date: March 01, 2024 Responsibility Center Code: HOP-MIS **IMISU** Stock/ Property Unit **Item Description** Quantity **Unit Cost** No. **Total Cost** set Professional Quad UHF Wireless Microphone 21,000.00 21,000.00 Specifications: Compatible with current MMWGH sound system set up - Quad UHF Wireless Microphone - UHF Freq .: 600-724 MHz - 200 Selectable Frequencies - 50 Freq. Each Channel - Easy to Sync and operate - Colored LCD Display on Handheld - 1U Space Rack Mountable - Dual Antenna Receiving System - Transmitter Display Battery Status (IHO-95) 500W Speaker / 15 inch Active Plastic Molded set 1 20,000.00 20,000.00 Loudspeaker Specifications: Compatible with current MMWGH sound system set up 15 inch active speaker system =Multiple handle for easy Provide excellent vocal and bass performance =90° x 60° wave guide horn for wide coverage Rugged plastic mold design cabinet = Multi angle enclosure can also use as monitor Bottom pole mount for tripod stand = Line level and direct mic input Signal loop for extended system application =DSP management control w/ 5 preset settings System Type 2 Way Bass Reflex Ce 15" Woofer (3" Voice coil size) HF 1.7" polymide Dome Tweeter Freq. Resp. 43Hz - 20KHz Amp. Power 500W Class D Input Impedance 20K ohms Input Gain line: +20 dBu/ Mic: +40dB Input Connector Line (RCA & XLR combo jack) Output Connector Line (XLR loop through) THD Less than 0.5% LED indicator Power, Signal, Clip Crossover Freq. 2.5KHz AC Input 220V 50-60Hz Dimension (HxWxD) T1(H) x 45(W) x 38(D)cm Net Weight 20.7Kg (IHO-96)


set	Professional 6-Channel Compact Sound Mixer			
	Specifications: Compatible with current MMWGH sound system set up - 6 Channel Compact Mixer - 2 Mic / Line, 2 Stereo Input - Play/Record – Headphones in - 48V Phantom Power - Echo, Repeat, Delay effect - Bluetooth/USB/MP3/Music Function - Product measurement: 20(L) x 25(W) x 5(H)cm (IHO-97)		7,500.00	7,500.00
unit	HDMI Adapter Splitter Switch 3-Port 4K USB Switch Splitter box for Sharing Printer Audio Game HDMI 2.0 Specifications: - Two-way Switch - Click Switch to toggle - 4K HD Resolution - Support 4K@30Hz resolution, clean video playback. No noise, no blurriness Synchronous Audio and Video Transmission - Supports audio formatting, enjoy a fantastic audio effect without any lag. - Metallic Matte Texture - No External Power Required - Plug and play - Digital Light Display - 2 Modes - One in, Two out: one device connected to two displays - Equipment > Splitter > Display 1 + Display 2 - Two in, One out: two devices connected to one display — Equipment 1 + Equipment 2 > Splitter > Display (IHO-98)	1	750.00	750.00
unit	4K HDMI 2.1 Cable 60Hz Specifications: Color: Black Interface: HDMI Standard Surface: Gold-plated Resolution: 1080P@60Hz/4k@30Hz Conductor: Pure copper Shell: PVC Shield: Aluminum foil + metal mesh Jacket: PVC AWG: 24WG/25AWG/26AWG OD: 9.0mm/9.5mm Length: 20 -40m External power: USB power supply for 45m and 50m (IHO-99)	1	5,200.00	5,200.00
unit	20M 1/4 Inch TRS Stereo 6.35mm to XLR Audio Cable for Amplifier Mixer Speaker Specifications: Product name: XLR Male Jack to 6.5mm TRS cable Length: 20M Cable specification: 44/0.10BC+AL+96/0.10BC-22AWG Shielding: double-layer shielding Connector material: gold-plated (IHO-100)	1	4,000.00	4,000.00

unit	Dupamy Pattern &C Dawn & L			
	Dummy Battery AC Power Adapter Camera Power Supply with Power Plug Replacement Specifications: Compatible with MMWGH camera Dummy battery and power adapter kit Broad compatibility, replacement for Canon cameras, such as EOS M100, M, M2, M10, M50, etc. With short circuit protection, over-voltage protection, over temperature protection and over-current protection 1.5-meter-long cable AC 100~240V (IHO-101)	1	1,000.00	1,000.00
unit	10M 3.5mm Male to 6.5mm Male Cotton Braided Gold Plated (BAU) Audio Cable for Amplifiers, Musical Instruments, Sound Box, Laptops Specifications: Model: BAU Available Length: 10m Access information: TRS3.5mm male / TRS 6.5mm male Interface: gold plated Conductor material: tin plated copper Shell material: aluminum alloy Wire shield: aluminum foil Quilt material: PVC + cotton mesh woven Product line: 26AWG External diameter: 5.0 mm (IHO-102)		600.00	600.00
unit	Audio Splitter for Headphone and Mic Earphone Extension Audio Cable Jack 3.5mm Audio Cable 3.5mm Male to 2 Female Mic Y Splitter Specifications: Name: 3.5mm One for Two Audio Cable Model: BBV Color: Black Connector Type: 1 3.5mm Male/2 Female Earphone Connector: Gold Plated Transmission Direction:3.5mm Male to 3.5mm Female Conductor: Enamelled Copper Shell Material: Aluminum Alloy Jacket material: TPE AWG: 29AWG Wire Diameter: 3.5mm Length: 0.3m Warranty: 1 Year Packing: PE Bag (IHO-103)	1	210.00	210.00

pcs	6.5MM Male to 3.5MM Female Jack Plug Audio Converter Specifications: Name:6.5 to 3.5 adapter Model:VAB-S01 Interface Type:6.5 male,3.5 female Interface Process:Gold plated Pulg Material:Copper Product Warranty:One year Package:PE bag (IHO-104) Micro SDXC UHS-I Class 10 up to 120MB/s 512GB Memory Card	5	200.00	400.00
pcs	Name:6.5 to 3.5 adapter Model:VAB-S01 Interface Type:6.5 male;3.5 female Interface Process:Gold plated Pulg Material:Copper Product Warranty:One year Package:PE bag (IHO-104) Micro SDXC UHS-I Class 10 up to 120MB/s 512GB	5		
pcs	Pulg Material:Copper Product Warranty:One year Package:PE bag (IHO-104) Micro SDXC UHS-I Class 10 up to 120MB/s 512GB	5		
pcs	Micro SDXC UHS-I Class 10 up to 120MB/s 512GB Memory Card	5		
			1,700.00	8,500.00
	Specifications: A1 performance class Storage Capacity: 512GB Card Type: microSDXC Speed Class: 10 Bus Interface Speed: UHS Class I UHS Speed Class U1 and Speed Class 10 for Full HD video recording/playback Data Transfer: Read Speed up to 120 MB/s Waterproof, Temperature, X-Ray, and Shock-Proof (IHO-106)	FUNDS AVAILABLE SGD. MARY JOY S. BAN QUED Administrative Officer IV		
				69,160.00
o visual e	quipment, peripherals, and supplies for video ar	nd photo documentation	of MMWGH mil	lestones.
S	GD	Approved by:		
			DONA, MD	11 TO 11 TO 12 TO
outer Mai	ntenance Technologist II	Medical Center Chief II		
1	ested by: S	ested by:/ SGD. ANDO G! CORDOVA, JR.	Approved by: SGD. ANDO G. CORDOVA, JR. DENNIS DAYAO L, ORD	ANDO G'CORDOVA, JR. DENNIS DAYAO L. ORDONA, MD.



MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL





Contact No: 09688545320 Email: procurement@mmwgh.gov.ph; procurement.mmwgh@gmail.com; Website: mmwgh.go

REQUEST FOR QUOTATION

	Date: March 8, 2024
	PR No.: 2024-03-0114 (IMISU)
Business Name:	
Address:	
Contact No./ Email:	
TIN:	

B. Sir/ Madam:

The Mariveles Mental Wellness and General Hospital (MMWGH) through its Bids and Awards Committee invites all eligible and PhilGEPS-registered suppliers, contractors and consultants to quote the best offer for the item/s described herein subject to the Terms and Conditions and/or Technical Specifications and within the Approved Budget for the Contract. (ABC)

Required Documents/ Information to be submitted as attachments to the quotation/ Proposal

- PhilGEPS Registration Number/ Certificate
- Mayor's/ Business Permit
- DTI/ SEC Certificate
- BIR Form 2303
- PCAB License (for Infrastructure)
- Professional License/ Curriculum Vitae (for Consulting Services)
- Sample Invoice/ O.R./ C.R.
- Omnibus Sworn Statement (for ABCs above 50K; must be submitted by the winning bidder within 2 days from notification of Procurement Office
- Income/ Business tax Return (for ABCs above 500K)

C. This pro-forma quotation maybe submitted through registered or electronic mail to the BAC Secretariat at above address or email to procurement@mmwgh.gov.ph or procurement.mmwgh@gmail.com on or before March 14, 2024, 5PM subject to the following

Terms and Conditions:

- 1 All entries shall be typed or written in a clear legible manner
- 2 All prices offered herein are valid, binding and effective for sixty (60) calendar days from the deadline of submission. Alternative bids shall be rejected.
- 3 Price quotations to be denominated in Philippine Peso shall include all applicable government taxes subject to (BIR 2307) 5% VAT/ 1% Non-VAT and (BIR 2307) 1% EWT (Goods) or 2% EWT (Services) deductions
- 4 MMWGH may require you to submit additional documents that will prove your legal, financial and technical capability to undertake this contract
- 5 In case of tie quotations, the BAC shall adopt and employ "toss coin" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005
- 6 MMWGH reserves the right to reject any and all quotations, declare a failure, or not award the contract pursuant to Section 41 of the same RIRR
- 7 In case supplier's pro forma quotation is submitted, conditions will be governed by the submitted signed Request for Quotation/Proposal and/or **Technical Specifications**
- 8 Salient provisions of the Revised IRR (RIRR) of Republic Act (RA) 9184: Section 68 Liquidated Damages and Section 69 Imposition of Administrative Penalties shall be observed
- g Delivery terms: Delivery to MMWGH within ten (10) working days upon receipt of Purchase Order (PO) or within the working days indicated in the PO. The entirety of the items listed in the Purchase Order/ Job Order must be delivered. Incomplete or partial deliveries will not be accepted.
- 10 Warranty: To ensure the delivery of the quality goods and ensure that manufacturing defects will be corrected by the supplier, the supplier shall provide a waranty security
 - For goods, the supplier shall impose a three (3) month-period in case of Expendable Supplies or a minimum of one (1) year in the case of Non-Expendable Supplies after acceptance of the delivered supplies. Warranty security may be obligated by the supplier through special bank guarantee or retention money in an amount equivalent to 2.5% of the total contract price.
 - For infrastructure, contractor shall be required to post a warranty in accordance with the following schedule. The warranty security shall be denominated in Philippine Pesos, remain effective for one (1) year from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity, and returned only after the lapse of the said one (1) year period.
 - Cash or Letter of Credit issued by a Universal or Commercial Bank: Provided, however, That the Letter of Credit shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank. (Equivalent to 5% of the Total Contract Price)
 - Bank guarantee confirmed by a Universal or Commercial Bank. (Equivalent to 5% of the Total Contract Price)
 - Surety bond callable upon demand issued by GSIS or a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. (Equivalent to 30% of the Total Contract Price)

	The said amounts shall only	be released after the lapse of the given warranty period pursuant to Section 62.1 of the 2016 Revised IRR of RA 9184.
11	Payment terms:	working days upon completion of delivery

Very Truly Yours
SGD.
VINCENT A. ISIP, MPA

Chief Administrative Officer







P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Contact No: 09688545320 Email: procurement@mmwgh.gov.ph; procurement.mmwgh@gmail.com; Website: mmwgh.gov.ph

Γ	tem No.	QTY	Unit	ABC	Tackwicel Specifications/ Description		(to be filled up l	by the supplier)
١.					Technical Specifications/ Description	Brand/ Model	Unit Price	Total Amount
,	2	1	set	21,000.00	Professional Quad UHF Wireless Microphone Specifications: Compatible with current MMWGH sound system set up — Quad UHF Wireless Microphone — UHF Freq.: 600-724 MHz — 200 Selectable Frequencies — 50 Freq. Each Channel — Easy to Sync and operate — Colored LCD Display on Handheld — 1U Space Rack Mountable — Dual Antenna Receiving System — Transmitter Display Battery Status 500W Speaker / 15 inch Active Plastic Molded	Brand/ Model	Unit Price	Total Amount
					Loudspeaker Specifications: Compatible with current MMWGH sound system set up 15 inch active speaker system =Multiple handle for easy transport Provide excellent vocal and bass performance =90° x 60° wave guide horn for wide coverage Rugged plastic mold design cabinet = Multi angle enclosure can also use as monitor Bottom pole mount for tripod stand = Line level and direct mic input Signal loop for extended system application =DSP management control w/ 5 preset settings System Type 2 Way Bass Reflex Ce 15" Woofer (3" Voice coil size) HF 1.7" polymide Dome Tweeter Freq. Resp. 43Hz - 20KHz Amp. Power 500W Class D Input Impedance 20K ohms Input Gain line: +20 dBu/ Mic: +40dB Input Connector Line (RCA & XLR combo jack) Output Connector Line (RCA & XLR combo jack) Output Connector Line (XLR loop through) THD Less than 0.5% LED indicator Power, Signal, Clip Crossover Freq. 2.5KHz AC Input 220V 50-60Hz Dimension (HxWxD) T1(H) x 45(W) x 38(D)cm Net Weight 20.7Kg			
	3	1	set	7,500.00	Professional 6-Channel Compact Sound Mixer Specifications: Compatible with current MMWGH sound system set up – 6 Channel Compact Mixer – 2 Mic / Line, 2 Stereo Input – Play/Record – Headphones in – 48V Phantom Power – Echo, Repeat, Delay effect – Bluetooth/USB/MP3/Music Function – Product measurement: 20(L) x 25(W) x 5(H)cm			



MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL




P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Contact No: 09688545320 Email: procurement@mmwgh.gov.ph; procurement.mmwgh@gmail.com; Website: mmwgh.gov.ph

				REQUEST FOR QUOTATION	714	
4	1	unit		HDMI Adapter Splitter Switch 3-Port 4K USB Switch Splitter box for Sharing Printer Audio Game HDMI 2.0 Specifications: - Two-way Switch - Click Switch to toggle - 4K HD Resolution - Support 4K@30Hz resolution, clean video playback. No noise, no blurriness Synchronous Audio and Video Transmission - Supports audio formatting, enjoy a fantastic audio effect without any lag. - Metallic Matte Texture - No External Power Required - Plug and play - Digital Light Display - 2 Modes - One in, Two out: one device connected to two displays - Equipment > Splitter > Display 1 + Display 2 -Two in, One out: two devices connected to one display — Equipment 1 + Equipment 2 > Splitter > Display		
5	1	Unit	5,200.00	4K HDMI 2.1 Cable 60Hz Specifications: Color: Black Interface: HDMI Standard Surface: Gold-plated Resolution: 1080P@60Hz/4k@30Hz Conductor: Pure copper Shell: PVC Shield: Aluminum foil + metal mesh Jacket: PVC AWG: 24WG/25AWG/26AWG OD: 9.0mm/9.5mm Length: 20 -40m External power: USB power supply for 45m and 50m		
6	1	Unit	4,000.00	20M 1/4 Inch TRS Stereo 6.35mm to XLR Audio Cable for Amplifier Mixer Speaker Specifications: Product name: XLR Male Jack to 6.5mm TRS cable Length: 20M Cable specification: 44/0.10BC+AL+96/0.10BC-22AWG Shielding: double-layer shielding Connector material: gold-plated		
7	1	Unit	1,000.00	Dummy Battery AC Power Adapter Camera Power Supply with Power Plug Replacement Specifications: Compatible with MMWGH camera Dummy battery and power adapter kit Broad compatibility, replacement for Canon cameras, such as EOS M100, M, M2, M10, M50, etc. With short circuit protection, over-voltage protection, over temperature protection and over-current protection 1.5-meter-long cable AC 100~240V		








P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

			•	REQUEST FOR QUOTATION	אוכ		
8	1	Unit	600.00	10M 3.5mm Male to 6.5mm Male Cotton Braided			
				Gold Plated (BAU) Audio Cable for Amplifiers,			
				Musical Instruments, Sound Box, Laptops			
				Specifications:			
				Model: BAU			
				Available Length: 10m			
				Access information: TRS3.5mm male / TRS 6.5mm male			
				Interface: gold plated			
				Conductor material: tin plated copper			
				Shell material: aluminum alloy			
				Wire shield: aluminum foil			
				Quilt material: PVC + cotton mesh woven			
				Product line: 26AWG			
				External diameter: 5.0 mm			
9	1	Unit	210.00	Audio Splitter for Headphone and Mic Earphone			
				Extension Audio Cable Jack 3.5mm Audio Cable			
				3.5mm Male to 2 Female Mic Y Splitter			
				Specifications:			
				Name: 3.5mm One for Two Audio Cable			
				Model: BBV			
				Color: Black			
				Connector Type: 1 3.5mm Male/2 Female Earphone			
				Connector: Gold Plated			
				Transmission Direction:3.5mm Male to 3.5mm Female			
				Conductor: Enamelled Copper			
				Shell Material: Aluminum Alloy			
				Jacket material: TPE			
				AWG: 29AWG			
				Wire Diameter: 3.5mm			
				Length: 0.3m			
				Warranty: 1 Year			
				Packing: PE Bag			
10	2	piece	400.00	6.5MM Male to 3.5MM Female Jack Plug Audio			
				Converter			
				Specifications:			
				Name:6.5 to 3.5 adapter			
				Model:VAB-S01			
				Interface Type:6.5 male,3.5 female			
				Interface Process:Gold plated			
				Pulg Material:Copper			
				Product Warranty:One year			
<u></u>				Package:PE bag			
11	5	piece	8,500.00	Micro SDXC UHS-I Class 10 up to 120MB/s 512GB			
				Memory Card			
				Specifications:			
				A1 performance class			
				Storage Capacity: 512GB			
				Card Type: microSDXC			
				Speed Class: 10			
				Bus Interface Speed: UHS Class I			
				UHS Speed Class U1 and Speed Class 10 for Full HD			
				video recording/playback			
				Data Transfer: Read Speed up to 120 MB/s			
				Waterproof, Temperature, X-Ray, and Shock-Proof			
				nothing follows			
						Total A	
						Total Amount in Figures	
						Total Amount in	
						Words	







P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

				116	-QUEST TON	QUUITIN	J14			
		Total	69,160.00							
Note: Incom	plete desc	ription of ite	em/s will invalidate	your quotations.						
RFQ served	d by:									
Randolph B. Abuyo					Printed Name/Signature of Bidder					
	Ca	anvasser								