

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Procurement of Medical Supplies and Equipment charged to Income 2024 2024-15

Government of the Republic of the Philippines

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid.....	7
Section II. Instructions to Bidders.....	10
1. Scope of Bid	11
2. Funding Information.....	11
3. Bidding Requirements	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5. Eligible Bidders.....	12
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	13
9. Clarification and Amendment of Bidding Documents	13
10. Documents comprising the Bid: Eligibility and Technical Components	13
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	14
14. Bid Security	15
15. Sealing and Marking of Bids	15
16. Deadline for Submission of Bids	15
17. Opening and Preliminary Examination of Bids	15
18. Domestic Preference	16
19. Detailed Evaluation and Comparison of Bids	16
20. Post-Qualification	16
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract	43
1. Scope of Contract	44
2. Advance Payment and Terms of Payment	44
3. Performance Security	44
4. Inspection and Tests	44
5. Warranty	45
6. Liability of the Supplier	45
Section V. Special Conditions of Contract	46
Section VI. Schedule of Requirements	50
Section VII. Technical Specifications	51
Section VIII. Checklist of Technical and Financial Documents	79

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Department of Health
Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105



mail@mmwgh.gov.ph mmwgh.gov.ph

INVITATION TO BID FOR PROCUREMENT OF MEDICAL SUPPLIES AND EQUIPMENT CHARGED TO INCOME 2024

1. The **Mariveles Mental Wellness and General Hospital**, through the **Government Appropriation Act of 2024** intends to apply the sum of **Two Million Four Hundred Seventeen Thousand Four Hundred Thirteen Pesos and 62/100 only (P2,417,413.62)** being the ABC to payments under the contract for **Procurement of Medical Supplies and Equipment charged to Income 2024/ 2024-15**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The **Mariveles Mental Wellness and General Hospital** now invites bids for the above Procurement Project. Delivery of the Goods is required by **10 Working Days upon receipt of Purchase Order for supplies and as stated in the Terms of Reference for equipment**. Bidders should have completed, within **two (2) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from **MMWGH** and inspect the Bidding Documents at the address given below during M-F; 8am-5pm, except holidays.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **May 22 - June 17, 2024** from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the following amount:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00

The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

6. The **MMWGH** will hold a Pre-Bid Conference on **June 6, 2024 2PM** at the given address below and/or through video conferencing or webcasting *via Zoom*, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **June 18, 2024 10AM**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on **June 18, 2024 10AM** at the given address below and/or via *Zoom*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The **MMWGH** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

MARY RODELINE M. CASUAYAN

BAC Secretariat

Procurement Unit

Mariveles Mental Wellness and General Hospital

P. Monroe Street, Mariveles, Bataan

Email Address: procurement@mmwgh.gov.ph

Website: www.mmwgh.gov.ph

Contact No.: +639-688545320

12. You may visit the following website(s):

For downloading of Bidding Documents: <https://mmwgh.gov.ph/invitation-to-bid/>

Date of Issue: May 22, 2024

(Sgd.)

RELIA I. VILLEGAS, RN, MAN, Ed. D.

Chairperson, BAC

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Mariveles Mental Wellness and General Hospital** wishes to receive Bids for the **Procurement of Medical Supplies and Equipment charged to Income 2024**, with identification number **2024-15**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as “Project”) is composed of **271 items**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for **2023** in the amount of **Two Million Four Hundred Seventeen Thousand Four Hundred Thirteen Pesos and 62/100 only (P2,417,413.62)**.

2.2. The source of funding is:

a. Internally Generated Fund (IGF)

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies* of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through Zoom as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.

10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **Two (2) years** prior to the deadline for the submission and receipt of bids.

10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the

BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in:

a. Philippine Pesos.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid until **November 15, 2024**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated “*passed*,” using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follow:

One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause					
5.3	For this purpose, contracts similar to the Project shall be: <ul style="list-style-type: none"> a. <i>[provide the definition or description of similar contracts].</i> b. completed within two (2) years prior to the deadline for the submission and receipt of bids. 				
12	The price of the Goods shall be quoted DDP <i>[state place of destination]</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.				
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: <ul style="list-style-type: none"> a. The amount of not less than P <u>48,348.27</u>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than P <u>120,870.68</u> if bid security is in Surety Bond. 				
19.3	No.	ITEMS	UNIT	QTY.	AMOUNT
		MEDICAL SUPPLIES			
	1	Air Purifier with True HEPA Filter (for 20-30sqm) Related Voltage: 220v Related Frequency: 60Hz Related power: 35w/45w Application Area: 35~50m ² Filter Function: Early filter, Hepa ,Activated Carbon, Cold Catalyst, Negative Ion	unit	1	6,050.00
	2	Airway adjuncts 1 (70mm)(shelf life: ≥2 years from the date of delivery)	piece	10	2,456.30
	3	Airway adjuncts 2 (80mm) (shelf life: ≥2 years from the date of delivery)	piece	10	2,456.30
	4	Airway adjuncts 3 (90mm) (shelf life: ≥2 years from the date of delivery)	piece	10	2,456.30
	5	Airway adjuncts 4 (100mm) (shelf life: ≥2 years from the date of delivery)	piece	10	2,456.30
	6	Ampoule Opener 7.15mm to 9.75mm, 1-15ml, wall mounted	piece	4	4,114.00
	7	Arm Sling, large with cervical padding on strap Heavy-duty stitching on hems	piece	67	12,160.50

8	Arm Sling, medium with cervical padding on strap Heavy-duty stitching on hems	piece	67	12,160.50
9	Arm Sling, small with cervical padding on strap Heavy-duty stitching on hems	piece	67	12,160.50
10	Bag valve mask adult set , (shelf life: ≥ 2 years from the date of delivery)	set	5	8,167.50
11	Bag valve mask Newborn set,(shelf life: ≥ 2 years from the date of delivery)	set	5	8,167.50
12	Bag valve mask pedia set, (shelf life: ≥ 2 years from the date of delivery)	set	5	8,167.50
13	Bandage, Cohesive 2" x 5 yards (shelf life: ≥ 2 years from the date of delivery)	roll	20	1,137.40
14	Bandage, Elastic 3inx5yd,with velcro (shelf life: ≥ 2 years from the date of delivery)	roll	75	5,445.00
15	Bandage, Elastic 4inx5yd, with velcro (shelf life: ≥ 2 years from the date of delivery)	roll	75	5,445.00
16	Bandage, Elastic 6inx5yd, with velcro (shelf life: ≥ 2 years from the date of delivery)	roll	50	3,630.00
17	Bandage, Elastic, 2" x 5 yards (firm consistent elastic fit for immobilization, reusable), with velcro (shelf life: ≥ 2 years from the date of delivery)	roll	40	2,904.00
18	Bandage, Triangular, clothe white, Size: 41" x 41" x 60"	piece	5	275.00
19	Basin, Kidney Materials: Stainless Size: 12 inches	piece	4	2,428.80
20	Basin, Kidney,stainless, size 10"	piece	2	1,540.00
21	Basin, Kidney, stainless size:8"	piece	3	1,650.00
22	Basin, Round, Stainless 200mm	piece	1	245.63
23	Basket, Multipurpose, handle 9x7x5 inches, plastic, square	piece	4	266.20

	24	Bassinet Specification Baby Bassinet Stand (Stainless) W/ Crib & Foam (STAINLESS) Baby bassinet with stand single. With acrylic baby bassinet. Frame is made of stainless steel, mounted on swivel caster wheel. Dimensions: Over-all height H: 30" x L:29" x W:12"	piece	3	49,500.00
	25	Battery, for AED, for Radian Heart Guardian HR-501, shelf life: 5 years	piece	2	33,880.00
	26	Blade Holder / Scalpel Handle #3 Stainless Steel	piece	2	484.00
	27	Blade, Surgical Stainless Steel, #10, 100'S	box	2	847.00
	28	Blade, Surgical Stainless Steel, #11, 100'S	box	1	423.50
	29	Blade, Surgical Stainless Steel, #12, 100'S	box	2	847.00
	30	Blade, Surgical Stainless Steel, #15, 100'S	box	1	423.50
	31	Blade, Surgical Stainless Steel, #20, 100'S	box	2	847.00
	32	Blood Glucose Monitor System for self testing, with strips, (auto-coding, strip ejector function, full automatic coding, 0.5ul small-blood volume, 365 data memory with date and time, automatic power on & start, enhanced data management with PC communication, accurate test results in 5 seconds) -for gluneco lite glucose test strips	unit	2	2,420.00
	33	Blood Lancet; sterile; gauge 21-23; for universal lancing device; 200's/ box; with at least 1 year expiry	box	1	193.00
	34	Blood Transfusion Set, sterile, at least 180cm, 20macroset, (shelf life: ≥2 years from the date of delivery)	piece	4	556.60
	35	Bowl, Round, for solution 200 mm, stainless	piece	1	242.00

	36	BP Aneroid Sphygmo Desktype 300 mm.Hg. no pin stop calibrated scale, enlarged blue color dial plate with white numerical for easy reading, sturdy plastic housing enclosure for the gauge. with extendable rubber coil tubing, metal base pad for desk and metal bracket for wall mounting. with hardware kit and calibrated inflation system	set	7	76,230.00
	37	BP Aneroid With Wheels Floor Type Attached wire basket stores cuff and tubing, adjustable calibrated black nylon cuff 8 ft coiled tubing with connector, large circular basket, mobile stand assembly, wall-mounted bracket. With stand, Wheels, small basket Desk and wall type Square shaped 14cm diameter dial Standard cotton cuff Professional Aneroid Sphygmomanometer, Wall Mount Type or Floor Type Dimension: 58cm x 50cm x 21cm	set	2	26,620.00
	38	BP Apparatus (Pedia) long lasting, thick rubber bladder , luminous dial face durable Adult Inflation System Genuine brass gauge	set	4	9,636.00
	39	BP Cuff With Inflation Pedia Size : Cuff – 4"x 15" Tubing :19.5"	piece	3	3,630.00
	40	BP set Manual Adult (stethoscope and aneroid) General Specification: -0-300mmhg gauge -Stainless inner Components -Curved Plastic Glass -Thick rubber inflation bag -Adult Size Cuff and Bag Individually numbered gauge	set	2	5,940.00

41	Brain model (Life size Human Brain Functional Features: Life size regional human brain model base for anatomical study. Model can be broken into two parts for further examination. Model shows frontal and parietal lobes, occipital lobe motor and somatosensory cortex, limbic cortex, cerebellum, brain stem, size 15x11.5cm/ 5.91x4.53in Material: PVC	piece	1	2,000.00
42	Bucks Foam traction, Large	piece	1	2,420.00
43	Bucks Foam traction, Medium	piece	1	2,299.00
44	Bucks Foam traction, Small	piece	1	2,178.00
45	Burn Sheet, disposable 40x90 inches (shelf life: ≥2 years from the date of delivery)	piece	3	1,485.00
46	Cadaver Bag/ Body Bag with Zipper L: 76" x w:35" ; seamless sides; heavy duty nylon threads; continuous double webbing strap as handle and reinforcement; heavy duty no. 8 zipper closure; moisture and vapor repellent	piece	100	38,500.00
47	CANISTER, STAINLESS STEEL Cotton Container With Cover Stainless for Alcohol Canister, medium	piece	2	1,936.00
48	Cannula Gauge 18 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	110	10,648.00
49	Cannula Gauge 20 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥2 years) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	110	10,648.00
50	Cannula Gauge 22 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	170	16,456.00
51	Cannula Gauge 24 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	110	10,648.00

52	Cannula Gauge 26 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	50	4,840.00
53	Cannula, Nasal, Adult (shelf life: ≥ 2 years from the date of delivery)	piece	150	3,085.50
54	Cannula, Nasal, Pedia (shelf life: ≥ 2 years from the date of delivery)	piece	100	3,630.00
55	Casting tape, Fiberglass 4inx4 yds (shelf life: ≥ 2 years from the date of delivery)	roll	10	6,413.00
56	Casting tape, Fiberglass orthopedic 4" x 4 yards (shelf life: ≥ 2 years from the date of delivery)	roll	4	2,565.20
57	Casting tape, Fiberglass orthopedic, 2" x 4 yards (shelf life: ≥ 2 years)	roll	4	1,452.00
58	Catheter, Foley, fr 12 (shelf life: ≥ 2 years from the date of delivery)	piece	17	781.66
59	Catheter, Foley, fr 14 (shelf life: ≥ 2 years from the date of delivery)	piece	17	781.66
60	Catheter, Foley, fr 16 (shelf life: ≥ 2 years from the date of delivery)	piece	17	617.10
61	Catheter, Foley, fr 18 (shelf life: ≥ 2 years from the date of delivery)	piece	17	617.10
62	Catheter, Red Rubber, size: 12 (shelf life: ≥ 2 years from the date of delivery)	piece	15	4,900.50
63	Catheter, Suction, size 12 (shelf life: ≥ 2 years from the date of delivery)	piece	25	272.25
64	Catheter, Suction, size 14 (shelf life: ≥ 2 years from the date of delivery)	piece	17	185.13
65	Catheter, Suction, size 16 (shelf life: ≥ 2 years from the date of delivery)	piece	17	154.36

	66	<p>Cervical Collar, large Width: 16 – 18 inches Height: 4.25 inches Adjustable bilateral fasteners 2-piece design With ventilation openings Latex-free, non-toxic and hypoallergenic foam Water-resistant for bathing and aqua-therapy X-ray, CT and MRI lucent Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies</p>	piece	5	5,747.50
	67	<p>Cervical Collar, medium Width: 13 – 15 inches Height: 3.25 inches Adjustable bilateral fasteners 2-piece design With ventilation openings Latex-free, non-toxic and hypoallergenic foam Water-resistant for bathing and aqua-therapy X-ray, CT and MRI lucent Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies</p>	piece	5	5,747.50
	68	<p>Cervical Collar, small Width: 10 – 12 inches Height: 2.25 inches Adjustable bilateral fasteners 2-piece design With ventilation openings Latex-free, non-toxic and hypoallergenic foam Water-resistant for bathing and aqua-therapy X-ray, CT and MRI lucent Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies</p>	piece	5	5,747.50
	69	<p>Cold Packs for Cooler Specification Contains freezable gel in permanently sealed, heavy-duty puncture-resistant plastic Reusable Size(L×W×H): 32.5 x 22.5 x 2cm 1000ml</p>	piece	8	2,640.00

	70	Cooler for Blood/ Blood Products Specification Large bail handle Easy-to-carry design 8.5L/9qt Measurements: L 28 x W 21 x H 28 cm	piece	1	3,300.00
	71	Cord Clamp Umbilical (100's), plastic, single-use, sterile	box	5	2,692.25
	72	Cotton Applicator Sterile (200'S) (wooden) 6inches, sterile, small head Size: 6 inches Quantity: 200 pieces per box (2 cotton tipped applicator sticks per pack) (shelf life: ≥2 years from the date of delivery)	box	15	3,267.00
	73	Cotton Plier w/ lock (Hand Instrument), stainless	piece	2	508.20
	74	Cotton, 400gms Absorbent cotton (shelf life: ≥2 years from the date of delivery)	roll	6	1,150.74
	75	CPR Board / Cardiac Board, Plastic Size: L-59.5 x W- 41 x H-7cm	piece	3	7,260.00
	76	Crepe Paper, wrapping sheets, blue, 120 x 120 cm x 200's	pack	1	12,100.00
	77	Diagnostic Set (Oto/Optha), LED Contents: 2 x handles Soft case 4 x reusable specula Otoscope Pocket total height 11.8 cm head width 3.0 cm head depth 5.1 handle diameter 21 cm Weight 21 gms AA BATTERY LD Fiber Optic 3.0 X magnification 10.4 Diopters working distance with 4.2 mm speculum focal length 96mm Pneumatic otoscope port and seal	set	1	22,990.00
	78	Diaper, disposable, adult, absorbent, Large, x10's, snap (shelf life: ≥2 years from the date of delivery)	pack	10	2,414.00
	79	Diaper, disposable, adult, absorbent, Medium x10's, snap (shelf life: ≥2 years from the date of delivery)	pack	10	2,333.50
	80	Diaper, New Born, 20's, absorbent, disposable, snap (shelf life: ≥2 years from the date of delivery)	pack	5	1,210.00

81	Digital Hygrometer, Ambient Temperature Range: 0.0 to 50.0°C Ambient Temp Resolution: 0.1° Ambient Temp Accuracy: ±1°C RH Range: 20 to 90% RH RH Accuracy: ±5% RH midrange otherwise ±8% RH RH Resolution: 1% RH Probe Type: Internal Sensor RH Probe External/Internal: Internal (Ambient) RH Min/Max Memory: Yes Timing Capacity: 12/24 hours Timing Accuracy: 0.01% accuracy Timing Resolution: 1 minute Temp MIN/MAX Memory: Yes LCD Digit Size: 5/8 in Dimensions: 4-1/4"x2-1/4"x1/2" A/C Plug (Y/N): No Traceable: Yes CE Marked: Yes Supplied With: stand, wall mount, double- back tape, batteries, Traceable Certificate	unit	3	21,000.00
82	DISINFECTANT, Instrument Non- Gluteraldehyde, Alkyl Triamine, 14 days (cold sterilant solution for instrument) 1000ml (shelf life: ≥2 years from the date of delivery)	bottle	2	14,520.00
83	Disposable ECG Electrodes Adult, 50pieces/ pack (shelf life: ≥2 years from the date of delivery)	pack	2	1,452.00
84	Draw Sheet, sliding, reusable, 26" x 53", medical polymer material	piece	3	1,942.05
85	Dressing Carriage Specification stainless 4pcs 2" caster wheels 1 small tray 1 small basin 8 small bottle 5 big bottles 2 drawers 1 cabinet	unit	3	59,400.00
86	Dressing Film, 10x12cm (shelf life: ≥2 years from the date of delivery)	piece	20	2,200.00
87	Drop Light Specification Gooseneck Lamp / Droplight With Cover (W/ 5 Wheels) Stainless Stand	Unit	6	33,396.00

88	Endotracheal Guide Wire Fr.6, (shelf life: ≥2 years from the date of delivery)	piece	5	1,210.00
89	Endotracheal Guide wire, fr 14 (shelf life: ≥2 years from the date of delivery)	piece	5	1,210.00
90	Endotracheal Guide wire, fr 10 (shelf life: ≥2 years from the date of delivery)	piece	5	1,210.00
91	Examination and treatment table, Hamilton type, with drawer and compartment door, upholstered three section top provided with stirrup and sliding foot stool	Unit	2	33,000.00
92	EXAMINATION TABLE - Powder-coated steel frame - 3 panel padded foam mattress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest Backrest Angle: 0 - 80 degrees Legrest Angle: 270 - 360 degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87 cm	unit	1	36,300.00
93	Eye Sheet Drape (Sterile, disposable) 40x40cm with hole 10cm x10's (shelf life: ≥2 years from the date of delivery)	box	25	22,687.50
94	Face Mask, N95, Disposable, Fluid Resistant (shelf life: ≥2 years from the date of delivery)	piece	50	6,534.00
95	Face Shield, Disposable	piece	20	222.60

	96	<p>Fetal Doppler Specification Classification: Anti-electroshock Type: Internally powered equipment. Anti- electroshosck degree: Type B applied part must have anti electric shock Probe: Prevent from water splashing, degree of protection: IPX4 Working System: Continuous running equipment once turned on EMC: Group 1 Class B Suitable Using Range: Suitable for use after the 12th week of pregnancy FHR Performance FHR Measuring Range: 50-240BPM (BPM: beat per minute) Resolution: at least 1BPM Accuracy: + 2BPM Auto Shut -OFF: After 1 minute no signal, power off automatically Battery operated Probe: Nominal Frequency: 2.0MHz Working Frequency: 2.0MHz+10% P-: ,0.5Mpa Lob: ,10 mW/cm2 Ispta: ,50mW/cm2 Ultrasonic Outpu Intensity : Isata <5 mW/cm2 Ultrasonic Output Power: P,10mW Working Mode: Continous wave Doppler Effective Radiating Area of Transducer: 1567mm2+15%</p>	Unit	3	56,100.00
	97	<p>Foot Stool Single Stainless Size: Height: 22cm x Width: 25cm x Length: 35cm Leg Diameter: 7.5cm</p>	piece	2	5,082.00
	98	<p>Forcep, Adson Dressing, W/ Teeth 4 3/4", stainless</p>	piece	2	968.00
	99	<p>Forcep, Adson Dressing, without Teeth, stainless, 4 3/4"</p>	piece	2	968.00
	100	<p>Forcep, Thumb, stainless 7"</p>	piece	2	968.00
	101	<p>Forcep, Tissue, stainless 7"</p>	piece	2	605.00
	102	<p>Forceps, Allis Tissue, 7.0" Material: Stainless steel Profile: Serrated Jaw with Teeth Specialty: General Surgery</p>	piece	2	1,089.00
	103	<p>Forceps, Mosquito (curved), stainless, 7"</p>	piece	6	2,904.00

104	Forceps, Mosquito (Straight), stainless, 7"	piece	6	2,904.00
105	Forceps, Pick Up Specification Sponge Forceps Straight Material Stainless Size 9.5 inches	piece	1	990.00
106	Gauze, absorbent, 28x24 mesh, 36" x 2kgs- 2ply, cotton fabric, (shelf life: ≥2 years from the date of delivery)	roll	30	7,260.00
107	Glass Slide x 72's, unground edges	box	5	5,662.80
108	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (large) x 100's (shelf life: ≥2 years from the date of delivery)	box	50	17,696.50
109	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (medium) x 100's (shelf life: ≥2 years from the date of delivery)	box	75	26,534.25
110	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (small) x 100's (shelf life: ≥2 years from the date of delivery)	box	25	8,848.25
111	Gloves, Nitrile, Powder Free, Large, 100's/BOX (shelf life: ≥2 years from the date of delivery)	box	10	10,989.00
112	Gloves, Sterile, 6.5 (shelf life: ≥2 years from the date of delivery)	pair	100	2,629.00
113	Gloves, Sterile, 7.0 (shelf life: ≥2 years from the date of delivery)	pair	100	2,390.00
114	Gloves, Sterile, 7.5 (shelf life: ≥2 years from the date of delivery)	pair	100	2,390.00
115	Glutaraldehyde Solution, 1 gallon (shelf life: ≥2 years from the date of delivery)	gallon	4	6,600.00
116	Gown, Isolation, individually packed, disposable, Nonsterile, Woven, With elastic cuffs, With neck and waist tie- closures, Freesize, any color	piece	60	3,178.20

117	Head Immobilizer, no metal components and can be worn during x-rays, MRI and CT scan -waterproof and buoyant -can be used for water rescues. -can easily be cleaned and disinfected for reuse. -set-with straps, base & pillows. Dimension: 15" x 9"	piece	2	4,400.00
118	Heparin cap, (In-stopper), for adult (shelf life: ≥ 2 years from the date of delivery)	piece	25	756.25
119	Hot water bag, medium, rubber 850ml capacity	piece	3	258.66
120	Infusion Set, Y-Connector for needles injection site, luer lock fitting needle adaptor, sharp spike, dripping port for constant precision, 200-210cm soft tubing, macrodrip:20 drops, pyrogen free (shelf life: ≥ 2 years from the date of delivery)	piece	150	5,808.00
121	Infusion Set, Y-Connector for needles injection site, luer lock fitting needle adaptor, sharp spike, dripping port for constant precision, 200-210cm soft tubing, microdrip:60 drops, pyrogen free (shelf life: ≥ 2 years from the date of delivery)	piece	110	4,791.60
122	Isopropanol, Benzalkonium Chloride, 1000ml (Skin wound & operative disinfectant),(to provide 1 spray in every 10L) FORMULATION: Each 100g of solution contains Isopropanol ... 63g (shelf life: ≥ 2 years) Benzalkonium Chloride... .025g Purified Water.. 36.97g	bottle	1	2,226.40
123	IV Stand, 4 Hooks, stainless , well balance, easy rolling, height range 52.5"-94", twist locks, 5 wheels	unit	4	9,621.92
124	Knee Immobilizer/Splint, Large 21"	piece	1	2,541.00
125	Knee Immobilizer/Splint, Large 23"	piece	1	2,662.00
126	Knee Immobilizer/Splint, Medium	piece	1	2,541.00
127	Knee Immobilizer/Splint, Small	piece	1	2,541.00
128	Laryngoscope Pedia, set of 3 Blades #00,0,1, Conventional	set	1	7,260.00
129	Lubricating jelly 150g (shelf life: ≥ 2 years from the date of delivery)	tube	6	943.80

130	Manual Resuscitator Infant Neonate,(shelf life: ≥2 years from the date of delivery)	piece	1	1,089.00
131	Mask, KN95, protective mask, with adjustable nose clip, elastic ear loops, no exhalation valves x50s 7.5 (shelf life: ≥2 years from the date of delivery)	box	100	38,720.00
132	Mask, N88, Surgical x 50's (shelf life: ≥2 years from the date of delivery)	box	100	6,042.00
133	Mask, Non-Rebreather, Adult, (shelf life: ≥2 years from the date of delivery)	piece	10	1,548.80
134	Mask, Oxygen, Pedia Non-ToxicNon-pyrogenic Comes with tubing (shelf life: ≥2 years from the date of delivery) Dimension: 24cm x 3.6cm x 15cm	piece	50	3,630.00
135	Mask, Oxygen, for Adult (shelf life: ≥2 years from the date of delivery)	piece	50	2,178.00
136	Mask, Oxygen, for Neonate (shelf life: ≥2 years from the date of delivery)	piece	10	726.00
137	Mask,(Duck type) N95 (shelf life: ≥2 years from the date of delivery)	piece	20	1,300.80
138	Maternity Pads 8'S Soft Pure Cotton (shelf life: ≥2 years from the date of delivery)	pack	50	6,050.00
139	Mayo Stand with Tray Specification 13" x 19" and includes a removable, adjustable-height stainless steel tray. with chrome plated swivel casters. powder coated aluminum frame with a stainless steel tray. Tray Size: L:16" x W:12"	set	3	11,550.00
140	Medicine Box Material Metal Special Feature Portable, Waterproof, Lockable Style Modern Product Dimensions 13.4"L x 5.9"W x 13.8"H Item Weight 3000 Grams Shape Rectangular Mounting Type Wall Mount	piece	2	2,200.00

141	Minor surgery set 1 Bandage Scissor 1 Surgical Scissor (straight/curved) 1 Kelly forcep (curved) 1 Kelly forcep (straight) 1 Tissue forcep 1 Thumb forcep 1 Iris Scissor (straight/curved) 1 Mayo Scissor (straight/curved) 1 Suture Scissor 1 Mosquito forcep (straight) 1 Mosquito forcep (curved) 1 Needle Holder 1 Blade Handle #3 1 Blade Handle #4 with Pouch	set	2	6,820.00
142	Nasoparyngeal Airway size 12 (shelf life: ≥2 years from the date of delivery)	piece	18	10,781.10
143	Nasoparyngeal Airway size 14 (shelf life: ≥2 years from the date of delivery)	piece	18	10,781.10
144	Nasoparyngeal Airway size 24 (shelf life: ≥2 years from the date of delivery)	piece	18	10,781.10
145	Nasoparyngeal Airway size 28 (shelf life: ≥2 years from the date of delivery)	piece	18	10,781.10
146	Nasoparyngeal Airway size 32 (shelf life: ≥2 years from the date of delivery)	piece	18	10,781.10
147	Nebulizing Kit, adult (shelf life: ≥2 years from the date of delivery)	piece	250	10,740.00
148	Nebulizing Kit,with mask, pedia Nebulizer Kit Set 1 Mask 1 Medication chamber cup 1 Oxygen tube (shelf life: ≥2 years from the date of delivery)	set	90	6,534.00
149	Needle Holder, 7", stainless	piece	6	3,630.00
150	Catheter, Nelaton Fr 12 (shelf life: ≥2 years from the date of delivery)	piece	25	719.25
151	Neurological Hammer Set (5'S Kinds) Material: Metal, Steel 5pcs Multifunctional Percussion Diagnostic Reflex Percussion Hammer Set Medical Neurological Massage Hammer Kit Health Care Tool Pinwheel /Geer Wheel Hammer T-shape Hammer / Triple-cornered Hammer Taylor Buck Hammer Babinski Hammer /Metal Rod Hammer Plastic Rod Hammer	set	3	2,904.00

152	Oxygen Regulator	piece	10	21,235.50
153	Oxygen tank holder (oxygen cylinder bag) for wheelchair. Made of oxford cloth. it applies to almost all wheelchairs, adjustable straps with easy buckles to accommodate most wheel chairs, reflective straps size 75x25cm	piece	1	1,060.00
154	Oxygen tank, 10lbs	tank	7	23,100.00
155	Pads, Electrode, Cardiac monitor compatible for EDAN X12 x 50's (shelf life: ≥2 years from the date of delivery)	pack	10	3,025.00
156	Pads, for AED, adult, compatible with Radian Heart Guardian HR-501, (shelf life: 2 years from the date of delivery)	piece	2	14,762.00
157	Penlight, diagnostic pen	piece	3	660.00
158	Penlight/Otoscope Penlight with Pupil Gauge, Chrome Plated finish, LED lamp Chrome Plated Diagnostic Penlight with Pupil Gauge. Dimensions: 162mm x 45mm x 24mm Weight: 125g Diameters of Otoscope Tips: 2.4mm, 3mm, 4mm, 5mm 4 reusable tips are attached for different ear canal Otoscope head + tips +2 AAA batteries	piece	3	2,904.00
159	Pillow Donut/head positioner rubber donut (adult) 8"ODx3"IDx13/4" (20 OD x 7.5 ID x 4.5cm)	piece	1	7,606.69
160	Pillow Donut/head positioner rubber donut (pedia) 5 1/2"ODx2 1/4"IDx 1 1/4" (14 OD x5.7 ID x 3.2cm)	piece	1	7,606.69
161	Plaster Adhesive, Tape cloth 1.25cm x 5m tan-coloured zinc oxide tape, waterproof and dirt repellent. Can be worn for extended periods without irritating normal skin. Easy to tear and is permeable to both air and water vapour . (shelf life: ≥2 years from the date of delivery) (Provide Sample)	roll	5	1,210.00

162	Plaster, Adhesive, Tape cloth 2.5cm x 5m tan-coloured zinc oxide tape, waterproof and dirt repellent. Can be worn for extended periods without irritating normal skin. Easy to tear and is permeable to both air and water vapour . (shelf life: ≥2 years from the date of delivery)(Provide Samples)	roll	17	7,199.50
163	Plaster Of Paris (POP), 4" (shelf life: ≥2 years from the date of delivery)	roll	70	7,623.00
164	Plaster Of Paris (POP), 6" (shelf life: ≥2 years from the date of delivery)	roll	70	8,470.00
165	Plaster, Adhesive, Transparent Tape, 1" x 12's (shelf life: ≥2 years from the date of delivery)	box	15	13,612.50
166	Portable pill tablet cutter splitter	piece	6	1,363.26
167	Pranela, Newborn Receiving Blanket,29x29" (White)	piece	5	907.50
168	Pressure Infusor Bag for Blood Transfusion 6.69 x 6.3 x 1.57 inches; 6.98 Ounces (shelf life: ≥2 years) 500 ml capacity Latex free Reusable Materials: Nylon	piece	2	4,488.00
169	Pulse Oximeter 5's rapid reading, OLED Display with lanyard	unit	25	16,032.50
170	Resistance Bands, Black, Yard, Heavy Resistance	Piece	1	411.18
171	Resistance Bands, Blue, Yard, Medium Resistance	Piece	1	385.88
172	Resistance Bands, Gold, Yard, Heavy Resistance	Piece	1	411.18
173	Resistance Bands, Green, Yard, Light Resistance	Piece	1	347.82
174	Resistance Bands, Red, Yard, Heavy Resistance	Piece	1	411.18
175	Resistance Bands, Silver, Yard, Heavy Resistance	Piece	1	411.18
176	Resistance Bands, Yellow, Yard, Light Resistance	Piece	1	347.82
177	Safety box and incineration container for used needles and syringes, 5 liters, plastic	piece	13	2,359.50

178	Scissor, Iris (Straight), stainless	pair	2	605.00
179	Scissor, Iris, (Curved) 4 1/2", stainless	pair	2	484.00
180	Scissor, Mayo (curved), stainless, 7 1/4"	pair	6	3,267.00
181	Scissor, Mayo (Straight), stainless, 7 1/4"	pair	6	3,267.00
182	Scissor, Metzenbaum (Curved), stainless, 7"	pair	6	3,267.00
183	Scissor, Metzenbaum (Straight), stainless, 7"	pair	6	3,267.00
184	Scissor, Metzenbaum, Curved, 8"	pair	6	3,630.00
185	Scissor, Surgical, (Straight) 7 1/4", stainless	pair	2	1,089.00
186	Scissors, Bandage, 5.5"	pair	3	4,290.00
187	Shoe cover, Disposable, non-woven, color: blue x 2's	pair	150	573.00
188	Speculum Vaginal Stainless, Medium size	piece	4	2,640.00
189	Speculum Vaginal Stainless, Small size	piece	4	2,640.00
190	Sphygmomanometer, aneroid, pediatric	piece	5	5,142.50
191	Sphygmomanometer, desk type, clock model, square shaped. 14cm diameter dial, 300 mm aneroid meter	set	5	6,776.00
192	Spineboard With Strap With holes around the stretcher Equipped with 2 safety belts. Spider strap Size: Length 184 x Width 45 x Height 6cm Load capacity: 160kg.	set	2	6,050.00
193	Splint, adult, medium	piece	25	2,420.00
194	Splint, adult, small	piece	25	2,420.00
195	Splint, baby	piece	15	1,633.50
196	Splint, neonate	piece	25	2,117.50
197	Splint, pedia, medium	piece	25	2,117.50
198	Splint, pedia, small	piece	25	2,117.50
199	Wound closure strip 1/2 inch x 4inch x 50's Strength – Nonwoven rayon backed material reinforced with filaments for strength. Soft, nonwoven backing and breathable design.	box	2	7,260.00
200	Stethoscope , Color: black double-sided, dual diaphragm chestpiece for both adult and paediatric assessment. -dual head acoustic -with adult and pediatric size bells, tunable diaphragm, easy to clean, open bell, no latex or phthalate plasticizers, comes in several colors Tubing: Plum (69cm/27.2"). Finish: Stainless Steel	piece	11	109,142.00

201	Stretcher, Emergency, Provided with bumper Railing IV hook Mattress Shelf below with Oxygen holder 5" mounted wheel caster Size: H: 32" x L: 74" x W: 24"	unit	2	49,005.00
202	Suture, Chromic Catgut brown 1/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	5	2,090.00
203	Suture, Chromic Catgut brown 2/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	5	2,090.00
204	Suture, Chromic Catgut brown 3/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	5	2,090.00
205	Suture, Chromic Catgut brown 4/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	5	2,090.00
206	Suture, Chromic Catgut brown 5/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	5	2,090.00
207	Suture, Nylon 2.0 Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	40	16,940.00
208	Suture, Nylon 4-0 Cutting Needle, Sterile (shelf life: ≥ 2 years from the date of delivery)	piece	40	18,634.00
209	Suture, Nylon 5-0 Cutting Needle, Sterile (shelf life: ≥ 2 years from the date of delivery)	piece	40	20,328.00
210	Suture, Nylon 6-0 Cutting Needle, Sterile (shelf life: ≥ 2 years from the date of delivery)	piece	40	14,520.00
211	Suturing Needle, Chromic Gut, 3-0, C-6 Needle 18.7 mm, 3/8 Cutting x 12's, (shelf life: ≥ 2 years from the date of delivery)	box	2	1,089.00
212	Suturing thread (Chromic) 2.0 1/2 round bodied 40mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	25	1,164.75
213	Suturing thread (Nylon) 2.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	15	698.85
214	Suturing thread (Nylon) 3.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	15	698.85
215	Suturing thread (Nylon) 5.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	15	698.85

216	Suturing thread (Silk) 2.0 1/2 circle curved, cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	15	598.95
217	Suturing thread (Silk) 3.0 1/2 circle curved, cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	15	598.95
218	Suturing thread, Nylon 3.0 with Needle 3/8 curve reverse cutting edge 26mm, Stainless Steel Needle, Sharp, Well-polished, Sterile (shelf life: ≥ 2 years from the date of delivery)	piece	40	10,164.00
219	Suturing thread, silk 2/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	piece	5	1,760.00
220	Suturing thread, silk 3/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	piece	5	1,760.00
221	Suturing thread, silk 4/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	piece	5	1,760.00
222	Suturing thread, silk 5/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	piece	5	1,760.00
223	Syringe, 10cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles)(shelf life: ≥ 2 years from the date of delivery)	box	5	2,722.50
224	Syringe, 1cc, Disposable, g25 x 100's (slip tip syringes with lock, double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥ 2 years from the date of delivery)	box	5	1,932.30
225	Syringe, 20cc, Without Needle (Luer Lock) x 50's sealed and sterile (shelf life: ≥ 2 years from the date of delivery)	box	2	2,286.90
226	Syringe, 3cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥ 2 years from the date of delivery)	box	25	14,106.50
227	Syringe, 50cc, Without Needle (Luer Lock) x 20's sealed and sterile (shelf life: ≥ 2 years from the date of delivery)	box	1	1,143.45
228	Syringe, 5cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥ 2 years from the date of delivery)	box	5	2,390.90
229	Syringe, asepto, adult, (shelf life: ≥ 2 years from the date of delivery)	piece	10	605.00

230	Syringe, insulin, disposable, 1/2cc, u-100, g29,x100's (slip tip edge) (shelf life: ≥2 years from the date of delivery)	box	2	1,488.30
231	Thermal Print Paper, ECG, 210mm x 295mm, compatible with Mindray Beneheart R12 (200's), (shelf life: ≥2 years from the date of delivery)	pack	5	3,630.00
232	Thermometer, Digital Armpit 60 sec Response Time; LCD Display; Auto Shut Off Function; Memory For Last Reading; Display in both Celsius and Fahrenheit; Water Resistant Measurement Accuracy Measurement Range 89.6 – 107.6° F Measurement Accuracy Measurement Variance ±0.2°F POWER REQUIREMENTS Power Source Battery	piece	4	1,452.00
233	Thermometer, Ear Infrared Gentle temperature measurement for infants and young children. The Ear thermometer provides quick 1 second readings, with professional accuracy. Gentle temperature measurement for both adults &, infants/young children Product Features – 9 Sets memory – 1 Second Quick Measurement – Fever Alarm with Beeper (for body temperature 37.5°,C (99.5°,F) – Selectable °,C / °,F mode – Ergonomic Design for easy handling	piece	15	49,912.50
234	Thermometer, Non-contact Infrared	piece	10	7,260.00
235	Tongue Depressor Wooden (Sterile) 100'S (shelf life: ≥2 years from the date of delivery)	box	2	363.00
236	Tourniquet, 12 inches, flat	piece	10	330.00
237	Trauma Shears 7 1/4" Emergency Scissors	pair	2	3,630.00
238	Tray, Instruments, with cover 12x10x2.5"	piece	1	1,815.00
239	Tray, Medication, for 30 people, stainless steel, 350mmx290mm	piece	2	14,915.42
240	Tray, Stainless steel, rectangular tray with cover, 31cmx21cmx5cm	piece	4	9,378.84
241	Tube, Endotracheal 2.0 fr.8 (shelf life: ≥2 years from the date of delivery)	piece	10	968.00
242	Tube, Endotracheal 2.5 fr.10 (shelf life: ≥2 years from the date of delivery)	piece	10	532.40

243	Tube, Endotracheal 3.0 fr.12 (shelf life: ≥ 2 years from the date of delivery)	piece	10	968.00
244	Tube, Endotracheal 3.5 fr.14 (shelf life: ≥ 2 years from the date of delivery)	piece	10	968.00
245	Tube, Endotracheal 4.0 fr.16 (shelf life: ≥ 2 years from the date of delivery)	piece	10	532.40
246	Tube, Endotracheal 4.5 fr.18 (shelf life: ≥ 2 years from the date of delivery)	piece	10	532.40
247	Tube, Endotracheal 5.0 fr.20 (shelf life: ≥ 2 years from the date of delivery)	piece	10	532.40
248	Tube, Endotracheal 5.5 fr.22 (shelf life: ≥ 2 years from the date of delivery)	piece	8	425.92
249	Tube, Endotracheal 6.0 fr.24 (shelf life: ≥ 2 years from the date of delivery)	piece	20	1,064.80
250	Tube, Endotracheal 6.5 fr.26 (shelf life: ≥ 2 years from the date of delivery)	piece	20	1,936.00
251	Tube, Endotracheal 7.0 fr.28 (shelf life: ≥ 2 years from the date of delivery)	piece	20	1,936.00
252	Tube, Endotracheal 7.5 fr.30 (shelf life: ≥ 2 years from the date of delivery)	piece	20	1,936.00
253	Tube, Nasogastric, Pediatric fr.5, silicon with tip cover (shelf life: ≥ 2 years from the date of delivery)	piece	10	1,996.50
254	Tube, Nasogastric, ADULT fr.16, silicon with tip cover (shelf life: ≥ 2 years from the date of delivery)	piece	15	4,315.65
255	Underpads, Blue Disposable Underpads Packaging: 10's / pack (shelf life: ≥ 2 years from the date of delivery) Size: Medium 900x600mm (35.5x23.5 inches) Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backing	pack	20	4,356.00
256	Urine Bag, 2000ml capacity, disposable (shelf life: ≥ 2 years from the date of delivery)	piece	60	2,541.00

257	<p>UV Light Heavy Duty (4 Bulbs 30 Watts)</p> <p>-Filters can be integrated or optional and are used in analyzing and authentication applications.</p> <p>-Meters or timers control exposure time.</p> <p>-Multiple wand adaptation allows for multiple wands to be fed into the system.</p> <p>-Multi-direction exposure UV systems can expose a product or material to light from multiple directions. This is important if the bond-to material is not transparent and shadows the adhesive from an overhead beam.</p> <p>-Pulsed UV light systems and products that use light emitting diodes (LEDs) as a light source.</p>	unit	1	30,250.00
258	Volumetric, 150cc calibrated burette chamber, float valve, micro drip, 60 drops, needle free injection port, 200-210cm tubing, Y-connector (shelf life: ≥2 years from the date of delivery)	piece	20	4,259.20
259	Wadding Sheet, 4" x 5 yards (shelf life: ≥2 years from the date of delivery)	roll	60	10,890.00
260	Wadding Sheet, 6" x 5 yards (shelf life: ≥2 years from the date of delivery)	roll	60	10,890.00
261	Water, Distilled, 6 Liters (shelf life: ≥2 years from the date of delivery)	container	72	8,690.40
262	Weighing Scale with height measurement, dial type	unit	2	9,123.40
263	<p>Weighing Scale, Adult</p> <p>Capacity: 450lb x 4oz, 200 kg x 100 g</p> <p>Height Measurement Range (on select models): 24-84 in</p> <p>Height Graduation (on select models): 0.125 in</p> <p>Platform Size: 14.75 in x 10.75 in</p> <p>Overall Width: 17.5 in</p> <p>Overall Height: 58.25 in</p> <p>Overall Depth (with wheels): 23.25 in</p> <p>Construction: Mild steel with powder coat paint finish</p>	unit	2	53,460.00
264	<p>WEIGHING SCALE, ELECTRONIC</p> <p>BATHROOM</p> <p>Aluminum body</p> <p>LCD display</p> <p>With 2 AAA batteries</p> <p>Maximum weight: 150kg/330lbs</p> <p>Measurements: L 28 x W 28 x H 1.6 cm</p>	unit	4	12,100.00

265	Weighing Scale, Infant, Mechanical Max: 22 kg/ 55 lbs. Infant Scale Infant tray with calibration certificate	set	1	3,430.35
266	Weighing Scale, Pedia Beam type, White baked-on, powder-painted steel Capacity: 65 kg x 20 g Measuring Tape: 0 - 21 in x 0.25 in or 0 - 53 cm x 0.1 cm Tray Dimensions: 22 in W x 14.75 in D x 4.5 in H Weighing Tray: White polystyrene with calibration certificate"	unit	1	33,759.00
267	Wheelchair heavy duty (Double Cross bar), stainless	unit	4	26,400.00
268	Wheelchair Reclining Specifications: - Weight capacity: 300lbs. - Seat Width: 46cm - Width between arms is 17" - Overall wheel to wheel width is 26" - Elevating footrests - Removable armrests - Floor to seat height is 21" - Overall height with back straightened up 39" - Built-in back pocket for additional storage - 8" front casters - Wheel with Solid tires	Piece	2	17,600.00
MEDICAL EQUIPMENT				
269	Electrocardiogram Machine (See attached Terms of Reference)	set	2	185,900.00
270	Electrocardiogram Machine (See attached Terms of Reference)	piece	1	132,000.00
271	Stretcher bed trolley (See attached Terms of Reference)	piece	1	120,000.00

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	<p><i>[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]</i></p> <p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is Mr. Vincent A. Isip, MPA – Chief Administrative Officer.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

	<p>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</p> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>
	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p>

	<p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<i>[If partial payment is allowed, state]</i> “The terms of payment shall be as follows: request for partial payment shall be made in writing to HoPE.”
4	The inspections and tests that will be conducted are: Inspection, Demonstration

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
	MEDICAL SUPPLIES	
1	Air Purifier with True HEPA Filter (for 20-30sqm) Related Voltage: 220v Related Frequency: 60Hz Related power: 35w/45w Application Area: 35~50m ² Filter Function: Early filter, Hepa, Activated Carbon, Cold Catalyst, Negative Ion	
2	Airway adjuncts 1 (70mm)(shelf life: ≥2 years from the date of delivery)	

3	Airway adjuncts 2 (80mm) (shelf life: ≥2 years from the date of delivery)	
4	Airway adjuncts 3 (90mm) (shelf life: ≥2 years from the date of delivery)	
5	Airway adjuncts 4 (100mm) (shelf life: ≥2 years from the date of delivery)	
6	Ampoule Opener 7.15mm to 9.75mm, 1-15ml, wall mounted	
7	Arm Sling, large with cervical padding on strap Heavy-duty stitching on hems	
8	Arm Sling, medium with cervical padding on strap Heavy-duty stitching on hems	
9	Arm Sling, small with cervical padding on strap Heavy-duty stitching on hems	
10	Bag valve mask adult set , (shelf life: ≥2 years from the date of delivery)	
11	Bag valve mask Newborn set,(shelf life: ≥2 years from the date of delivery)	
12	Bag valve mask pedia set, (shelf life: ≥2 years from the date of delivery)	
13	Bandage, Cohesive 2" x 5 yards (shelf life: ≥2 years from the date of delivery)	
14	Bandage, Elastic 3inx5yd,with velcro (shelf life: ≥2 years from the date of delivery)	
15	Bandage, Elastic 4inx5yd, with velcro (shelf life: ≥2 years from the date of delivery)	
16	Bandage, Elastic 6inx5yd, with velcro (shelf life: ≥2 years from the date of delivery)	
17	Bandage, Elastic, 2" x 5 yards (firm consistent elastic fit for immobilization, reusable), with velcro (shelf life: ≥2 years from the date of delivery)	

18	Bandage, Triangular, clothe white, Size: 41" x 41" x 60"	
19	Basin, Kidney Materials: Stainless Size: 12 inches	
20	Basin, Kidney, stainless, size 10"	
21	Basin, Kidney, stainless size:8"	
22	Basin, Round, Stainless 200mm	
23	Basket, Multipurpose, handle 9x7x5 inches, plastic, square	
24	Bassinet Specification Baby Bassinet Stand (Stainless) W/ Crib & Foam (STAINLESS) Baby bassinet with stand single. With acrylic baby bassinet. Frame is made of stainless steel, mounted on swivel caster wheel. Dimensions: Over-all height H: 30" x L:29" x W:12"	
25	Battery, for AED, for Radian Heart Guardian HR-501, shelf life: 5 years	
26	Blade Holder / Scalpel Handle #3 Stainless Steel	
27	Blade, Surgical Stainless Steel, #10, 100'S	
28	Blade, Surgical Stainless Steel, #11, 100'S	
29	Blade, Surgical Stainless Steel, #12, 100'S	
30	Blade, Surgical Stainless Steel, #15, 100'S	
31	Blade, Surgical Stainless Steel, #20, 100'S	
32	Blood Glucose Monitor System for self testing, with strips, (auto-coding, strip ejector function, full automatic coding, 0.5ul small-blood volume, 365 data memory with date and time, automatic power on & start, enhanced data	

	management with PC communication, accurate test results in 5 seconds) -for gluneco lite glucose test strips	
33	Blood Lancet; sterile; gauge 21-23; for universal lancing device; 200's/ box; with at least 1 year expiry	
34	Blood Transfusion Set, sterile, at least 180cm, 20macroset, (shelf life: ≥2 years from the date of delivery)	
35	Bowl, Round, for solution 200 mm, stainless	
36	BP Aneroid Sphygmo Desktype 300 mm.Hg. no pin stop calibrated scale, enlarged blue color dial plate with white numerical for easy reading, sturdy plastic housing enclosure for the gauge. with extendable rubber coil tubing, metal base pad for desk and metal bracket for wall mounting. with hardware kit and calibrated inflation system	
37	BP Aneroid With Wheels Floor Type Attached wire basket stores cuff and tubing, adjustable calibrated black nylon cuff 8 ft coiled tubing with connector, large circular basket, mobile stand assembly, wall-mounted bracket. With stand, Wheels, small basket Desk and wall type Square shaped 14cm diameter dial Standard cotton cuff Professional Aneroid Sphygmomanometer, Wall Mount Type or Floor Type Dimension: 58cm x 50cm x 21cm	
38	BP Apparatus (Pedia) long lasting, thick rubber bladder, luminous dial face durable Adult Inflation System Genuine brass gauge	
39	BP Cuff With Inflation Pedia Size : Cuff - 4"x 15" Tubing :19.5"	

40	<p>BP set Manual Adult (stethoscope and aneroid)</p> <p>General Specification:</p> <ul style="list-style-type: none"> -0-300mmhg gauge -Stainless inner Components -Curved Plastic Glass -Thick rubber inflation bag -Adult Size Cuff and Bag <p>Individually numbered gauge</p>	
41	<p>Brain model (Life size Human Brain Functional Features: Life size regional human brain model base for anatomical study. Model can be broken into two parts for further examination. Model shows frontal and parietal lobes, occipital lobe motor and somatosensory cortex, limbic cortex, cerebellum, brain stem, size 15x11.5cm/ 5.91x4.53in Material: PVC</p>	
42	Bucks Foam traction, Large	
43	Bucks Foam traction, Medium	
44	Bucks Foam traction, Small	
45	Burn Sheet, disposable 40x90 inches (shelf life: ≥ 2 years from the date of delivery)	
46	Cadaver Bag/ Body Bag with Zipper L: 76" x w:35" ; seamless sides; heavy duty nylon threads; continuous double webbing strap as handle and reinforcement; heavy duty no. 8 zipper closure; moisture and vapor repellent	
47	CANISTER, STAINLESS STEEL Cotton Container With Cover Stainless for Alcohol Canister, medium	
48	<p>Cannula Gauge 18 (lower risk of split tips and peel back) during punctures under difficult conditions.</p> <p>(shelf life: ≥ 2 years from the date of delivery)</p> <p>Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes</p>	
49	<p>Cannula Gauge 20 (lower risk of split tips and peel back) during punctures under difficult</p>	

	<p>conditions. (shelf life: ≥ 2 years) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes</p>	
50	<p>Cannula Gauge 22 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes</p>	
51	<p>Cannula Gauge 24 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes</p>	
52	<p>Cannula Gauge 26 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes</p>	
53	<p>Cannula, Nasal, Adult (shelf life: ≥ 2 years from the date of delivery)</p>	
54	<p>Cannula, Nasal, Pedia (shelf life: ≥ 2 years from the date of delivery)</p>	
55	<p>Casting tape, Fiberglass 4inx4 yds (shelf life: ≥ 2 years from the date of delivery)</p>	
56	<p>Casting tape, Fiberglass orthopedic 4" x 4 yards (shelf life: ≥ 2 years from the date of delivery)</p>	
57	<p>Casting tape, Fiberglass orthopedic, 2" x 4 yards (shelf life: ≥ 2 years)</p>	
58	<p>Catheter, Foley, fr 12 (shelf life: ≥ 2 years from the date of delivery)</p>	
59	<p>Catheter, Foley, fr 14 (shelf life: ≥ 2 years from the date of delivery)</p>	

60	Catheter, Foley, fr 16 (shelf life: ≥ 2 years from the date of delivery)	
61	Catheter, Foley, fr 18 (shelf life: ≥ 2 years from the date of delivery)	
62	Catheter, Red Rubber, size: 12 (shelf life: ≥ 2 years from the date of delivery)	
63	Catheter, Suction, size 12 (shelf life: ≥ 2 years from the date of delivery)	
64	Catheter, Suction, size 14 (shelf life: ≥ 2 years from the date of delivery)	
65	Catheter, Suction, size 16 (shelf life: ≥ 2 years from the date of delivery)	
66	<p>Cervical Collar, large</p> <p>Width: 16 – 18 inches</p> <p>Height: 4.25 inches</p> <p>Adjustable bilateral fasteners</p> <p>2-piece design</p> <p>With ventilation openings</p> <p>Latex-free, non-toxic and hypoallergenic foam</p> <p>Water-resistant for bathing and aqua-therapy</p> <p>X-ray, CT and MRI lucent</p> <p>Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies</p>	
67	<p>Cervical Collar, medium</p> <p>Width: 13 – 15 inches</p> <p>Height: 3.25 inches</p> <p>Adjustable bilateral fasteners</p> <p>2-piece design</p> <p>With ventilation openings</p> <p>Latex-free, non-toxic and hypoallergenic foam</p> <p>Water-resistant for bathing and aqua-therapy</p> <p>X-ray, CT and MRI lucent</p> <p>Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies</p>	
68	<p>Cervical Collar, small</p> <p>Width: 10 – 12 inches</p> <p>Height: 2.25 inches</p> <p>Adjustable bilateral fasteners</p> <p>2-piece design</p> <p>With ventilation openings</p> <p>Latex-free, non-toxic and hypoallergenic</p>	

	foam Water-resistant for bathing and aqua-therapy X-ray, CT and MRI lucent Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies	
69	Cold Packs for Cooler Specification Contains freezable gel in permanently sealed, heavy-duty puncture-resistant plastic Reusable Size(L×W×H): 32.5 x 22.5 x 2cm 1000ml	
70	Cooler for Blood/ Blood Products Specification Large bail handle Easy-to-carry design 8.5L/9qt Measurements: L 28 x W 21 x H 28 cm	
71	Cord Clamp Umbilical (100's), plastic, single-use, sterile	
72	Cotton Applicator Sterile (200'S) (wooden) 6inches, sterile, small head Size: 6 inches Quantity: 200 pieces per box (2 cotton tipped applicator sticks per pack) (shelf life: ≥2 years from the date of delivery)	
73	Cotton Plier w/ lock (Hand Instrument), stainless	
74	Cotton, 400gms Absorbent cotton (shelf life: ≥2 years from the date of delivery)	
75	CPR Board / Cardiac Board, Plastic Size: L-59.5 x W- 41 x H-7cm	
76	Crepe Paper, wrapping sheets, blue, 120 x 120 cm x 200's	
77	Diagnostic Set (Oto/Optha), LED Contents: 2 x handles Soft case 4 x reusable specula	

	Otoscope Pocket total height 11.8 cm head width 3.0 cm head depth 5.1 handle diameter 21 cm Weight 21 gms AA BAttery LD Fiber Optic 3.0 X magnification 10.4 Diopters working disance with 4.2 mm speculum focal length 96mm Pneumatic otoscope port and seal	
78	Diaper, disposable, adult, absorbent, Large, x10's, snap (shelf life: ≥2 years from the date of delivery)	
79	Diaper, disposable, adult, absorbent, Medium x10's, snap (shelf life: ≥2 years from the date of delivery)	
80	Diaper, New Born, 20's, absorbent, disposable, snap (shelf life: ≥2 years from the date of delivery)	
81	Digital Hygrometer, Ambient Temperature Range: 0.0 to 50.0°C Ambient Temp Resolution: 0.1° Ambient Temp Accuracy: ±1°C RH Range: 20 to 90% RH RH Accuracy: ±5% RH midrange otherwise ±8% RH RH Resolution: 1% RH Probe Type: Internal Sensor RH Probe External/Internal: Internal (Ambient) RH Min/Max Memory: Yes Timing Capacity: 12/24 hours Timing Accuracy: 0.01% accuracy Timing Resolution: 1 minute Temp MIN/MAX Memory: Yes LCD Digit Size: 5/8 in Dimensions: 4-1/4"x2-1/4"x1/2" A/C Plug (Y/N): No Traceable: Yes CE Marked: Yes Supplied With: stand, wall mount, double-back tape, batteries, Traceable Certificate	
82	DISINFECTANT, Instrument Non-Gluteraldehyde, Alkyl Triamine, 14 days (cold sterilant solution for instrument) 1000ml	

	(shelf life: ≥ 2 years from the date of delivery)	
83	Disposable ECG Electrodes Adult, 50pieces/ pack (shelf life: ≥ 2 years from the date of delivery)	
84	Draw Sheet, sliding, reusable, 26" x 53", medical polymer material	
85	Dressing Carriage Specification stainless 4pcs 2" caster wheels 1 small tray 1 small basin 8 small bottle 5 big bottles 2 drawers 1 cabinet	
86	Dressing Film, 10x12cm (shelf life: ≥ 2 years from the date of delivery)	
87	Drop Light Specification Gooseneck Lamp / Droplight With Cover (W/ 5 Wheels) Stainless Stand	
88	Endotracheal Guide Wire Fr.6, (shelf life: ≥ 2 years from the date of delivery)	
89	Endotracheal Guide wire, fr 14 (shelf life: ≥ 2 years from the date of delivery)	
90	Endotracheal Guide wire, fr 10 (shelf life: ≥ 2 years from the date of delivery)	
91	Examination and treatment table, Hamilton type, with drawer and compartment door, upholstered three section top provided with stirrup and sliding foot stool	
92	EXAMINATION TABLE - Powder-coated steel frame -3 panel padded foam mattress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest Backrest Angle: 0 - 80 degrees Legrest Angle: 270 - 360 degrees	

	<p>Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87 cm</p>	
93	<p>Eye Sheet Drape (Sterile, disposable) 40x40cm with hole 10cm x10's (shelf life: ≥2 years from the date of delivery)</p>	
94	<p>Face Mask, N95, Disposable, Fluid Resistant (shelf life: ≥2 years from the date of delivery)</p>	
95	<p>Face Shield, Disposable</p>	
96	<p>Fetal Doppler Specification Classification: Anti-electroshock Type: Internally powered equipment. Anti- electroshosck degree: Type B applied part must have anti electric shock Probe: Prevent from water splashing, degree of protection: IPX4 Working System: Continuous running equipment once turned on EMC: Group 1 Class B Suitable Using Range: Suitable for use after the 12th week of pregnancy FHR Performance FHR Measuring Range: 50-240BPM (BPM: beat per minute) Resolution: at least 1BPM Accuracy: + 2BPM Auto Shut -OFF: After 1 minute no signal, power off automatically Battery operated Probe: Nominal Frequency: 2.0MHz Working Frequency: 2.0MHz+10% P-: ,0.5Mpa Lob: ,10 mW/cm2 Ispta: ,50mW/cm2 Ultrasonic Outpu Intensity : Isata <5 mW/cm2 Ultrasonic Output Power: P,10mW Working Mode: Continous wave Doppler Effective Radiating Area of Transducer: 1567mm2+15%</p>	
97	<p>Foot Stool Single Stainless Size: Height: 22cm x Width: 25cm x</p>	

	Length: 35cm Leg Diameter: 7.5cm	
98	Forcep, Adson Dressing, W/ Teeth 4 3/4", stainless	
99	Forcep, Adson Dressing, without Teeth, stainless, 4 3/4"	
100	Forcep, Thumb, stainless 7"	
101	Forcep, Tissue, stainless 7"	
102	Forceps, Allis Tissue, 7.0" Material: Stainless steel Profile: Serrated Jaw with Teeth Specialty: General Surgery	
103	Forceps, Mosquito (curved), stainless, 7"	
104	Forceps, Mosquito (Straight), stainless, 7"	
105	Forceps, Pick Up Specification Sponge Forceps Straight Material Stainless Size 9.5 inches	
106	Gauze, absorbent, 28x24 mesh, 36" x 2kgs-2ply, cotton fabric, (shelf life: ≥2 years from the date of delivery)	
107	Glass Slide x 72's, unground edges	
108	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (large) x 100's (shelf life: ≥2 years from the date of delivery)	
109	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (medium) x 100's (shelf life: ≥2 years from the date of delivery)	
110	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (small) x 100's (shelf life: ≥2 years from the date of delivery)	
111	Gloves, Nitrile, Powder Free, Large, 100's/BOX (shelf life: ≥2 years from the date of delivery)	

112	Gloves, Sterile, 6.5 (shelf life: ≥ 2 years from the date of delivery)	
113	Gloves, Sterile, 7.0 (shelf life: ≥ 2 years from the date of delivery)	
114	Gloves, Sterile, 7.5 (shelf life: ≥ 2 years from the date of delivery)	
115	Glutaraldehyde Solution, 1 gallon (shelf life: ≥ 2 years from the date of delivery)	
116	Gown, Isolation, individually packed, disposable, Nonsterile, Woven, With elastic cuffs, With neck and waist tie-closures, Freesize, any color	
117	Head Immobilizer, no metal components and can be worn during x-rays, MRI and CT scan -waterproof and buoyant -can be used for water rescues. -can easily be cleaned and disinfected for reuse. -set-with straps, base & pillows. Dimension: 15" x 9"	
118	Heparin cap, (In-stopper), for adult (shelf life: ≥ 2 years from the date of delivery)	
119	Hot water bag, medium, rubber 850ml capacity	
120	Infusion Set, Y-Connector for needles injection site, luer lock fitting needle adaptor, sharp spike, dripping port for constant precision, 200-210cm soft tubing, macrodrip:20 drops, pyrogen free (shelf life: ≥ 2 years from the date of delivery)	
121	Infusion Set, Y-Connector for needles injection site, luer lock fitting needle adaptor, sharp spike, dripping port for constant precision, 200-210cm soft tubing, microdrip:60 drops, pyrogen free (shelf life: ≥ 2 years from the date of delivery)	
122	Isopropanol, Benzalkonium Chloride,1000ml (Skin wound & operative disinfectant),(to provide 1 spray in every 10L) FORMULATION: Each 100g of solution contains	

	Isopropanol ... 63g (shelf life: ≥2 years) Benzalkonium Chloride... .025g Purified Water.. 36.97g	
123	IV Stand, 4 Hooks, stainless , well balance, easy rolling, height range 52.5"-94" , twist locks, 5 wheels	
124	Knee Immobilizer/Splint, Large 21"	
125	Knee Immobilizer/Splint, Large 23"	
126	Knee Immobilizer/Splint, Medium	
127	Knee Immobilizer/Splint, Small	
128	Laryngoscope Pedia, set of 3 Blades #00,0,1, Conventional	
129	Lubricating jelly 150g (shelf life: ≥2 years from the date of delivery)	
130	Manual Resuscitator Infant Neonate,(shelf life: ≥2 years from the date of delivery)	
131	Mask, KN95, protective mask, with adjustable nose clip, elastic ear loops, no exhalation valves x50s 7.5 (shelf life: ≥2 years from the date of delivery)	
132	Mask, N88, Surgical x 50's (shelf life: ≥2 years from the date of delivery)	
133	Mask, Non-Rebreather, Adult, (shelf life: ≥2 years from the date of delivery)	
134	Mask, Oxygen, Pedia Non-ToxicNon-pyrogenic Comes with tubing (shelf life: ≥2 years from the date of delivery) Dimension: 24cm x 3.6cm x 15cm	
135	Mask, Oxygen, for Adult (shelf life: ≥2 years from the date of delivery)	
136	Mask, Oxygen, for Neonate (shelf life: ≥2 years from the date of delivery)	
137	Mask,(Duck type) N95 (shelf life: ≥2 years from the date of delivery)	

138	Maternity Pads 8'S Soft Pure Cotton (shelf life: ≥2 years from the date of delivery)	
139	Mayo Stand with Tray Specification 13" x 19" and includes a removable, adjustable-height stainless steel tray. with chrome plated swivel casters. powder coated aluminum frame with a stainless steel tray. Tray Size: L:16" x W:12"	
140	Medicine Box Material Metal Special Feature Portable, Waterproof, Lockable Style Modern Product Dimensions 13.4"L x 5.9"W x 13.8"H Item Weight 3000 Grams Shape Rectangular Mounting Type Wall Mount	
141	Minor surgery set 1 Bandage Scissor 1 Surgical Scissor (straight/curved) 1 Kelly forcep (curved) 1 Kelly forcep (straight) 1 Tissue forcep 1 Thumb forcep 1 Iris Scissor (straight/curved) 1 Mayo Scissor (straight/curved) 1 Suture Scissor 1 Mosquito forcep (straight) 1 Mosquito forcep (curved) 1 Needle Holder 1 Blade Handle #3 1 Blade Handle #4 with Pouch	
142	Nasopharyngeal Airway size 12 (shelf life: ≥2 years from the date of delivery)	
143	Nasopharyngeal Airway size 14 (shelf life: ≥2 years from the date of delivery)	
144	Nasopharyngeal Airway size 24 (shelf life: ≥2 years from the date of delivery)	
145	Nasopharyngeal Airway size 28 (shelf life: ≥2 years from the date of delivery)	

146	Nasopharyngeal Airway size 32 (shelf life: ≥ 2 years from the date of delivery)	
147	Nebulizing Kit, adult (shelf life: ≥ 2 years from the date of delivery)	
148	Nebulizing Kit, with mask, pediatric Nebulizer Kit Set 1 Mask 1 Medication chamber cup 1 Oxygen tube (shelf life: ≥ 2 years from the date of delivery)	
149	Needle Holder, 7", stainless	
150	Catheter, Nelaton Fr 12 (shelf life: ≥ 2 years from the date of delivery)	
151	Neurological Hammer Set (5'S Kinds) Material: Metal, Steel 5pcs Multifunctional Percussion Diagnostic Reflex Percussion Hammer Set Medical Neurological Massage Hammer Kit Health Care Tool Pinwheel /Gear Wheel Hammer T-shape Hammer / Triple-cornered Hammer Taylor Buck Hammer Babinski Hammer /Metal Rod Hammer Plastic Rod Hammer	
152	Oxygen Regulator	
153	Oxygen tank holder (oxygen cylinder bag) for wheelchair. Made of oxford cloth. it applies to almost all wheelchairs, adjustable straps with easy buckles to accommodate most wheel chairs, reflective straps size 75x25cm	
154	Oxygen tank, 10lbs	
155	Pads, Electrode, Cardiac monitor compatible for EDAN X12 x 50's (shelf life: ≥ 2 years from the date of delivery)	
156	Pads, for AED, adult, compatible with Radian Heart Guardian HR-501, (shelf life: 2 years from the date of delivery)	
157	Penlight, diagnostic pen	

158	<p>Penlight/Otoscope Penlight with Pupil Gauge, Chrome Plated finish, LED lamp Chrome Plated Diagnostic Penlight with Pupil Gauge. Dimensions: 162mm x 45mm x 24mm Weight: 125g Diameters of Otoscope Tips: 2.4mm, 3mm, 4mm, 5mm</p> <p>4 reusable tips are attached for different ear canal Otoscope head + tips +2 AAA batteries</p>	
159	Pillow Donut/head positioner rubber donut (adult) 8"ODx3"IDx13/4" (20 OD x 7.5 ID x 4.5cm)	
160	Pillow Donut/head positioner rubber donut (pedia) 5 1/2"ODx2 1/4"IDx 1 1/4" (14 OD x5.7 ID x 3.2cm)	
161	<p>Plaster Adhesive, Tape cloth 1.25cm x 5m tan-coloured zinc oxide tape, waterproof and dirt repellent. Can be worn for extended periods without irritating normal skin. Easy to tear and is permeable to both air and water vapour . (shelf life: ≥2 years from the date of delivery) (Provide Sample)</p>	
162	<p>Plaster, Adhesive, Tape cloth 2.5cm x 5m tan-coloured zinc oxide tape, waterproof and dirt repellent. Can be worn for extended periods without irritating normal skin. Easy to tear and is permeable to both air and water vapour . (shelf life: ≥2 years from the date of delivery)(Provide Samples)</p>	
163	Plaster Of Paris (POP), 4" (shelf life: ≥2 years from the date of delivery)	
164	Plaster Of Paris (POP), 6" (shelf life: ≥2 years from the date of delivery)	
165	Plaster, Adhesive, Transparent Tape, 1" x 12's (shelf life: ≥2 years from the date of delivery)	

166	Portable pill tablet cutter splitter	
167	Pranela, Newborn Receiving Blanket, 29x29" (White)	
168	Pressure Infusor Bag for Blood Transfusion 6.69 x 6.3 x 1.57 inches; 6.98 Ounces (shelf life: ≥ 2 years) 500 ml capacity Latex free Reusable Materials: Nylon	
169	Pulse Oximeter 5's rapid reading, OLED Display with lanyard	
170	Resistance Bands, Black, Yard, Heavy Resistance	
171	Resistance Bands, Blue, Yard, Medium Resistance	
172	Resistance Bands, Gold, Yard, Heavy Resistance	
173	Resistance Bands, Green, Yard, Light Resistance	
174	Resistance Bands, Red, Yard, Heavy Resistance	
175	Resistance Bands, Silver, Yard, Heavy Resistance	
176	Resistance Bands, Yellow, Yard, Light Resistance	
177	Safety box and incineration container for used needles and syringes, 5 liters, plastic	
178	Scissor, Iris (Straight), stainless	
179	Scissor, Iris, (Curved) 4 1/2", stainless	
180	Scissor, Mayo (curved), stainless, 7 1/4"	
181	Scissor, Mayo (Straight), stainless, 7 1/4"	
182	Scissor, Metzenbaum (Curved), stainless, 7"	

183	Scissor, Metzenbaum (Straight), stainless, 7"	
184	Scissor, Metzenbaum, Curved, 8"	
185	Scissor, Surgical, (Straight) 7 1/4", stainless	
186	Scissors, Bandage, 5.5"	
187	Shoe cover, Disposable, non-woven, color: blue x 2's	
188	Speculum Vaginal Stainless, Medium size	
189	Speculum Vaginal Stainless, Small size	
190	Sphygmomanometer, aneroid, pediatric	
191	Sphygmomanometer, desk type, clock model, square shaped. 14cm diameter dial, 300 mm aneroid meter	
192	Spineboard With Strap With holes around the stretcher Equipped with 2 safety belts. Spider strap Size: Length 184 x Width 45 x Height 6cm Load capacity: 160kg.	
193	Splint, adult, medium	
194	Splint, adult, small	
195	Splint, baby	
196	Splint, neonate	
197	Splint, pedia, medium	
198	Splint, pedia, small	
199	Wound closure strip 1/2 inch x 4inch x 50's Strength – Nonwoven rayon backed material reinforced with filaments for strength. Soft, nonwoven backing and breathable design.	
200	Stethoscope, Color: black double-sided, dual diaphragm	

	<p>chestpiece for both adult and paediatric assessment.</p> <p>-dual head acoustic</p> <p>-with adult and pediatric size bells, tunable diaphragm, easy to clean, open bell, no latex or phthalate plasticizers, comes in several colors</p> <p>Tubing: Plum (69cm/27.2"). Finish: Stainless Steel</p>	
201	<p>Stretcher, Emergency, Provided with bumper Railing</p> <p>IV hook</p> <p>Mattress</p> <p>Shelf below with Oxygen holder</p> <p>5" mounted wheel caster</p> <p>Size: H: 32" x L: 74" x W: 24"</p>	
202	<p>Suture, Chromic Catgut brown 1/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)</p>	
203	<p>Suture, Chromic Catgut brown 2/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)</p>	
204	<p>Suture, Chromic Catgut brown 3/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)</p>	
205	<p>Suture, Chromic Catgut brown 4/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)</p>	
206	<p>Suture, Chromic Catgut brown 5/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)</p>	
207	<p>Suture, Nylon 2.0 Cutting (shelf life: ≥ 2 years from the date of delivery)</p>	
208	<p>Suture, Nylon 4-0 Cutting Needle, Sterile (shelf life: ≥ 2 years from the date of delivery)</p>	
209	<p>Suture, Nylon 5-0 Cutting Needle, Sterile (shelf life: ≥ 2 years from the date of delivery)</p>	
210	<p>Suture, Nylon 6-0 Cutting Needle, Sterile (shelf life: ≥ 2 years from the date of delivery)</p>	

211	Suturing Needle, Chromic Gut, 3-0, C-6 Needle 18.7 mm, 3/8 Cutting x 12's, (shelf life: ≥ 2 years from the date of delivery)	
212	Suturing thread (Chromic) 2.0 1/2 round bodied 40mm, sterile (shelf life: ≥ 2 years from the date of delivery)	
213	Suturing thread (Nylon) 2.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	
214	Suturing thread (Nylon) 3.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	
215	Suturing thread (Nylon) 5.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	
216	Suturing thread (Silk) 2.0 1/2 circle curved, cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	
217	Suturing thread (Silk) 3.0 1/2 circle curved, cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	
218	Suturing thread, Nylon 3.0 with Needle 3/8 curve reverse cutting edge 26mm, Stainless Steel Needle, Sharp, Well-polished, Sterile (shelf life: ≥ 2 years from the date of delivery)	
219	Suturing thread, silk 2/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	
220	Suturing thread, silk 3/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	
221	Suturing thread, silk 4/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	
222	Suturing thread, silk 5/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	

223	Syringe, 10cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles)(shelf life: ≥ 2 years from the date of delivery)	
224	Syringe, 1cc, Disposable, g25 x 100's (slip tip syringes with lock, double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥ 2 years from the date of delivery)	
225	Syringe, 20cc, Without Needle (Luer Lock) x 50's sealed and sterile (shelf life: ≥ 2 years from the date of delivery)	
226	Syringe, 3cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥ 2 years from the date of delivery)	
227	Syringe, 50cc, Without Needle (Luer Lock) x 20's sealed and sterile (shelf life: ≥ 2 years from the date of delivery)	
228	Syringe, 5cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥ 2 years from the date of delivery)	
229	Syringe, asepto, adult, (shelf life: ≥ 2 years from the date of delivery)	
230	Syringe, insulin, disposable, 1/2cc, u-100, g29,x100's (slip tip edge) (shelf life: ≥ 2 years from the date of delivery)	
231	Thermal Print Paper, ECG, 210mm x 295mm, compatible with Mindray Beneheart R12 (200's), (shelf life: ≥ 2 years from the date of delivery)	
232	Thermometer, Digital Armpit 60 sec Response Time; LCD Display; Auto Shut Off Function; Memory For Last Reading; Display in both Celsius and Fahrenheit; Water Resistant Measurement Accuracy Measurement Range 89.6 – 107.6° F	

	Measurement Accuracy Measurement Variance $\pm 0.2^{\circ}\text{F}$ POWER REQUIREMENTS Power Source Battery	
233	Thermometer, Ear Infrared Gentle temperature measurement for infants and young children. The Ear thermometer provides quick 1 second readings, with professional accuracy. Gentle temperature measurement for both adults &, infants/young children Product Features - 9 Sets memory - 1 Second Quick Measurement - Fever Alarm with Beeper (for body temperature 37.5°C (99.5°F)) - Selectable $^{\circ}\text{C}$ / $^{\circ}\text{F}$ mode - Ergonomic Design for easy handling	
234	Thermometer, Non-contact Infrared	
235	Tongue Depressor Wooden (Sterile) 100'S (shelf life: ≥ 2 years from the date of delivery)	
236	Tourniquet, 12 inches, flat	
237	Trauma Shears 7 1/4" Emergency Scissors	
238	Tray, Instruments, with cover 12x10x2.5"	
239	Tray, Medication, for 30 people, stainless steel, 350mmx290mm	
240	Tray, Stainless steel, rectangular tray with cover, 31cmx21cmx5cm	
241	Tube, Endotracheal 2.0 fr.8 (shelf life: ≥ 2 years from the date of delivery)	
242	Tube, Endotracheal 2.5 fr.10 (shelf life: ≥ 2 years from the date of delivery)	
243	Tube, Endotracheal 3.0 fr.12 (shelf life: ≥ 2 years from the date of delivery)	
244	Tube, Endotracheal 3.5 fr.14 (shelf life: ≥ 2 years from the date of delivery)	
245	Tube, Endotracheal 4.0 fr.16 (shelf life: ≥ 2 years from the date of delivery)	

246	Tube, Endotracheal 4.5 fr.18 (shelf life: ≥ 2 years from the date of delivery)	
247	Tube, Endotracheal 5.0 fr.20 (shelf life: ≥ 2 years from the date of delivery)	
248	Tube, Endotracheal 5.5 fr.22 (shelf life: ≥ 2 years from the date of delivery)	
249	Tube, Endotracheal 6.0 fr.24 (shelf life: ≥ 2 years from the date of delivery)	
250	Tube, Endotracheal 6.5 fr.26 (shelf life: ≥ 2 years from the date of delivery)	
251	Tube, Endotracheal 7.0 fr.28 (shelf life: ≥ 2 years from the date of delivery)	
252	Tube, Endotracheal 7.5 fr.30 (shelf life: ≥ 2 years from the date of delivery)	
253	Tube, Nasogastric, Pediatric fr.5, silicon with tip cover (shelf life: ≥ 2 years from the date of delivery)	
254	Tube, Nasogastric, ADULT fr.16, silicon with tip cover (shelf life: ≥ 2 years from the date of delivery)	
255	Underpads, Blue Disposable Underpads Packaging: 10's / pack (shelf life: ≥ 2 years from the date of delivery) Size: Medium 900x600mm (35.5x23.5 inches) Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backing	
256	Urine Bag, 2000ml capacity, disposable (shelf life: ≥ 2 years from the date of delivery)	
257	UV Light Heavy Duty (4 Bulbs 30 Watts) -Filters can be integrated or optional and are used in analyzing and authentication applications. -Meters or timers control exposure time. -Multiple wand adaptation allows for multiple wands to be fed into the system. -Multi-direction exposure UV systems can expose a product or material to light from multiple directions. This is important if the bond-to material is not transparent	

	and shadows the adhesive from an overhead beam. -Pulsed UV light systems and products that use light emitting diodes (LEDs) as a light source.	
258	Volumetric, 150cc calibrated burette chamber, float valve, micro drip, 60 drops, needle free injection port, 200-210cm tubing, Y-connector (shelf life: ≥2 years from the date of delivery)	
259	Wadding Sheet, 4" x 5 yards (shelf life: ≥2 years from the date of delivery)	
260	Wadding Sheet, 6" x 5 yards (shelf life: ≥2 years from the date of delivery)	
261	Water, Distilled, 6 Liters (shelf life: ≥2 years from the date of delivery)	
262	Weighing Scale with height measurement, dial type	
263	Weighing Scale, Adult Capacity: 450lb x 4oz, 200 kg x 100 g Height Measurement Range (on select models): 24-84 in Height Graduation (on select models): 0.125 in Platform Size: 14.75 in x 10.75 in Overall Width: 17.5 in Overall Height: 58.25 in Overall Depth (with wheels): 23.25 in Construction: Mild steel with powder coat paint finish	
264	WEIGHING SCALE, ELECTRONIC BATHROOM Aluminum body LCD display With 2 AAA batteries Maximum weight: 150kg/330lbs Measurements: L 28 x W 28 x H 1.6 cm	
265	Weighing Scale, Infant, Mechanical Max: 22 kg/ 55 lbs. Infant Scale Infant tray with calibration certificate	
266	Weighing Scale, Pedia Beam type, White baked-on, powder-painted steel Capacity: 65 kg x 20 g	

	Measuring Tape: 0 - 21 in x 0.25 in or 0 - 53 cm x 0.1 cm Tray Dimensions: 22 in W x 14.75 in D x 4.5 in H Weighing Tray: White polystyrene with calibration certificate"	
267	Wheelchair heavy duty (Double Cross bar), stainless	
268	Wheelchair Reclining Specifications: - Weight capacity: 300lbs. - Seat Width: 46cm - Width between arms is 17" - Overall wheel to wheel width is 26" - Elevating footrests - Removable armrests - Floor to seat height is 21" - Overall height with back straightened up 39" - Built-in back pocket for additional storage - 8" front casters - Wheel with Solid tires	
	MEDICAL EQUIPMENT	
269	Electrocardiogram Machine (See attached Terms of Reference)	
270	Electrocardiogram Machine (See attached Terms of Reference)	
271	Stretcher bed trolley (See attached Terms of Reference)	

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (j) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (k) The Supplier’s audited financial statements, showing, among others, the Supplier’s total and current assets and liabilities, stamped “received” by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (l) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (n) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

25 FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

Note: Any missing document in the above-mentioned checklist is a ground for outright rejection of the bid.

Post Qualification Documents

- 1. BIR Form 2303 (BIR Registration Certificate)
- 2. Business and Income Tax Return

Note: It is encouraged to submit the above-mentioned Post Qualification documents during Bid Opening to expedite the bidding process.

Requirements upon delivery

1. Retention money in an amount equivalent to 2.5% of every progress payment, or a special bank guarantee equivalent to 2.5% of the total contract price.



MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL
Mariveles, Bataan

Name of Bidder/Distributor

Address:

MEDICAL SUPPLIES AND EQUIPMENT for bid for the Six (6) Months Procurement 2024

No.	ITEMS	UNIT	QTY.	BRAND	UNIT COST	AMOUNT
MEDICAL SUPPLIES						
1	Air Purifier with True HEPA Filter (for 20-30sqm) Related Voltage: 220v Related Frequency: 60Hz Related power: 35w/45w Application Area: 35~50m ² Filter Function: Early filter, Hepa ,Activated Carbon, Cold Catalyst, Negative Ion	unit	1		6,050.00	6,050.00
2	Airway adjuncts 1 (70mm)(shelf life: ≥2 years from the date of delivery)	piece	10		245.63	2,456.30
3	Airway adjuncts 2 (80mm) (shelf life: ≥2 years from the date of delivery)	piece	10		245.63	2,456.30
4	Airway adjuncts 3 (90mm) (shelf life: ≥2 years from the date of delivery)	piece	10		245.63	2,456.30
5	Airway adjuncts 4 (100mm) (shelf life: ≥2 years from the date of delivery)	piece	10		245.63	2,456.30
6	Ampoule Opener 7.15mm to 9.75mm, 1-15ml, wall mounted	piece	4		1,028.50	4,114.00
7	Arm Sling, large with cervical padding on strap Heavy-duty stitching on hems	piece	67		181.50	12,160.50
8	Arm Sling, medium with cervical padding on strap Heavy-duty stitching on hems	piece	67		181.50	12,160.50
9	Arm Sling, small with cervical padding on strap Heavy-duty stitching on hems	piece	67		181.50	12,160.50
10	Bag valve mask adult set , (shelf life: ≥2 years from the date of delivery)	set	5		1,633.50	8,167.50
11	Bag valve mask Newborn set,(shelf life: ≥2 years from the date of delivery)	set	5		1,633.50	8,167.50
12	Bag valve mask pedia set, (shelf life: ≥2 years from the date of delivery)	set	5		1,633.50	8,167.50
13	Bandage, Cohesive 2" x 5 yards (shelf life: ≥2 years from the date of delivery)	roll	20		56.87	1,137.40
14	Bandage, Elastic 3inx5yd,with velcro (shelf life: ≥2 years from the date of delivery)	roll	75		72.60	5,445.00
15	Bandage, Elastic 4inx5yd, with velcro (shelf life: ≥2 years from the date of delivery)	roll	75		72.60	5,445.00
16	Bandage, Elastic 6inx5yd, with velcro (shelf life: ≥2 years from the date of delivery)	roll	50		72.60	3,630.00

17	Bandage, Elastic, 2" x 5 yards (firm consistent elastic fit for immobilization, reusable), with velcro (shelf life: ≥2 years from the date of delivery)	roll	40		72.60	2,904.00
18	Bandage, Triangular, clothe white, Size: 41" x 41" x 60"	piece	5		55.00	275.00
19	Basin, Kidney Materials: Stainless Size: 12 inches	piece	4		607.20	2,428.80
20	Basin, Kidney, stainless, size 10"	piece	2		770.00	1,540.00
21	Basin, Kidney, stainless size:8"	piece	3		550.00	1,650.00
22	Basin, Round, Stainless 200mm	piece	1		245.63	245.63
23	Basket, Multipurpose, handle 9x7x5 inches, plastic, square	piece	4		66.55	266.20
24	Bassinet Specification Baby Bassinet Stand (Stainless) W/ Crib & Foam (STAINLESS) Baby bassinet with stand single. With acrylic baby bassinet. Frame is made of stainless steel, mounted on swivel caster wheel. Dimensions: Over-all height H: 30" x L:29" x W:12"	piece	3		16,500.00	49,500.00
25	Battery, for AED, for Radian Heart Guardian HR-501, shelf life: 5 years	piece	2		16,940.00	33,880.00
26	Blade Holder / Scalpel Handle #3 Stainless Steel	piece	2		242.00	484.00
27	Blade, Surgical Stainless Steel, #10, 100'S	box	2		423.50	847.00
28	Blade, Surgical Stainless Steel, #11, 100'S	box	1		423.50	423.50
29	Blade, Surgical Stainless Steel, #12, 100'S	box	2		423.50	847.00
30	Blade, Surgical Stainless Steel, #15, 100'S	box	1		423.50	423.50
31	Blade, Surgical Stainless Steel, #20, 100'S	box	2		423.50	847.00
32	Blood Glucose Monitor System for self testing, with strips, (auto-coding, strip ejector function, full automatic coding, 0.5ul small-blood volume, 365 data memory with date and time, automatic power on & start, enhanced data management with PC communication, accurate test results in 5 seconds) -for glunco lite glucose test strips	unit	2		1,210.00	2,420.00
33	Blood Lancet; sterile; gauge 21-23; for universal lancing device; 200's/ box; with at least 1 year expiry	box	1		193.00	193.00
34	Blood Transfusion Set, sterile, at least 180cm, 20macroset, (shelf life: ≥2 years from the date of delivery)	piece	4		139.15	556.60
35	Bowl, Round, for solution 200 mm, stainless	piece	1		242.00	242.00

36	BP Aneroid Sphygmo Desktype 300 mm.Hg. no pin stop calibrated scale, enlarged blue color dial plate with white numerical for easy reading, sturdy plastic housing enclosure for the gauge. with extendable rubber coil tubing, metal base pad for desk and metal bracket for wall mounting. with hardware kit and calibrated inflation system	set	7		10,890.00	76,230.00
37	BP Aneroid With Wheels Floor Type Attached wire basket stores cuff and tubing, adjustable calibrated black nylon cuff 8 ft coiled tubing with connector, large circular basket, mobile stand assembly, wall-mounted bracket. With stand, Wheels, small basket Desk and wall type Square shaped 14cm diameter dial Standard cotton cuff Professional Aneroid Sphygmomanometer, Wall Mount Type or Floor Type Dimension: 58cm x 50cm x 21cm	set	2		13,310.00	26,620.00
38	BP Apparatus (Pedia) long lasting, thick rubber bladder , luminous dial face durable Adult Inflation System Genuine brass gauge	set	4		2,409.00	9,636.00
39	BP Cuff With Inflation Pedia Size : Cuff – 4"x 15" Tubing :19.5"	piece	3		1,210.00	3,630.00
40	BP set Manual Adult (stethoscope and aneroid) General Specification: -0-300mmhg gauge -Stainless inner Components -Curved Plastic Glass -Thick rubber inflation bag -Adult Size Cuff and Bag Individually numbered gauge	set	2		2,970.00	5,940.00
41	Brain model (Life size Human Brain Functional Features: Life size regional human brain model base for anatomical study. Model can be broken into two parts for further examination. Model shows frontal and parietal lobes, occipital lobe motor and somatosensory cortex, limbic cortex, cerebellum, brain stem, size 15x11.5cm/ 5.91x4.53in Material: PVC	piece	1		2,000.00	2,000.00
42	Bucks Foam traction, Large	piece	1		2,420.00	2,420.00
43	Bucks Foam traction, Medium	piece	1		2,299.00	2,299.00
44	Bucks Foam traction, Small	piece	1		2,178.00	2,178.00

45	Burn Sheet, disposable 40x90 inches (shelf life: ≥ 2 years from the date of delivery)	piece	3		495.00	1,485.00
46	Cadaver Bag/ Body Bag with Zipper L: 76" x w:35" ; seamless sides; heavy duty nylon threads; continuous double webbing strap as handle and reinforcement; heavy duty no. 8 zipper closure; moisture and vapor repellent	piece	100		385.00	38,500.00
47	CANISTER, STAINLESS STEEL Cotton Container With Cover Stainless for Alcohol Canister, medium	piece	2		968.00	1,936.00
48	Cannula Gauge 18 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	110		96.80	10,648.00
49	Cannula Gauge 20 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	110		96.80	10,648.00
50	Cannula Gauge 22 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	170		96.80	16,456.00
51	Cannula Gauge 24 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	110		96.80	10,648.00
52	Cannula Gauge 26 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	50		96.80	4,840.00
53	Cannula, Nasal, Adult (shelf life: ≥ 2 years from the date of delivery)	piece	150		20.57	3,085.50
54	Cannula, Nasal, Pedia (shelf life: ≥ 2 years from the date of delivery)	piece	100		36.30	3,630.00
55	Casting tape, Fiberglass 4inx4 yds (shelf life: ≥ 2 years from the date of delivery)	roll	10		641.30	6,413.00
56	Casting tape, Fiberglass orthopedic 4" x 4 yards (shelf life: ≥ 2 years from the date of delivery)	roll	4		641.30	2,565.20
57	Casting tape, Fiberglass orthopedic, 2" x 4 yards (shelf life: ≥ 2 years)	roll	4		363.00	1,452.00

58	Catheter, Foley, fr 12 (shelf life: ≥ 2 years from the date of delivery)	piece	17		45.98	781.66
59	Catheter, Foley, fr 14 (shelf life: ≥ 2 years from the date of delivery)	piece	17		45.98	781.66
60	Catheter, Foley, fr 16 (shelf life: ≥ 2 years from the date of delivery)	piece	17		36.30	617.10
61	Catheter, Foley, fr 18 (shelf life: ≥ 2 years from the date of delivery)	piece	17		36.30	617.10
62	Catheter, Red Rubber, size: 12 (shelf life: ≥ 2 years from the date of delivery)	piece	15		326.70	4,900.50
63	Catheter, Suction, size 12 (shelf life: ≥ 2 years from the date of delivery)	piece	25		10.89	272.25
64	Catheter, Suction, size 14 (shelf life: ≥ 2 years from the date of delivery)	piece	17		10.89	185.13
65	Catheter, Suction, size 16 (shelf life: ≥ 2 years from the date of delivery)	piece	17		9.08	154.36
66	Cervical Collar, large Width: 16 – 18 inches Height: 4.25 inches Adjustable bilateral fasteners 2-piece design With ventilation openings Latex-free, non-toxic and hypoallergenic foam Water-resistant for bathing and aqua-therapy X-ray, CT and MRI lucent Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies	piece	5		1,149.50	5,747.50
67	Cervical Collar, medium Width: 13 – 15 inches Height: 3.25 inches Adjustable bilateral fasteners 2-piece design With ventilation openings Latex-free, non-toxic and hypoallergenic foam Water-resistant for bathing and aqua-therapy X-ray, CT and MRI lucent Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies	piece	5		1,149.50	5,747.50

68	<p>Cervical Collar, small Width: 10 – 12 inches Height: 2.25 inches Adjustable bilateral fasteners 2-piece design With ventilation openings Latex-free, non-toxic and hypoallergenic foam Water-resistant for bathing and aqua-therapy X-ray, CT and MRI lucent Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies</p>	piece	5		1,149.50	5,747.50
69	<p>Cold Packs for Cooler Specification Contains freezable gel in permanently sealed, heavy-duty puncture-resistant plastic Reusable Size(L×W×H): 32.5 x 22.5 x 2cm 1000ml</p>	piece	8		330.00	2,640.00
70	<p>Cooler for Blood/ Blood Products Specification Large bail handle Easy-to-carry design 8.5L/9qt Measurements: L 28 x W 21 x H 28 cm</p>	piece	1		3,300.00	3,300.00
71	<p>Cord Clamp Umbilical (100's), plastic, single-use, sterile</p>	box	5		538.45	2,692.25
72	<p>Cotton Applicator Sterile (200'S) (wooden) 6inches, sterile, small head Size: 6 inches Quantity: 200 pieces per box (2 cotton tipped applicator sticks per pack) (shelf life: ≥2 years from the date of delivery)</p>	box	15		217.80	3,267.00
73	<p>Cotton Plier w/ lock (Hand Instrument), stainless</p>	piece	2		254.10	508.20
74	<p>Cotton, 400gms Absorbent cotton (shelf life: ≥2 years from the date of delivery)</p>	roll	6		191.79	1,150.74
75	<p>CPR Board / Cardiac Board, Plastic Size: L-59.5 x W- 41 x H-7cm</p>	piece	3		2,420.00	7,260.00
76	<p>Crepe Paper, wrapping sheets, blue, 120 x 120 cm x 200's</p>	pack	1		12,100.00	12,100.00
77	<p>Diagnostic Set (Oto/Optha), LED Contents: 2 x handles Soft case 4 x reusable specula Otoscope Pocket total height 11.8 cm head width 3.0 cm head depth 5.1 handle diameter 21 cm Weight 21 gms AA BAttery LD Fiber Optic 3.0 X magnification 10.4 Diopters working disance with 4.2 mm speculum focal length 96mm Pneumatic otoscope port and seal</p>	set	1		22,990.00	22,990.00

78	Diaper, disposable, adult, absorbent, Large, x10's, snap (shelf life: ≥2 years from the date of delivery)	pack	10		241.40	2,414.00
79	Diaper, disposable, adult, absorbent, Medium x10's, snap (shelf life: ≥2 years from the date of delivery)	pack	10		233.35	2,333.50
80	Diaper, New Born, 20's, absorbent, disposable, snap (shelf life: ≥2 years from the date of delivery)	pack	5		242.00	1,210.00
81	Digital Hygrometer, Ambient Temperature Range: 0.0 to 50.0°C Ambient Temp Resolution: 0.1° Ambient Temp Accuracy: ±1°C RH Range: 20 to 90% RH RH Accuracy: ±5% RH midrange otherwise ±8% RH RH Resolution: 1% RH Probe Type: Internal Sensor RH Probe External/Internal: Internal (Ambient) RH Min/Max Memory: Yes Timing Capacity: 12/24 hours Timing Accuracy: 0.01% accuracy Timing Resolution: 1 minute Temp MIN/MAX Memory: Yes LCD Digit Size: 5/8 in Dimensions: 4-1/4"x2-1/4"x1/2" A/C Plug (Y/N): No Traceable: Yes CE Marked: Yes Supplied With: stand, wall mount, double-back tape, batteries, Traceable Certificate	unit	3		7,000.00	21,000.00
82	DISINFECTANT, Instrument Non-Glutaraldehyde, Alkyl Triamine, 14 days (cold sterilant solution for instrument) 1000ml (shelf life: ≥2 years from the date of delivery)	bottle	2		7,260.00	14,520.00
83	Disposable ECG Electrodes Adult, 50pieces/ pack (shelf life: ≥2 years from the date of delivery)	pack	2		726.00	1,452.00
84	Draw Sheet, sliding, reusable, 26" x 53", medical polymer material	piece	3		647.35	1,942.05
85	Dressing Carriage Specification stainless 4pcs 2" caster wheels 1 small tray 1 small basin 8 small bottle 5 big bottles 2 drawers 1 cabinet	unit	3		19,800.00	59,400.00

86	Dressing Film, 10x12cm (shelf life: ≥2 years from the date of delivery)	piece	20		110.00	2,200.00
87	Drop Light Specification Gooseneck Lamp / Droplight With Cover (W/ 5 Wheels) Stainless Stand	Unit	6		5,566.00	33,396.00
88	Endotracheal Guide Wire Fr.6, (shelf life: ≥2 years from the date of delivery)	piece	5		242.00	1,210.00
89	Endotracheal Guide wire, fr 14 (shelf life: ≥2 years from the date of delivery)	piece	5		242.00	1,210.00
90	Endotracheal Guide wire, fr 10 (shelf life: ≥2 years from the date of delivery)	piece	5		242.00	1,210.00
91	Examination and treatment table, Hamilton type, with drawer and compartment door, upholstered three section top provided with stirrup and sliding foot stool	Unit	2		16,500.00	33,000.00
92	EXAMINATION TABLE - Powder-coated steel frame -3 panel padded foam mattress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest Backrest Angle: 0 - 80 degrees Legrest Angle: 270 - 360 degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87 cm	unit	1		36,300.00	36,300.00
93	Eye Sheet Drape (Sterile, disposable) 40x40cm with hole 10cm x10's (shelf life: ≥2 years from the date of delivery)	box	25		907.50	22,687.50
94	Face Mask, N95, Disposable, Fluid Resistant (shelf life: ≥2 years from the date of delivery)	piece	50		130.68	6,534.00
95	Face Shield, Disposable	piece	20		11.13	222.60

96	<p>Fetal Doppler Specification Classification: Anti-electroshock Type: Internally powered equipment. Anti- electroshosck degree: Type B applied part must have anti electric shock Probe: Prevent from water splashing, degree of protection: IPX4 Working System: Continuous running equipment once turned on EMC: Group 1 Class B Suitable Using Range: Suitable for use after the 12th week of pregnancy FHR Performance FHR Measuring Range: 50-240BPM (BPM: beat per minute) Resolution: at least 1BPM Accuracy: + 2BPM Auto Shut -OFF: After 1 minute no signal, power off automatically Battery operated Probe: Nominal Frequency: 2.0MHz Working Frequency: 2.0MHz+10% P-: ,0.5Mpa Lob: ,10 mW/cm2 Ispta: ,50mW/cm2 Ultrasonic Output Intensity : Isata <5 mW/cm2</p>	Unit	3		18,700.00	56,100.00
97	<p>Foot Stool Single Stainless Size: Height: 22cm x Width: 25cm x Length: 35cm Leg Diameter: 7.5cm</p>	piece	2		2,541.00	5,082.00
98	Forcep, Adson Dressing, W/ Teeth 4 3/4", stainless	piece	2		484.00	968.00
99	Forcep, Adson Dressing, without Teeth, stainless, 4 3/4"	piece	2		484.00	968.00
100	Forcep, Thumb, stainless 7"	piece	2		484.00	968.00
101	Forcep, Tissue, stainless 7"	piece	2		302.50	605.00
102	<p>Forceps, Allis Tissue, 7.0" Material: Stainless steel Profile: Serrated Jaw with Teeth Specialty: General Surgery</p>	piece	2		544.50	1,089.00
103	Forceps, Mosquito (curved), stainless, 7"	piece	6		484.00	2,904.00
104	Forceps, Mosquito (Straight), stainless, 7"	piece	6		484.00	2,904.00
105	<p>Forceps, Pick Up Specification Sponge Forceps Straight Material Stainless Size 9.5 inches</p>	piece	1		990.00	990.00
106	Gauze, absorbent, 28x24 mesh, 36" x 2kgs-2ply, cotton fabric, (shelf life: ≥2 years from the date of delivery)	roll	30		242.00	7,260.00
107	Glass Slide x 72's, unground edges	box	5		1,132.56	5,662.80

108	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (large) x 100's (shelf life: ≥2 years from the date of delivery)	box	50		353.93	17,696.50
109	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (medium) x 100's (shelf life: ≥2 years from the date of delivery)	box	75		353.79	26,534.25
110	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (small) x 100's (shelf life: ≥2 years from the date of delivery)	box	25		353.93	8,848.25
111	Gloves, Nitrile, Powder Free, Large, 100's/BOX (shelf life: ≥2 years from the date of delivery)	box	10		1,098.90	10,989.00
112	Gloves, Sterile, 6.5 (shelf life: ≥2 years from the date of delivery)	pair	100		26.29	2,629.00
113	Gloves, Sterile, 7.0 (shelf life: ≥2 years from the date of delivery)	pair	100		23.90	2,390.00
114	Gloves, Sterile, 7.5 (shelf life: ≥2 years from the date of delivery)	pair	100		23.90	2,390.00
115	Glutaraldehyde Solution, 1 gallon (shelf life: ≥2 years from the date of delivery)	gallon	4		1,650.00	6,600.00
116	Gown, Isolation, individually packed, disposable, Nonsterile, Woven, With elastic cuffs, With neck and waist tie- closures, Freesize, any color	piece	60		52.97	3,178.20
117	Head Immobilizer, no metal components and can be worn during x-rays, MRI and CT scan -waterproof and buoyant -can be used for water rescues. -can easily be cleaned and disinfected for reuse. -set-with straps, base & pillows. Dimension: 15" x 9"	piece	2		2,200.00	4,400.00
118	Heparin cap, (In-stopper), for adult (shelf life: ≥2 years from the date of delivery)	piece	25		30.25	756.25
119	Hot water bag, medium, rubber 850ml capacity	piece	3		86.22	258.66
120	Infusion Set, Y-Connector for needles injection site, luer lock fitting needle adaptor, sharp spike, dripping port for constant precision, 200-210cm soft tubing, macrodrip:20 drops, pyrogen free (shelf life: ≥2 years from the date of delivery)	piece	150		38.72	5,808.00
121	Infusion Set, Y-Connector for needles injection site, luer lock fitting needle adaptor, sharp spike, dripping port for constant precision, 200-210cm soft tubing, microdrip:60 drops, pyrogen free (shelf life: ≥2 years from the date of delivery)	piece	110		43.56	4,791.60

122	Isopropanol, Benzalkonium Chloride,1000ml (Skin wound & operative disinfectant),(to provide 1 spray in every 10L) FORMULATION: Each 100g of solution contains Isopropanol ... 63g (shelf life: ≥2 years) Benzalkonium Chloride... .025g Purified Water.. 36.97g	bottle	1		2,226.40	2,226.40
123	IV Stand, 4 Hooks, stainless , well balance, easy rolling, height range 52.5"-94", twist locks, 5 wheels	unit	4		2,405.48	9,621.92
124	Knee Immobilizer/Splint, Large 21"	piece	1		2,541.00	2,541.00
125	Knee Immobilizer/Splint, Large 23"	piece	1		2,662.00	2,662.00
126	Knee Immobilizer/Splint, Medium	piece	1		2,541.00	2,541.00
127	Knee Immobilizer/Splint, Small	piece	1		2,541.00	2,541.00
128	Laryngoscope Pedia, set of 3 Blades #00,0,1, Conventional	set	1		7,260.00	7,260.00
129	Lubricating jelly 150g (shelf life: ≥2 years from the date of delivery)	tube	6		157.30	943.80
130	Manual Resuscitator Infant Neonate,(shelf life: ≥2 years from the date of delivery)	piece	1		1,089.00	1,089.00
131	Mask, KN95, protective mask, with adjustable nose clip, elastic ear loops, no exhalation valves x50s 7.5 (shelf life: ≥2 years from the date of delivery)	box	100		387.20	38,720.00
132	Mask, N88, Surgical x 50's (shelf life: ≥2 years from the date of delivery)	box	100		60.42	6,042.00
133	Mask, Non-Rebreather, Adult, (shelf life: ≥2 years from the date of delivery)	piece	10		154.88	1,548.80
134	Mask, Oxygen, Pedia Non-ToxicNon-pyrogenic Comes with tubing (shelf life: ≥2 years from the date of delivery) Dimension: 24cm x 3.6cm x 15cm	piece	50		72.60	3,630.00
135	Mask, Oxygen, for Adult (shelf life: ≥2 years from the date of delivery)	piece	50		43.56	2,178.00
136	Mask, Oxygen, for Neonate (shelf life: ≥2 years from the date of delivery)	piece	10		72.60	726.00
137	Mask,(Duck type) N95 (shelf life: ≥2 years from the date of delivery)	piece	20		65.04	1,300.80
138	Maternity Pads 8'S Soft Pure Cotton (shelf life: ≥2 years from the date of delivery)	pack	50		121.00	6,050.00
139	Mayo Stand with Tray Specification 13" x 19" and includes a removable, adjustable-height stainless steel tray. with chrome plated swivel casters. powder coated aluminum frame with a stainless steel tray. Tray Size: L:16" x W:12"	set	3		3,850.00	11,550.00

140	Medicine Box Material Metal Special Feature Portable, Waterproof, Lockable Style Modern Product Dimensions 13.4"L x 5.9"W x 13.8"H Item Weight 3000 Grams Shape Rectangular Mounting Type Wall Mount	piece	2		1,100.00	2,200.00
141	Minor surgery set 1 Bandage Scissor 1 Surgical Scissor (straight/curved) 1 Kelly forcep (curved) 1 Kelly forcep (straight) 1 Tissue forcep 1 Thumb forcep 1 Iris Scissor (straight/curved) 1 Mayo Scissor (straight/curved) 1 Suture Scissor 1 Mosquito forcep (straight) 1 Mosquito forcep (curved) 1 Needle Holder 1 Blade Handle #3 1 Blade Handle #4 with Pouch	set	2		3,410.00	6,820.00
142	Nasopharyngeal Airway size 12 (shelf life: ≥ 2 years from the date of delivery)	piece	18		598.95	10,781.10
143	Nasopharyngeal Airway size 14 (shelf life: ≥ 2 years from the date of delivery)	piece	18		598.95	10,781.10
144	Nasopharyngeal Airway size 24 (shelf life: ≥ 2 years from the date of delivery)	piece	18		598.95	10,781.10
145	Nasopharyngeal Airway size 28 (shelf life: ≥ 2 years from the date of delivery)	piece	18		598.95	10,781.10
146	Nasopharyngeal Airway size 32 (shelf life: ≥ 2 years from the date of delivery)	piece	18		598.95	10,781.10
147	Nebulizing Kit, adult (shelf life: ≥ 2 years from the date of delivery)	piece	250		42.96	10,740.00
148	Nebulizing Kit,with mask, pedia Nebulizer Kit Set 1 Mask 1 Medication chamber cup 1 Oxygen tube (shelf life: ≥ 2 years from the date of delivery)	set	90		72.60	6,534.00
149	Needle Holder, 7", stainless	piece	6		605.00	3,630.00
150	Catheter, Nelaton Fr 12 (shelf life: ≥ 2 years from the date of delivery)	piece	25		28.77	719.25

151	Neurological Hammer Set (5'S Kinds) Material: Metal, Steel 5pcs Multifunctional Percussion Diagnostic Reflex Percussion Hammer Set Medical Neurological Massage Hammer Kit Health Care Tool Pinwheel /Geer Wheel Hammer T-shape Hammer / Triple-cornered Hammer Taylor Buck Hammer Babinski Hammer /Metal Rod Hammer Plastic Rod Hammer	set	3		968.00	2,904.00
152	Oxygen Regulator	piece	10		2,123.55	21,235.50
153	Oxygen tank holder (oxygen cylinder bag) for wheelchair. Made of oxford cloth. it applies to almost all wheelchairs, adjustable straps with easy buckles to accommodate most wheel chairs, reflective straps size 75x25cm	piece	1		1,060.00	1,060.00
154	Oxygen tank, 10lbs	tank	7		3,300.00	23,100.00
155	Pads, Electrode, Cardiac monitor compatible for EDAN X12 x 50's (shelf life: ≥2 years from the date of delivery)	pack	10		302.50	3,025.00
156	Pads, for AED, adult, compatible with Radian Heart Guardian HR-501, (shelf life: 2 years from the date of delivery)	piece	2		7,381.00	14,762.00
157	Penlight, diagnostic pen	piece	3		220.00	660.00
158	Penlight/Otoscope Penlight with Pupil Gauge, Chrome Plated finish, LED lamp Chrome Plated Diagnostic Penlight with Pupil Gauge. Dimensions: 162mm x 45mm x 24mm Weight: 125g Diameters of Otoscope Tips: 2.4mm, 3mm, 4mm, 5mm 4 reusable tips are attached for different ear canal Otoscope head + tips +2 AAA batteries	piece	3		968.00	2,904.00
159	Pillow Donut/head positioner rubber donut (adult) 8"ODx3"IDx13/4" (20 OD x 7.5 ID x 4.5cm)	piece	1		7,606.69	7,606.69
160	Pillow Donut/head positioner rubber donut (pedia) 5 1/2"ODx2 1/4"IDx 1 1/4" (14 OD x5.7 ID x 3.2cm)	piece	1		7,606.69	7,606.69

161	Plaster Adhesive, Tape cloth 1.25cm x 5m tan-coloured zinc oxide tape, waterproof and dirt repellent. Can be worn for extended periods without irritating normal skin. Easy to tear and is permeable to both air and water vapour . (shelf life: ≥2 years from the date of delivery) (Provide Sample)	roll	5		242.00	1,210.00
162	Plaster, Adhesive, Tape cloth 2.5cm x 5m tan-coloured zinc oxide tape, waterproof and dirt repellent. Can be worn for extended periods without irritating normal skin. Easy to tear and is permeable to both air and water vapour . (shelf life: ≥2 years from the date of delivery)(Provide Samples)	roll	17		423.50	7,199.50
163	Plaster Of Paris (POP), 4" (shelf life: ≥2 years from the date of delivery)	roll	70		108.90	7,623.00
164	Plaster Of Paris (POP), 6" (shelf life: ≥2 years from the date of delivery)	roll	70		121.00	8,470.00
165	Plaster, Adhesive, Transparent Tape, 1" x 12's (shelf life: ≥2 years from the date of delivery)	box	15		907.50	13,612.50
166	Portable pill tablet cutter splitter	piece	6		227.21	1,363.26
167	Pranela, Newborn Receiving Blanket,29x29" (White)	piece	5		181.50	907.50
168	Pressure Infusor Bag for Blood Transfusion 6.69 x 6.3 x 1.57 inches; 6.98 Ounces (shelf life: ≥2 years) 500 ml capacity Latex free Reusable Materials: Nylon	piece	2		2,244.00	4,488.00
169	Pulse Oximeter 5's rapid reading, OLED Display with lanyard	unit	25		641.30	16,032.50
170	Resistance Bands, Black, Yard, Heavy Resistance	Piece	1		411.18	411.18
171	Resistance Bands, Blue, Yard, Medium Resistance	Piece	1		385.88	385.88
172	Resistance Bands, Gold, Yard, Heavy Resistance	Piece	1		411.18	411.18
173	Resistance Bands, Green, Yard, Light Resistance	Piece	1		347.82	347.82
174	Resistance Bands, Red, Yard, Heavy Resistance	Piece	1		411.18	411.18
175	Resistance Bands, Silver, Yard, Heavy Resistance	Piece	1		411.18	411.18
176	Resistance Bands, Yellow, Yard, Light Resistance	Piece	1		347.82	347.82

177	Safety box and incineration container for used needles and syringes, 5 liters, plastic	piece	13		181.50	2,359.50
178	Scissor, Iris (Straight), stainless	pair	2		302.50	605.00
179	Scissor, Iris, (Curved) 4 1/2", stainless	pair	2		242.00	484.00
180	Scissor, Mayo (curved), stainless, 7 1/4"	pair	6		544.50	3,267.00
181	Scissor, Mayo (Straight), stainless, 7 1/4"	pair	6		544.50	3,267.00
182	Scissor, Metzenbaum (Curved), stainless, 7"	pair	6		544.50	3,267.00
183	Scissor, Metzenbaum (Straight), stainless, 7"	pair	6		544.50	3,267.00
184	Scissor, Metzenbaum, Curved, 8"	pair	6		605.00	3,630.00
185	Scissor, Surgical, (Straight) 7 1/4", stainless	pair	2		544.50	1,089.00
186	Scissors, Bandage, 5.5"	pair	3		1,430.00	4,290.00
187	Shoe cover, Disposable, non-woven, color: blue x 2's	pair	150		3.82	573.00
188	Speculum Vaginal Stainless, Medium size	piece	4		660.00	2,640.00
189	Speculum Vaginal Stainless, Small size	piece	4		660.00	2,640.00
190	Sphygmomanometer, aneroid, pediatric	piece	5		1,028.50	5,142.50
191	Sphygmomanometer, desk type, clock model, square shaped. 14cm diameter dial, 300 mm aneroid meter	set	5		1,355.20	6,776.00
192	Spineboard With Strap With holes around the stretcher Equipped with 2 safety belts. Spider strap Size: Length 184 x Width 45 x Height 6cm Load capacity: 160kg.	set	2		3,025.00	6,050.00
193	Splint, adult, medium	piece	25		96.80	2,420.00
194	Splint, adult, small	piece	25		96.80	2,420.00
195	Splint, baby	piece	15		108.90	1,633.50
196	Splint, neonate	piece	25		84.70	2,117.50
197	Splint, pedia, medium	piece	25		84.70	2,117.50
198	Splint, pedia, small	piece	25		84.70	2,117.50
199	Wound closure strip 1/2 inch x 4inch x 50's Strength – Nonwoven rayon backed material reinforced with filaments for strength. Soft, nonwoven backing and breathable design.	box	2		3,630.00	7,260.00
200	Stethoscope , Color: black double-sided, dual diaphragm chestpiece for both adult and paediatric assessment. -dual head acoustic -with adult and pediatric size bells, tunable diaphragm, easy to clean, open bell, no latex or phthalate plasticizers, comes in several colors Tubing: Plum (69cm/27.2"). Finish: Stainless Steel	piece	11		9,922.00	109,142.00
201	Stretcher, Emergency, Provided with bumper Railing IV hook Mattress Shelf below with Oxygen holder 5" mounted wheel caster Size: H: 32" x L: 74" x W: 24"	unit	2		24,502.50	49,005.00

202	Suture, Chromic Catgut brown 1/0 (3 Metric) Curve Cutting (shelf life: ≥2 years from the date of delivery)	piece	5		418.00	2,090.00
203	Suture, Chromic Catgut brown 2/0 (3 Metric) Curve Cutting (shelf life: ≥2 years from the date of delivery)	piece	5		418.00	2,090.00
204	Suture, Chromic Catgut brown 3/0 (3 Metric) Curve Cutting (shelf life: ≥2 years from the date of delivery)	piece	5		418.00	2,090.00
205	Suture, Chromic Catgut brown 4/0 (3 Metric) Curve Cutting (shelf life: ≥2 years from the date of delivery)	piece	5		418.00	2,090.00
206	Suture, Chromic Catgut brown 5/0 (3 Metric) Curve Cutting (shelf life: ≥2 years from the date of delivery)	piece	5		418.00	2,090.00
207	Suture, Nylon 2.0 Cutting (shelf life: ≥2 years from the date of delivery)	piece	40		423.50	16,940.00
208	Suture, Nylon 4-0 Cutting Needle, Sterile (shelf life: ≥2 years from the date of delivery)	piece	40		465.85	18,634.00
209	Suture, Nylon 5-0 Cutting Needle, Sterile (shelf life: ≥2 years from the date of delivery)	piece	40		508.20	20,328.00
210	Suture, Nylon 6-0 Cutting Needle, Sterile (shelf life: ≥2 years from the date of delivery)	piece	40		363.00	14,520.00
211	Suturing Needle, Chromic Gut, 3-0, C-6 Needle 18.7 mm, 3/8 Cutting x 12's, (shelf life: ≥2 years from the date of delivery)	box	2		544.50	1,089.00
212	Suturing thread (Chromic) 2.0 1/2 round bodied 40mm, sterile (shelf life: ≥2 years from the date of delivery)	piece	25		46.59	1,164.75
213	Suturing thread (Nylon) 2.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥2 years from the date of delivery)	piece	15		46.59	698.85
214	Suturing thread (Nylon) 3.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥2 years from the date of delivery)	piece	15		46.59	698.85
215	Suturing thread (Nylon) 5.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥2 years from the date of delivery)	piece	15		46.59	698.85
216	Suturing thread (Silk) 2.0 1/2 circle curved, cutting 26mm, sterile (shelf life: ≥2 years from the date of delivery)	piece	15		39.93	598.95
217	Suturing thread (Silk) 3.0 1/2 circle curved, cutting 26mm, sterile (shelf life: ≥2 years from the date of delivery)	piece	15		39.93	598.95
218	Suturing thread, Nylon 3.0 with Needle 3/8 curve reverse cutting edge 26mm, Stainless Steel Needle, Sharp, Well-polished, Sterile (shelf life: ≥2 years from the date of delivery)	piece	40		254.10	10,164.00
219	Suturing thread, silk 2/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥2 years from the date of delivery)	piece	5		352.00	1,760.00

220	Suturing thread, silk 3/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥2 years from the date of delivery)	piece	5		352.00	1,760.00
221	Suturing thread, silk 4/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥2 years from the date of delivery)	piece	5		352.00	1,760.00
222	Suturing thread, silk 5/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥2 years from the date of delivery)	piece	5		352.00	1,760.00
223	Syringe, 10cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles)(shelf life: ≥2 years from the date of delivery)	box	5		544.50	2,722.50
224	Syringe, 1cc, Disposable, g25 x 100's (slip tip syringes with lock, double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥2 years from the date of delivery)	box	5		386.46	1,932.30
225	Syringe, 20cc, Without Needle (Luer Lock) x 50's sealed and sterile (shelf life: ≥2 years from the date of delivery)	box	2		1,143.45	2,286.90
226	Syringe, 3cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥2 years from the date of delivery)	box	25		564.26	14,106.50
227	Syringe, 50cc, Without Needle (Luer Lock) x 20's sealed and sterile (shelf life: ≥2 years from the date of delivery)	box	1		1,143.45	1,143.45
228	Syringe, 5cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥2 years from the date of delivery)	box	5		478.18	2,390.90
229	Syringe, asepto, adult, (shelf life: ≥2 years from the date of delivery)	piece	10		60.50	605.00
230	Syringe, insulin, disposable, 1/2cc, u-100, g29,x100's (slip tip edge) (shelf life: ≥2 years from the date of delivery)	box	2		744.15	1,488.30
231	Thermal Print Paper, ECG, 210mm x 295mm, compatible with Mindray Beneheart R12 (200's), (shelf life: ≥2 years from the date of delivery)	pack	5		726.00	3,630.00

232	<p>Thermometer, Digital Armpit 60 sec Response Time; LCD Display; Auto Shut Off Function; Memory For Last Reading; Display in both Celsius and Fahrenheit; Water Resistant Measurement Accuracy Measurement Range 89.6 – 107.6° F</p> <p>Measurement Accuracy Measurement Variance ±0.2°F</p> <p>POWER REQUIREMENTS Power Source Battery</p>	piece	4		363.00	1,452.00
233	<p>Thermometer, Ear Infrared Gentle temperature measurement for infants and young children. The Ear thermometer provides quick 1 second readings, with professional accuracy. Gentle temperature measurement for both adults &, infants/young children</p> <p>Product Features</p> <ul style="list-style-type: none"> – 9 Sets memory – 1 Second Quick Measurement – Fever Alarm with Beeper (for body temperature 37.5°,C (99.5°,F) – Selectable °,C / °,F mode – Ergonomic Design for easy handling 	piece	15		3,327.50	49,912.50
234	Thermometer, Non-contact Infrared	piece	10		726.00	7,260.00
235	Tongue Depressor Wooden (Sterile) 100'S (shelf life: ≥2 years from the date of delivery)	box	2		181.50	363.00
236	Tourniquet, 12 inches, flat	piece	10		33.00	330.00
237	Trauma Shears 7 1/4" Emergency Scissors	pair	2		1,815.00	3,630.00
238	Tray, Instruments, with cover 12x10x2.5"	piece	1		1,815.00	1,815.00
239	Tray, Medication, for 30 people, stainless steel, 350mmx290mm	piece	2		7,457.71	14,915.42
240	Tray, Stainless steel, rectangular tray with cover, 31cmx21cmx5cm	piece	4		2,344.71	9,378.84
241	Tube, Endotracheal 2.0 fr.8 (shelf life: ≥2 years from the date of delivery)	piece	10		96.80	968.00
242	Tube, Endotracheal 2.5 fr.10 (shelf life: ≥2 years from the date of delivery)	piece	10		53.24	532.40
243	Tube, Endotracheal 3.0 fr.12 (shelf life: ≥2 years from the date of delivery)	piece	10		96.80	968.00
244	Tube, Endotracheal 3.5 fr.14 (shelf life: ≥2 years from the date of delivery)	piece	10		96.80	968.00
245	Tube, Endotracheal 4.0 fr.16 (shelf life: ≥2 years from the date of delivery)	piece	10		53.24	532.40
246	Tube, Endotracheal 4.5 fr.18 (shelf life: ≥2 years from the date of delivery)	piece	10		53.24	532.40
247	Tube, Endotracheal 5.0 fr.20 (shelf life: ≥2 years from the date of delivery)	piece	10		53.24	532.40
248	Tube, Endotracheal 5.5 fr.22 (shelf life: ≥2 years from the date of delivery)	piece	8		53.24	425.92

249	Tube, Endotracheal 6.0 fr.24 (shelf life: ≥ 2 years from the date of delivery)	piece	20		53.24	1,064.80
250	Tube, Endotracheal 6.5 fr.26 (shelf life: ≥ 2 years from the date of delivery)	piece	20		96.80	1,936.00
251	Tube, Endotracheal 7.0 fr.28 (shelf life: ≥ 2 years from the date of delivery)	piece	20		96.80	1,936.00
252	Tube, Endotracheal 7.5 fr.30 (shelf life: ≥ 2 years from the date of delivery)	piece	20		96.80	1,936.00
253	Tube, Nasogastric, Pediatric fr.5, silicon with tip cover (shelf life: ≥ 2 years from the date of delivery)	piece	10		199.65	1,996.50
254	Tube, Nasogastric, ADULT fr.16, silicon with tip cover (shelf life: ≥ 2 years from the date of delivery)	piece	15		287.71	4,315.65
255	Underpads, Blue Disposable Underpads Packaging: 10's / pack (shelf life: ≥ 2 years from the date of delivery) Size: Medium 900x600mm (35.5x23.5 inches) Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backing	pack	20		217.80	4,356.00
256	Urine Bag, 2000ml capacity, disposable (shelf life: ≥ 2 years from the date of delivery)	piece	60		42.35	2,541.00
257	UV Light Heavy Duty (4 Bulbs 30 Watts) -Filters can be integrated or optional and are used in analyzing and authentication applications. -Meters or timers control exposure time. -Multiple wand adaptation allows for multiple wands to be fed into the system. -Multi-direction exposure UV systems can expose a product or material to light from multiple directions. This is important if the bond-to material is not transparent and shadows the adhesive from an overhead beam. -Pulsed UV light systems and products that use light emitting diodes (LEDs) as a light source.	unit	1		30,250.00	30,250.00
258	Volumetric, 150cc calibrated burette chamber, float valve, micro drip, 60 drops, needle free injection port, 200-210cm tubing, Y-connector (shelf life: ≥ 2 years from the date of delivery)	piece	20		212.96	4,259.20
259	Wadding Sheet, 4" x 5 yards (shelf life: ≥ 2 years from the date of delivery)	roll	60		181.50	10,890.00
260	Wadding Sheet, 6" x 5 yards (shelf life: ≥ 2 years from the date of delivery)	roll	60		181.50	10,890.00
261	Water, Distilled, 6 Liters (shelf life: ≥ 2 years from the date of delivery)	container	72		120.70	8,690.40
262	Weighing Scale with height measurement, dial type	unit	2		4,561.70	9,123.40

263	<p>Weighing Scale, Adult Capacity: 450lb x 4oz, 200 kg x 100 g Height Measurement Range (on select models): 24-84 in Height Graduation (on select models): 0.125 in Platform Size: 14.75 in x 10.75 in Overall Width: 17.5 in Overall Height: 58.25 in Overall Depth (with wheels): 23.25 in Construction: Mild steel with powder coat paint finish</p>	unit	2		26,730.00	53,460.00
264	<p>WEIGHING SCALE, ELECTRONIC BATHROOM Aluminum body LCD display With 2 AAA batteries Maximum weight: 150kg/330lbs Measurements: L 28 x W 28 x H 1.6 cm</p>	unit	4		3,025.00	12,100.00
265	<p>Weighing Scale, Infant, Mechanical Max: 22 kg/ 55 lbs. Infant Scale Infant tray with calibration certificate</p>	set	1		3,430.35	3,430.35
266	<p>Weighing Scale, Pedia Beam type, White baked-on, powder-painted steel Capacity: 65 kg x 20 g Measuring Tape: 0 - 21 in x 0.25 in or 0 - 53 cm x 0.1 cm Tray Dimensions: 22 in W x 14.75 in D x 4.5 in H Weighing Tray: White polystyrene with calibration certificate"</p>	unit	1		33,759.00	33,759.00
267	<p>Wheelchair heavy duty (Double Cross bar), stainless</p>	unit	4		6,600.00	26,400.00
268	<p>Wheelchair Reclining Specifications: - Weight capacity: 300lbs. - Seat Width: 46cm - Width between arms is 17" - Overall wheel to wheel width is 26" - Elevating footrests - Removable armrests - Floor to seat height is 21" - Overall height with back straightened up 39" - Built-in back pocket for additional storage - 8" front casters - Wheel with Solid tires</p>	Piece	2		8,800.00	17,600.00
MEDICAL EQUIPMENT						
269	<p>Electrocardiogram Machine (See attached Terms of Reference)</p>	set	2		92,950.00	185,900.00

270	Electrocardiogram Machine (See attached Terms of Reference)	piece	1		132,000.00	132,000.00
271	Stretcher bed trolley (See attached Terms of Reference)	piece	1		120,000.00	120,000.00
					Grand Total	2,417,413.62

MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL
Mariveles, Bataan

Name of Bidder/Distributor

Address:

MEDICAL SUPPLIES AND EQUIPMENT for bid for the Six (6) Months Procurement 2024

No.	ITEMS	UNIT	QTY.	BRAND	UNIT COST	AMOUNT
MEDICAL SUPPLIES						
1	Air Purifier with True HEPA Filter (for 20-30sqm) Related Voltage: 220v Related Frequency: 60Hz Related power: 35w/45w Application Area: 35~50m ² Filter Function: Early filter, Hepa ,Activated Carbon, Cold Catalyst, Negative Ion	unit	1			
2	Airway adjuncts 1 (70mm)(shelf life: ≥2 years from the date of delivery)	piece	10			
3	Airway adjuncts 2 (80mm) (shelf life: ≥2 years from the date of delivery)	piece	10			
4	Airway adjuncts 3 (90mm) (shelf life: ≥2 years from the date of delivery)	piece	10			
5	Airway adjuncts 4 (100mm) (shelf life: ≥2 years from the date of delivery)	piece	10			
6	Ampoule Opener 7.15mm to 9.75mm, 1-15ml, wall mounted	piece	4			
7	Arm Sling, large with cervical padding on strap Heavy-duty stitching on hems	piece	67			
8	Arm Sling, medium with cervical padding on strap Heavy-duty stitching on hems	piece	67			
9	Arm Sling, small with cervical padding on strap Heavy-duty stitching on hems	piece	67			
10	Bag valve mask adult set , (shelf life: ≥2 years from the date of delivery)	set	5			
11	Bag valve mask Newborn set,(shelf life: ≥2 years from the date of delivery)	set	5			
12	Bag valve mask pedia set, (shelf life: ≥2 years from the date of delivery)	set	5			
13	Bandage, Cohesive 2" x 5 yards (shelf life: ≥2 years from the date of delivery)	roll	20			
14	Bandage, Elastic 3inx5yd,with velcro (shelf life: ≥2 years from the date of delivery)	roll	75			
15	Bandage, Elastic 4inx5yd, with velcro (shelf life: ≥2 years from the date of delivery)	roll	75			
16	Bandage, Elastic 6inx5yd, with velcro (shelf life: ≥2 years from the date of delivery)	roll	50			

17	Bandage, Elastic, 2" x 5 yards (firm consistent elastic fit for immobilization, reusable), with velcro (shelf life: ≥2 years from the date of delivery)	roll	40			
18	Bandage, Triangular, clothe white, Size: 41" x 41" x 60"	piece	5			
19	Basin, Kidney Materials: Stainless Size: 12 inches	piece	4			
20	Basin, Kidney, stainless, size 10"	piece	2			
21	Basin, Kidney, stainless size:8"	piece	3			
22	Basin, Round, Stainless 200mm	piece	1			
23	Basket, Multipurpose, handle 9x7x5 inches, plastic, square	piece	4			
24	Bassinet Specification Baby Bassinet Stand (Stainless) W/ Crib & Foam (STAINLESS) Baby bassinet with stand single. With acrylic baby bassinet. Frame is made of stainless steel, mounted on swivel caster wheel. Dimensions: Over-all height H: 30" x L:29" x W:12"	piece	3			
25	Battery, for AED, for Radian Heart Guardian HR-501, shelf life: 5 years	piece	2			
26	Blade Holder / Scalpel Handle #3 Stainless Steel	piece	2			
27	Blade, Surgical Stainless Steel, #10, 100'S	box	2			
28	Blade, Surgical Stainless Steel, #11, 100'S	box	1			
29	Blade, Surgical Stainless Steel, #12, 100'S	box	2			
30	Blade, Surgical Stainless Steel, #15, 100'S	box	1			
31	Blade, Surgical Stainless Steel, #20, 100'S	box	2			
32	Blood Glucose Monitor System for self testing, with strips, (auto-coding, strip ejector function, full automatic coding, 0.5ul small-blood volume, 365 data memory with date and time, automatic power on & start, enhanced data management with PC communication, accurate test results in 5 seconds) -for glunco lite glucose test strips	unit	2			
33	Blood Lancet; sterile; gauge 21-23; for universal lancing device; 200's/ box; with at least 1 year expiry	box	1			
34	Blood Transfusion Set, sterile, at least 180cm, 20macroset, (shelf life: ≥2 years from the date of delivery)	piece	4			
35	Bowl, Round, for solution 200 mm, stainless	piece	1			

36	<p>BP Aneroid Sphygmo Desktype 300 mm.Hg. no pin stop calibrated scale, enlarged blue color dial plate with white numerical for easy reading, sturdy plastic housing enclosure for the gauge.</p> <p>with extendable rubber coil tubing, metal base pad for desk and metal bracket for wall mounting.</p> <p>with hardware kit and calibrated inflation system</p>	set	7			
37	<p>BP Aneroid With Wheels Floor Type Attached wire basket stores cuff and tubing, adjustable calibrated black nylon cuff 8 ft coiled tubing with connector, large circular basket, mobile stand assembly, wall-mounted bracket.</p> <p>With stand, Wheels, small basket Desk and wall type Square shaped 14cm diameter dial Standard cotton cuff Professional Aneroid Sphygmomanometer, Wall Mount Type or Floor Type Dimension: 58cm x 50cm x 21cm</p>	set	2			
38	<p>BP Apparatus (Pedia) long lasting, thick rubber bladder , luminous dial face durable Adult Inflation System Genuine brass gauge</p>	set	4			
39	<p>BP Cuff With Inflation Pedia Size : Cuff – 4"x 15" Tubing :19.5"</p>	piece	3			
40	<p>BP set Manual Adult (stethoscope and aneroid) General Specification: -0-300mmhg gauge -Stainless inner Components -Curved Plastic Glass -Thick rubber inflation bag -Adult Size Cuff and Bag Individually numbered gauge</p>	set	2			
41	<p>Brain model (Life size Human Brain Functional Features: Life size regional human brain model base for anatomical study. Model can be broken into two parts for further examination. Model shows frontal and parietal lobes, occipital lobe motor and somatosensory cortex, limbic cortex, cerebellum, brain stem, size 15x11.5cm/ 5.91x4.53in Material: PVC</p>	piece	1			
42	Bucks Foam traction, Large	piece	1			
43	Bucks Foam traction, Medium	piece	1			
44	Bucks Foam traction, Small	piece	1			

45	Burn Sheet, disposable 40x90 inches (shelf life: ≥ 2 years from the date of delivery)	piece	3			
46	Cadaver Bag/ Body Bag with Zipper L: 76" x w:35" ; seamless sides; heavy duty nylon threads; continuous double webbing strap as handle and reinforcement; heavy duty no. 8 zipper closure; moisture and vapor repellent	piece	100			
47	CANISTER, STAINLESS STEEL Cotton Container With Cover Stainless for Alcohol Canister, medium	piece	2			
48	Cannula Gauge 18 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	110			
49	Cannula Gauge 20 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	110			
50	Cannula Gauge 22 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	170			
51	Cannula Gauge 24 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	110			
52	Cannula Gauge 26 (lower risk of split tips and peel back) during punctures under difficult conditions. (shelf life: ≥ 2 years from the date of delivery) Sterilisation: Radiation for SR+OX-codes / EO for SR+DM-codes	piece	50			
53	Cannula, Nasal, Adult (shelf life: ≥ 2 years from the date of delivery)	piece	150			
54	Cannula, Nasal, Pedia (shelf life: ≥ 2 years from the date of delivery)	piece	100			
55	Casting tape, Fiberglass 4inx4 yds (shelf life: ≥ 2 years from the date of delivery)	roll	10			
56	Casting tape, Fiberglass orthopedic 4" x 4 yards (shelf life: ≥ 2 years from the date of delivery)	roll	4			
57	Casting tape, Fiberglass orthopedic, 2" x 4 yards (shelf life: ≥ 2 years)	roll	4			

58	Catheter, Foley, fr 12 (shelf life: ≥ 2 years from the date of delivery)	piece	17			
59	Catheter, Foley, fr 14 (shelf life: ≥ 2 years from the date of delivery)	piece	17			
60	Catheter, Foley, fr 16 (shelf life: ≥ 2 years from the date of delivery)	piece	17			
61	Catheter, Foley, fr 18 (shelf life: ≥ 2 years from the date of delivery)	piece	17			
62	Catheter, Red Rubber, size: 12 (shelf life: ≥ 2 years from the date of delivery)	piece	15			
63	Catheter, Suction, size 12 (shelf life: ≥ 2 years from the date of delivery)	piece	25			
64	Catheter, Suction, size 14 (shelf life: ≥ 2 years from the date of delivery)	piece	17			
65	Catheter, Suction, size 16 (shelf life: ≥ 2 years from the date of delivery)	piece	17			
66	Cervical Collar, large Width: 16 – 18 inches Height: 4.25 inches Adjustable bilateral fasteners 2-piece design With ventilation openings Latex-free, non-toxic and hypoallergenic foam Water-resistant for bathing and aqua-therapy X-ray, CT and MRI lucent Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies	piece	5			
67	Cervical Collar, medium Width: 13 – 15 inches Height: 3.25 inches Adjustable bilateral fasteners 2-piece design With ventilation openings Latex-free, non-toxic and hypoallergenic foam Water-resistant for bathing and aqua-therapy X-ray, CT and MRI lucent Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies	piece	5			

68	<p>Cervical Collar, small Width: 10 – 12 inches Height: 2.25 inches Adjustable bilateral fasteners 2-piece design With ventilation openings Latex-free, non-toxic and hypoallergenic foam Water-resistant for bathing and aqua-therapy X-ray, CT and MRI lucent Large trachea opening for quick access to carotid pulse monitoring and emergency tracheotomies</p>	piece	5			
69	<p>Cold Packs for Cooler Specification Contains freezable gel in permanently sealed, heavy-duty puncture-resistant plastic Reusable Size(L×W×H): 32.5 x 22.5 x 2cm 1000ml</p>	piece	8			
70	<p>Cooler for Blood/ Blood Products Specification Large bail handle Easy-to-carry design 8.5L/9qt Measurements: L 28 x W 21 x H 28 cm</p>	piece	1			
71	<p>Cord Clamp Umbilical (100's), plastic, single-use, sterile</p>	box	5			
72	<p>Cotton Applicator Sterile (200'S) (wooden) 6inches, sterile, small head Size: 6 inches Quantity: 200 pieces per box (2 cotton tipped applicator sticks per pack) (shelf life: ≥2 years from the date of delivery)</p>	box	15			
73	<p>Cotton Plier w/ lock (Hand Instrument), stainless</p>	piece	2			
74	<p>Cotton, 400gms Absorbent cotton (shelf life: ≥2 years from the date of delivery)</p>	roll	6			
75	<p>CPR Board / Cardiac Board, Plastic Size: L-59.5 x W- 41 x H-7cm</p>	piece	3			
76	<p>Crepe Paper, wrapping sheets, blue, 120 x 120 cm x 200's</p>	pack	1			
77	<p>Diagnostic Set (Oto/Optha), LED Contents: 2 x handles Soft case 4 x reusable specula Otoscope Pocket total height 11.8 cm head width 3.0 cm head depth 5.1 handle diameter 21 cm Weight 21 gms AA BAttery LD Fiber Optic 3.0 X magnification 10.4 Diopters working disance with 4.2 mm speculum focal length 96mm Pneumatic otoscope port and seal</p>	set	1			

78	Diaper, disposable, adult, absorbent, Large, x10's, snap (shelf life: ≥2 years from the date of delivery)	pack	10			
79	Diaper, disposable, adult, absorbent, Medium x10's, snap (shelf life: ≥2 years from the date of delivery)	pack	10			
80	Diaper, New Born, 20's, absorbent, disposable, snap (shelf life: ≥2 years from the date of delivery)	pack	5			
81	Digital Hygrometer, Ambient Temperature Range: 0.0 to 50.0°C Ambient Temp Resolution: 0.1° Ambient Temp Accuracy: ±1°C RH Range: 20 to 90% RH RH Accuracy: ±5% RH midrange otherwise ±8% RH RH Resolution: 1% RH Probe Type: Internal Sensor RH Probe External/Internal: Internal (Ambient) RH Min/Max Memory: Yes Timing Capacity: 12/24 hours Timing Accuracy: 0.01% accuracy Timing Resolution: 1 minute Temp MIN/MAX Memory: Yes LCD Digit Size: 5/8 in Dimensions: 4-1/4"x2-1/4"x1/2" A/C Plug (Y/N): No Traceable: Yes CE Marked: Yes Supplied With: stand, wall mount, double-back tape, batteries, Traceable Certificate	unit	3			
82	DISINFECTANT, Instrument Non-Glutaraldehyde, Alkyl Triamine, 14 days (cold sterilant solution for instrument) 1000ml (shelf life: ≥2 years from the date of delivery)	bottle	2			
83	Disposable ECG Electrodes Adult, 50pieces/ pack (shelf life: ≥2 years from the date of delivery)	pack	2			
84	Draw Sheet, sliding, reusable, 26" x 53", medical polymer material	piece	3			
85	Dressing Carriage Specification stainless 4pcs 2" caster wheels 1 small tray 1 small basin 8 small bottle 5 big bottles 2 drawers 1 cabinet	unit	3			

86	Dressing Film, 10x12cm (shelf life: ≥2 years from the date of delivery)	piece	20			
87	Drop Light Specification Gooseneck Lamp / Droplight With Cover (W/ 5 Wheels) Stainless Stand	Unit	6			
88	Endotracheal Guide Wire Fr.6, (shelf life: ≥2 years from the date of delivery)	piece	5			
89	Endotracheal Guide wire, fr 14 (shelf life: ≥2 years from the date of delivery)	piece	5			
90	Endotracheal Guide wire, fr 10 (shelf life: ≥2 years from the date of delivery)	piece	5			
91	Examination and treatment table, Hamilton type, with drawer and compartment door, upholstered three section top provided with stirrup and sliding foot stool	Unit	2			
92	EXAMINATION TABLE - Powder-coated steel frame -3 panel padded foam mattress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest Backrest Angle: 0 - 80 degrees Legrest Angle: 270 - 360 degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87 cm	unit	1			
93	Eye Sheet Drape (Sterile, disposable) 40x40cm with hole 10cm x10's (shelf life: ≥2 years from the date of delivery)	box	25			
94	Face Mask, N95, Disposable, Fluid Resistant (shelf life: ≥2 years from the date of delivery)	piece	50			
95	Face Shield, Disposable	piece	20			

96	<p>Fetal Doppler Specification Classification: Anti-electroshock Type: Internally powered equipment. Anti- electroshosck degree: Type B applied part must have anti electric shock Probe: Prevent from water splashing, degree of protection: IPX4 Working System: Continuous running equipment once turned on EMC: Group 1 Class B Suitable Using Range: Suitable for use after the 12th week of pregnancy FHR Performance FHR Measuring Range: 50-240BPM (BPM: beat per minute) Resolution: at least 1BPM Accuracy: + 2BPM Auto Shut -OFF: After 1 minute no signal, power off automatically Battery operated Probe: Nominal Frequency: 2.0MHz Working Frequency: 2.0MHz+10% P-: ,0.5Mpa Lob: ,10 mW/cm2 Ispta: ,50mW/cm2 Ultrasonic Output Intensity : Isata <5 mW/cm2</p>	Unit	3			
97	<p>Foot Stool Single Stainless Size: Height: 22cm x Width: 25cm x Length: 35cm Leg Diameter: 7.5cm</p>	piece	2			
98	Forcep, Adson Dressing, W/ Teeth 4 3/4", stainless	piece	2			
99	Forcep, Adson Dressing, without Teeth, stainless, 4 3/4"	piece	2			
100	Forcep, Thumb, stainless 7"	piece	2			
101	Forcep, Tissue, stainless 7"	piece	2			
102	<p>Forceps, Allis Tissue, 7.0" Material: Stainless steel Profile: Serrated Jaw with Teeth Specialty: General Surgery</p>	piece	2			
103	Forceps, Mosquito (curved), stainless, 7"	piece	6			
104	Forceps, Mosquito (Straight), stainless, 7"	piece	6			
105	<p>Forceps, Pick Up Specification Sponge Forceps Straight Material Stainless Size 9.5 inches</p>	piece	1			
106	Gauze, absorbent, 28x24 mesh, 36" x 2kgs-2ply, cotton fabric, (shelf life: ≥2 years from the date of delivery)	roll	30			
107	Glass Slide x 72's, unground edges	box	5			

108	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (large) x 100's (shelf life: ≥ 2 years from the date of delivery)	box	50			
109	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (medium) x 100's (shelf life: ≥ 2 years from the date of delivery)	box	75			
110	Gloves, disposable, latex, powder free, ambidextrous, non-sterile (small) x 100's (shelf life: ≥ 2 years from the date of delivery)	box	25			
111	Gloves, Nitrile, Powder Free, Large, 100's/BOX (shelf life: ≥ 2 years from the date of delivery)	box	10			
112	Gloves, Sterile, 6.5 (shelf life: ≥ 2 years from the date of delivery)	pair	100			
113	Gloves, Sterile, 7.0 (shelf life: ≥ 2 years from the date of delivery)	pair	100			
114	Gloves, Sterile, 7.5 (shelf life: ≥ 2 years from the date of delivery)	pair	100			
115	Glutaraldehyde Solution, 1 gallon (shelf life: ≥ 2 years from the date of delivery)	gallon	4			
116	Gown, Isolation, individually packed, disposable, Nonsterile, Woven, With elastic cuffs, With neck and waist tie- closures, Freesize, any color	piece	60			
117	Head Immobilizer, no metal components and can be worn during x-rays, MRI and CT scan -waterproof and buoyant -can be used for water rescues. -can easily be cleaned and disinfected for reuse. -set-with straps, base & pillows. Dimension: 15" x 9"	piece	2			
118	Heparin cap, (In-stopper), for adult (shelf life: ≥ 2 years from the date of delivery)	piece	25			
119	Hot water bag, medium, rubber 850ml capacity	piece	3			
120	Infusion Set, Y-Connector for needles injection site, luer lock fitting needle adaptor, sharp spike, dripping port for constant precision, 200-210cm soft tubing, macrodrip:20 drops, pyrogen free (shelf life: ≥ 2 years from the date of delivery)	piece	150			
121	Infusion Set, Y-Connector for needles injection site, luer lock fitting needle adaptor, sharp spike, dripping port for constant precision, 200-210cm soft tubing, microdrip:60 drops, pyrogen free (shelf life: ≥ 2 years from the date of delivery)	piece	110			

122	Isopropanol, Benzalkonium Chloride,1000ml (Skin wound & operative disinfectant),(to provide 1 spray in every 10L) FORMULATION: Each 100g of solution contains Isopropanol ... 63g (shelf life: ≥2 years) Benzalkonium Chloride... .025g Purified Water.. 36.97g	bottle	1			
123	IV Stand, 4 Hooks, stainless , well balance, easy rolling, height range 52.5"-94", twist locks, 5 wheels	unit	4			
124	Knee Immobilizer/Splint, Large 21"	piece	1			
125	Knee Immobilizer/Splint, Large 23"	piece	1			
126	Knee Immobilizer/Splint, Medium	piece	1			
127	Knee Immobilizer/Splint, Small	piece	1			
128	Laryngoscope Pedia, set of 3 Blades #00,0,1, Conventional	set	1			
129	Lubricating jelly 150g (shelf life: ≥2 years from the date of delivery)	tube	6			
130	Manual Resuscitator Infant Neonate,(shelf life: ≥2 years from the date of delivery)	piece	1			
131	Mask, KN95, protective mask, with adjustable nose clip, elastic ear loops, no exhalation valves x50s 7.5 (shelf life: ≥2 years from the date of delivery)	box	100			
132	Mask, N88, Surgical x 50's (shelf life: ≥2 years from the date of delivery)	box	100			
133	Mask, Non-Rebreather, Adult, (shelf life: ≥2 years from the date of delivery)	piece	10			
134	Mask, Oxygen, Pedia Non-ToxicNon-pyrogenic Comes with tubing (shelf life: ≥2 years from the date of delivery) Dimension: 24cm x 3.6cm x 15cm	piece	50			
135	Mask, Oxygen, for Adult (shelf life: ≥2 years from the date of delivery)	piece	50			
136	Mask, Oxygen, for Neonate (shelf life: ≥2 years from the date of delivery)	piece	10			
137	Mask,(Duck type) N95 (shelf life: ≥2 years from the date of delivery)	piece	20			
138	Maternity Pads 8'S Soft Pure Cotton (shelf life: ≥2 years from the date of delivery)	pack	50			
139	Mayo Stand with Tray Specification 13" x 19" and includes a removable, adjustable-height stainless steel tray. with chrome plated swivel casters. powder coated aluminum frame with a stainless steel tray. Tray Size: L:16" x W:12"	set	3			

140	Medicine Box Material Metal Special Feature Portable, Waterproof, Lockable Style Modern Product Dimensions 13.4"L x 5.9"W x 13.8"H Item Weight 3000 Grams Shape Rectangular Mounting Type Wall Mount	piece	2			
141	Minor surgery set 1 Bandage Scissor 1 Surgical Scissor (straight/curved) 1 Kelly forcep (curved) 1 Kelly forcep (straight) 1 Tissue forcep 1 Thumb forcep 1 Iris Scissor (straight/curved) 1 Mayo Scissor (straight/curved) 1 Suture Scissor 1 Mosquito forcep (straight) 1 Mosquito forcep (curved) 1 Needle Holder 1 Blade Handle #3 1 Blade Handle #4 with Pouch	set	2			
142	Nasopharyngeal Airway size 12 (shelf life: ≥ 2 years from the date of delivery)	piece	18			
143	Nasopharyngeal Airway size 14 (shelf life: ≥ 2 years from the date of delivery)	piece	18			
144	Nasopharyngeal Airway size 24 (shelf life: ≥ 2 years from the date of delivery)	piece	18			
145	Nasopharyngeal Airway size 28 (shelf life: ≥ 2 years from the date of delivery)	piece	18			
146	Nasopharyngeal Airway size 32 (shelf life: ≥ 2 years from the date of delivery)	piece	18			
147	Nebulizing Kit, adult (shelf life: ≥ 2 years from the date of delivery)	piece	250			
148	Nebulizing Kit, with mask, pedia Nebulizer Kit Set 1 Mask 1 Medication chamber cup 1 Oxygen tube (shelf life: ≥ 2 years from the date of delivery)	set	90			
149	Needle Holder, 7", stainless	piece	6			
150	Catheter, Nelaton Fr 12 (shelf life: ≥ 2 years from the date of delivery)	piece	25			

151	Neurological Hammer Set (5'S Kinds) Material: Metal, Steel 5pcs Multifunctional Percussion Diagnostic Reflex Percussion Hammer Set Medical Neurological Massage Hammer Kit Health Care Tool Pinwheel /Geer Wheel Hammer T-shape Hammer / Triple-cornered Hammer Taylor Buck Hammer Babinski Hammer /Metal Rod Hammer Plastic Rod Hammer	set	3			
152	Oxygen Regulator	piece	10			
153	Oxygen tank holder (oxygen cylinder bag) for wheelchair. Made of oxford cloth. it applies to almost all wheelchairs, adjustable straps with easy buckles to accommodate most wheel chairs, reflective straps size 75x25cm	piece	1			
154	Oxygen tank, 10lbs	tank	7			
155	Pads, Electrode, Cardiac monitor compatible for EDAN X12 x 50's (shelf life: ≥2 years from the date of delivery)	pack	10			
156	Pads, for AED, adult, compatible with Radian Heart Guardian HR-501, (shelf life: 2 years from the date of delivery)	piece	2			
157	Penlight, diagnostic pen	piece	3			
158	Penlight/Otoscope Penlight with Pupil Gauge, Chrome Plated finish, LED lamp Chrome Plated Diagnostic Penlight with Pupil Gauge. Dimensions: 162mm x 45mm x 24mm Weight: 125g Diameters of Otoscope Tips: 2.4mm, 3mm, 4mm, 5mm 4 reusable tips are attached for different ear canal Otoscope head + tips +2 AAA batteries	piece	3			
159	Pillow Donut/head positioner rubber donut (adult) 8"ODx3"IDx13/4" (20 OD x 7.5 ID x 4.5cm)	piece	1			
160	Pillow Donut/head positioner rubber donut (pedia) 5 1/2"ODx2 1/4"IDx 1 1/4" (14 OD x5.7 ID x 3.2cm)	piece	1			

161	Plaster Adhesive, Tape cloth 1.25cm x 5m tan-coloured zinc oxide tape, waterproof and dirt repellent. Can be worn for extended periods without irritating normal skin. Easy to tear and is permeable to both air and water vapour . (shelf life: ≥2 years from the date of delivery) (Provide Sample)	roll	5			
162	Plaster, Adhesive, Tape cloth 2.5cm x 5m tan-coloured zinc oxide tape, waterproof and dirt repellent. Can be worn for extended periods without irritating normal skin. Easy to tear and is permeable to both air and water vapour . (shelf life: ≥2 years from the date of delivery)(Provide Samples)	roll	17			
163	Plaster Of Paris (POP), 4" (shelf life: ≥2 years from the date of delivery)	roll	70			
164	Plaster Of Paris (POP), 6" (shelf life: ≥2 years from the date of delivery)	roll	70			
165	Plaster, Adhesive, Transparent Tape, 1" x 12's (shelf life: ≥2 years from the date of delivery)	box	15			
166	Portable pill tablet cutter splitter	piece	6			
167	Pranela, Newborn Receiving Blanket,29x29" (White)	piece	5			
168	Pressure Infusor Bag for Blood Transfusion 6.69 x 6.3 x 1.57 inches; 6.98 Ounces (shelf life: ≥2 years) 500 ml capacity Latex free Reusable Materials: Nylon	piece	2			
169	Pulse Oximeter 5's rapid reading, OLED Display with lanyard	unit	25			
170	Resistance Bands, Black, Yard, Heavy Resistance	Piece	1			
171	Resistance Bands, Blue, Yard, Medium Resistance	Piece	1			
172	Resistance Bands, Gold, Yard, Heavy Resistance	Piece	1			
173	Resistance Bands, Green, Yard, Light Resistance	Piece	1			
174	Resistance Bands, Red, Yard, Heavy Resistance	Piece	1			
175	Resistance Bands, Silver, Yard, Heavy Resistance	Piece	1			
176	Resistance Bands, Yellow, Yard, Light Resistance	Piece	1			

177	Safety box and incineration container for used needles and syringes, 5 liters, plastic	piece	13			
178	Scissor, Iris (Straight), stainless	pair	2			
179	Scissor, Iris, (Curved) 4 1/2", stainless	pair	2			
180	Scissor, Mayo (curved), stainless, 7 1/4"	pair	6			
181	Scissor, Mayo (Straight), stainless, 7 1/4"	pair	6			
182	Scissor, Metzenbaum (Curved), stainless, 7"	pair	6			
183	Scissor, Metzenbaum (Straight), stainless, 7"	pair	6			
184	Scissor, Metzenbaum, Curved, 8"	pair	6			
185	Scissor, Surgical, (Straight) 7 1/4", stainless	pair	2			
186	Scissors, Bandage, 5.5"	pair	3			
187	Shoe cover, Disposable, non-woven, color: blue x 2's	pair	150			
188	Speculum Vaginal Stainless, Medium size	piece	4			
189	Speculum Vaginal Stainless, Small size	piece	4			
190	Sphygmomanometer, aneroid, pediatric	piece	5			
191	Sphygmomanometer, desk type, clock model, square shaped. 14cm diameter dial, 300 mm aneroid meter	set	5			
192	Spineboard With Strap With holes around the stretcher Equipped with 2 safety belts. Spider strap Size: Length 184 x Width 45 x Height 6cm Load capacity: 160kg.	set	2			
193	Splint, adult, medium	piece	25			
194	Splint, adult, small	piece	25			
195	Splint, baby	piece	15			
196	Splint, neonate	piece	25			
197	Splint, pedia, medium	piece	25			
198	Splint, pedia, small	piece	25			
199	Wound closure strip 1/2 inch x 4inch x 50's Strength – Nonwoven rayon backed material reinforced with filaments for strength. Soft, nonwoven backing and breathable design.	box	2			
200	Stethoscope , Color: black double-sided, dual diaphragm chestpiece for both adult and paediatric assessment. -dual head acoustic -with adult and pediatric size bells, tunable diaphragm, easy to clean, open bell, no latex or phthalate plasticizers, comes in several colors Tubing: Plum (69cm/27.2"). Finish: Stainless Steel	piece	11			
201	Stretcher, Emergency, Provided with bumper Railing IV hook Mattress Shelf below with Oxygen holder 5" mounted wheel caster Size: H: 32" x L: 74" x W: 24"	unit	2			

202	Suture, Chromic Catgut brown 1/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	5			
203	Suture, Chromic Catgut brown 2/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	5			
204	Suture, Chromic Catgut brown 3/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	5			
205	Suture, Chromic Catgut brown 4/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	5			
206	Suture, Chromic Catgut brown 5/0 (3 Metric) Curve Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	5			
207	Suture, Nylon 2.0 Cutting (shelf life: ≥ 2 years from the date of delivery)	piece	40			
208	Suture, Nylon 4-0 Cutting Needle, Sterile (shelf life: ≥ 2 years from the date of delivery)	piece	40			
209	Suture, Nylon 5-0 Cutting Needle, Sterile (shelf life: ≥ 2 years from the date of delivery)	piece	40			
210	Suture, Nylon 6-0 Cutting Needle, Sterile (shelf life: ≥ 2 years from the date of delivery)	piece	40			
211	Suturing Needle, Chromic Gut, 3-0, C-6 Needle 18.7 mm, 3/8 Cutting x 12's, (shelf life: ≥ 2 years from the date of delivery)	box	2			
212	Suturing thread (Chromic) 2.0 1/2 round bodied 40mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	25			
213	Suturing thread (Nylon) 2.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	15			
214	Suturing thread (Nylon) 3.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	15			
215	Suturing thread (Nylon) 5.0 1/2 reverse cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	15			
216	Suturing thread (Silk) 2.0 1/2 circle curved, cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	15			
217	Suturing thread (Silk) 3.0 1/2 circle curved, cutting 26mm, sterile (shelf life: ≥ 2 years from the date of delivery)	piece	15			
218	Suturing thread, Nylon 3.0 with Needle 3/8 curve reverse cutting edge 26mm, Stainless Steel Needle, Sharp, Well-polished, Sterile (shelf life: ≥ 2 years from the date of delivery)	piece	40			
219	Suturing thread, silk 2/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	piece	5			

220	Suturing thread, silk 3/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	piece	5			
221	Suturing thread, silk 4/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	piece	5			
222	Suturing thread, silk 5/0 non absorbable suture sterile Curve Cutting 12 sachets/box (shelf life: ≥ 2 years from the date of delivery)	piece	5			
223	Syringe, 10cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles)(shelf life: ≥ 2 years from the date of delivery)	box	5			
224	Syringe, 1cc, Disposable, g25 x 100's (slip tip syringes with lock, double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥ 2 years from the date of delivery)	box	5			
225	Syringe, 20cc, Without Needle (Luer Lock) x 50's sealed and sterile (shelf life: ≥ 2 years from the date of delivery)	box	2			
226	Syringe, 3cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥ 2 years from the date of delivery)	box	25			
227	Syringe, 50cc, Without Needle (Luer Lock) x 20's sealed and sterile (shelf life: ≥ 2 years from the date of delivery)	box	1			
228	Syringe, 5cc, Disposable, g23 x 100's (Luer Lock tip syringes with double bevel ultra-thin wall and ultra sharp needles) (shelf life: ≥ 2 years from the date of delivery)	box	5			
229	Syringe, asepto, adult, (shelf life: ≥ 2 years from the date of delivery)	piece	10			
230	Syringe, insulin, disposable, 1/2cc, u-100, g29,x100's (slip tip edge) (shelf life: ≥ 2 years from the date of delivery)	box	2			
231	Thermal Print Paper, ECG, 210mm x 295mm, compatible with Mindray Beneheart R12 (200's), (shelf life: ≥ 2 years from the date of delivery)	pack	5			

232	<p>Thermometer, Digital Armpit 60 sec Response Time; LCD Display; Auto Shut Off Function; Memory For Last Reading; Display in both Celsius and Fahrenheit; Water Resistant Measurement Accuracy Measurement Range 89.6 – 107.6° F</p> <p>Measurement Accuracy Measurement Variance ±0.2°F</p> <p>POWER REQUIREMENTS Power Source Battery</p>	piece	4			
233	<p>Thermometer, Ear Infrared Gentle temperature measurement for infants and young children. The Ear thermometer provides quick 1 second readings, with professional accuracy. Gentle temperature measurement for both adults & infants/young children</p> <p>Product Features</p> <ul style="list-style-type: none"> – 9 Sets memory – 1 Second Quick Measurement – Fever Alarm with Beeper (for body temperature 37.5°,C (99.5°,F) – Selectable °,C / °,F mode – Ergonomic Design for easy handling 	piece	15			
234	Thermometer, Non-contact Infrared	piece	10			
235	Tongue Depressor Wooden (Sterile) 100'S (shelf life: ≥2 years from the date of delivery)	box	2			
236	Tourniquet, 12 inches, flat	piece	10			
237	Trauma Shears 7 1/4" Emergency Scissors	pair	2			
238	Tray, Instruments, with cover 12x10x2.5"	piece	1			
239	Tray, Medication, for 30 people, stainless steel, 350mmx290mm	piece	2			
240	Tray, Stainless steel, rectangular tray with cover, 31cmx21cmx5cm	piece	4			
241	Tube, Endotracheal 2.0 fr.8 (shelf life: ≥2 years from the date of delivery)	piece	10			
242	Tube, Endotracheal 2.5 fr.10 (shelf life: ≥2 years from the date of delivery)	piece	10			
243	Tube, Endotracheal 3.0 fr.12 (shelf life: ≥2 years from the date of delivery)	piece	10			
244	Tube, Endotracheal 3.5 fr.14 (shelf life: ≥2 years from the date of delivery)	piece	10			
245	Tube, Endotracheal 4.0 fr.16 (shelf life: ≥2 years from the date of delivery)	piece	10			
246	Tube, Endotracheal 4.5 fr.18 (shelf life: ≥2 years from the date of delivery)	piece	10			
247	Tube, Endotracheal 5.0 fr.20 (shelf life: ≥2 years from the date of delivery)	piece	10			
248	Tube, Endotracheal 5.5 fr.22 (shelf life: ≥2 years from the date of delivery)	piece	8			

249	Tube, Endotracheal 6.0 fr.24 (shelf life: ≥ 2 years from the date of delivery)	piece	20			
250	Tube, Endotracheal 6.5 fr.26 (shelf life: ≥ 2 years from the date of delivery)	piece	20			
251	Tube, Endotracheal 7.0 fr.28 (shelf life: ≥ 2 years from the date of delivery)	piece	20			
252	Tube, Endotracheal 7.5 fr.30 (shelf life: ≥ 2 years from the date of delivery)	piece	20			
253	Tube, Nasogastric, Pediatric fr.5, silicon with tip cover (shelf life: ≥ 2 years from the date of delivery)	piece	10			
254	Tube, Nasogastric, ADULT fr.16, silicon with tip cover (shelf life: ≥ 2 years from the date of delivery)	piece	15			
255	Underpads, Blue Disposable Underpads Packaging: 10's / pack (shelf life: ≥ 2 years from the date of delivery) Size: Medium 900x600mm (35.5x23.5 inches) Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backing	pack	20			
256	Urine Bag, 2000ml capacity, disposable (shelf life: ≥ 2 years from the date of delivery)	piece	60			
257	UV Light Heavy Duty (4 Bulbs 30 Watts) -Filters can be integrated or optional and are used in analyzing and authentication applications. -Meters or timers control exposure time. -Multiple wand adaptation allows for multiple wands to be fed into the system. -Multi-direction exposure UV systems can expose a product or material to light from multiple directions. This is important if the bond-to material is not transparent and shadows the adhesive from an overhead beam. -Pulsed UV light systems and products that use light emitting diodes (LEDs) as a light source.	unit	1			
258	Volumetric, 150cc calibrated burette chamber, float valve, micro drip, 60 drops, needle free injection port, 200-210cm tubing, Y-connector (shelf life: ≥ 2 years from the date of delivery)	piece	20			
259	Wadding Sheet, 4" x 5 yards (shelf life: ≥ 2 years from the date of delivery)	roll	60			
260	Wadding Sheet, 6" x 5 yards (shelf life: ≥ 2 years from the date of delivery)	roll	60			
261	Water, Distilled, 6 Liters (shelf life: ≥ 2 years from the date of delivery)	container	72			
262	Weighing Scale with height measurement, dial type	unit	2			

263	<p>Weighing Scale, Adult Capacity: 450lb x 4oz, 200 kg x 100 g Height Measurement Range (on select models): 24-84 in Height Graduation (on select models): 0.125 in Platform Size: 14.75 in x 10.75 in Overall Width: 17.5 in Overall Height: 58.25 in Overall Depth (with wheels): 23.25 in Construction: Mild steel with powder coat paint finish</p>	unit	2			
264	<p>WEIGHING SCALE, ELECTRONIC BATHROOM Aluminum body LCD display With 2 AAA batteries Maximum weight: 150kg/330lbs Measurements: L 28 x W 28 x H 1.6 cm</p>	unit	4			
265	<p>Weighing Scale, Infant, Mechanical Max: 22 kg/ 55 lbs. Infant Scale Infant tray with calibration certificate</p>	set	1			
266	<p>Weighing Scale, Pedia Beam type, White baked-on, powder-painted steel Capacity: 65 kg x 20 g Measuring Tape: 0 - 21 in x 0.25 in or 0 - 53 cm x 0.1 cm Tray Dimensions: 22 in W x 14.75 in D x 4.5 in H Weighing Tray: White polystyrene with calibration certificate"</p>	unit	1			
267	<p>Wheelchair heavy duty (Double Cross bar), stainless</p>	unit	4			
268	<p>Wheelchair Reclining Specifications: - Weight capacity: 300lbs. - Seat Width: 46cm - Width between arms is 17" - Overall wheel to wheel width is 26" - Elevating footrests - Removable armrests - Floor to seat height is 21" - Overall height with back straightened up 39" - Built-in back pocket for additional storage - 8" front casters - Wheel with Solid tires</p>	Piece	2			
MEDICAL EQUIPMENT						
269	<p>Electrocardiogram Machine (See attached Terms of Reference)</p>	set	2			

270	Electrocardiogram Machine (See attached Terms of Reference)	piece	1			
271	Stretcher bed trolley (See attached Terms of Reference)	piece	1			
					Grand Total	



Department of Health
Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Trunkline: +63479354617; Office of the COH: +63476339006

mail@mmwgh.gov.ph

mmwgh.gov.ph



ITEM NO. 270

TERMS OF REFERENCE

Unit Cost: P132,000.00

Name of Project

Supply, Delivery, Testing and Commissioning of Brand New
ELECTROCARDIOGRAM MACHINE
(Public Bidding)

Technical Specification

Features:

- Ultra- Compact and lightweight design, high- resolution color touch screen, comprehensive filters and anti-noise technology
- Provide reliable signal quality
- 12-lead simultaneous acquisition and display, 3 channels with analyzer-signal quality identification
- long time sampling

Minimum Specifications:

ECG Sampling Rate: at least 1000 samples/sec/channel

Pacer detection sampling rate: at least 16,000 samples/second/channel

ECG amplifier: DC-coupled

Acquisition mode: Pre- or post-acquisition, provide 10 seconds of instantaneous ECG acquisition

Dynamic range: AC differential ± 10 mV, DC offset ± 600 mV

Resolution: at least 1 μ V/LSB

Frequency response: -3 dB @ 0.05 to 150 Hz

Baseline drift filter: 0.05 Hz, with Baseline Drift Removal (BDR)

Artifact filter: at least 20 Hz, 35 Hz

AC filter: 50/60 Hz

Common mode rejection ratio: ≥ 110 dB (with AC filter switched off)

ADC: 24 bits

Input impedance: > 50 M Ω @ 10 Hz, and must be defibrillator protected

Time Constant ≥ 3.2 s

Noise Level ≤ 15 μ V

Patient leakage: < 10 μ A

Heart rate meter: 30 to 300 BPM $\pm 10\%$ or ± 5 BPM, whichever is greater

Sensitivity/gain: at least 2.5, 5, 10, 20, L=10 C=5, L=20 C=10 mm/mV, and Auto

Display Type: TFT LCD with LED graphics and must be touchscreen

Display Data: at least with Patient ID, Patient name, gender, age, heart rate, clock, battery power indicator, waveforms, lead labels, speed, gain, filter settings, warning messages, information messages, network, USB status

Can be powered by AC and/or Battery

Battery must be at least Li-ion with 4500mAh

Charging time must be at least less than or equal to 6 hours or 7 hours

Battery capacity of more than 3hrs of continuous operation

Printer

Thermal dot array or better

Writer speed: at least 5, 12.5, 25, 50 mm/s

Number of traces: 12 leads

Writer speed accuracy: $\pm 5\%$

Writer amplitude accuracy: $\pm 5\%$



VISION

Mariveles Mental Wellness and General Hospital is a center for specialized psychiatric care with holistic health services to the people of Central Luzon by 2023.

MISSION

We provide and advocate for quality mental and medical health care through promotive, preventive, curative and rehabilitative services with training and research.

QUALITY POLICY

The Mariveles Mental Wellness and General Hospital is committed to provide affordable and quality mental and medical health care with Integrity, Innovation, Inclusivity, Compassion, Excellence and Responsiveness. We shall ensure compliance with statutory and regulatory requirements. We pledge to continually improve our Quality Management System to exceed our clients' satisfaction.



Department of Health
Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105



Trunkline: +63479354617; Office of the COH: +63476339006

mail@mmwgh.gov.ph

mmwgh.gov.ph

Writer resolution: Horizontal 40 dots/mm @ 25 mm/s, Vertical 8 dots/mm

Measurement and interpretation: Automated 12-lead ECG analysis program for adults and pediatrics

Resting ECG mode: Records and prints 12-lead resting ECG with 10-second duration as a standard feature

Internal storage: 800 ECGs in internal memory

Equipped with Wifi

Equipped with Barcode Scanner

With USB flash drive storage

Standard Accessories:

- ECG Cable (Anatomical Design)
- Adult Precordial suction electrodes (6 pcs/ set, match to 4mm ECG cable)
- Adult Limb Clamp electrodes (4 pcs/ set, match to 4mm ECG cable)
- Recording Paper (Roll, 80mm x 20mm at least)
- Power Cord (at least Philippine Standard)
- Charger

Documentary Requirements

1. Product brochure or technical data sheet(s) of the equipment showing the technical specification in English language.
2. Valid and current Certificate of Compliance of manufacturer of the equipment with the latest version of ISO 13485: Quality Management System – Requirements for regulatory purposes in the name of the **manufacturer**. The Certificates must be issued by an independent Certifying Body/Agency.
3. Valid and current Certificate of Compliance and/or Test Report on the latest version of IEC 60101-2-27. The Certificate and/or Test Report must be issued by an independent Certifying Agency
4. Valid Certificate of Distribution (as Authorized Distributor) issued by the Manufacturer of each equipment authorizing the bidder to sell/distribute the offered equipment.
5. Proof (such as sales invoice) that the Brand of the equipment has been sold to other health facilities in the Philippines.
6. Notarized Certificate from the bidder:
 - a) That the brand of the equipment has been in the local and/or international market for at least five (5) years.
 - b) That the equipment and its accessories are brand new, unused, not discontinued models and were not subjected to any product recall.
 - c) Bidder's valid and current License to Operate (LTO) as medical device distributor issued by the Philippine Food and Drug Administration. In case of expired LTO, the following must be submitted:
 - i. Copy of expired LTO
 - ii. Application for renewal
 - iii. Official Receipt as proof of payment for the renewal of LTO



Certification Partner Global

VISION

Mariveles Mental Wellness and General Hospital is a center for specialized psychiatric care with holistic health services to the people of Central Luzon by 2023.

MISSION

We provide and advocate for quality mental and medical health care through promotive, preventive, curative and rehabilitative services with training and research.

QUALITY POLICY

The Mariveles Mental Wellness and General Hospital is committed to provide affordable and quality mental and medical health care with Integrity, Innovation, Inclusivity, Compassion, Excellence and Responsiveness.
We shall ensure compliance with statutory and regulatory requirements.
We pledge to continually improve our Quality Management System to exceed our clients' satisfaction.

MMH-HOP-04-08-04



7. Calibration certificate of the equipment from the manufacturer.

Requirements if awarded the Contract

1. **Completion period:** The delivery, testing and commissioning of the equipment and its accessories, including the training of end-user and maintenance staff must be completed within **45 calendar days** upon receipt of the Purchase order.
2. **Testing:** Prior to acceptance, the end user shall conduct a physical inspection and functionality test. The equipment must be functioning and must have no physical damage and defect.
3. **Training:** The supplier shall provide a training on proper use and maintenance of the equipment to the end-users and to the hospital maintenance staff.
4. **Warranty:** Warranty certificate for two (2) years on parts and on services. The supplier shall either repair or replace any item or part in the equipment that is found to be defective in material or in workmanship under normal use. The warranty period shall commence from the date of acceptance by the end-user after testing and commissioning.
5. The supplier must be amenable to customize the required power supply of the equipment to the necessary electrical requirements needed for the operation of the equipment in the hospital
6. Notarized undertaking that the supplier shall conduct the necessary corrective maintenance within five (5) calendar days upon notification of equipment breakdown from the end-user. The undertaking shall include a statement that the number of days where the equipment is unusable due to defective material or workmanship, shall be added to warranty period.
7. Notarized undertaking that the supplier shall provide free quarterly preventive maintenance and calibration service of the equipment for at least one (1) year.
8. **Manuals:** The supplier provide the end-user one (1) hard and one (1) soft copy of the following:
 - a. Service manual in English language
 - b. Operations manual in English language

Prepared by:

[Signature]
KATHRINA K CAMPOS, MD, FPNA
OIC, Neurology Unit

Approved by:

[Signature]
RELIA I. VALLEGAS, RN, MAN, Ed.D.
Chief Nurse, Nursing Service
BAC Chairperson

Attested by:

[Signature]
MEYNARD ANTHONY V. BANZON, ECE
Engineer II – Healthcare Technology Management Section
TWG



VISION

Mariveles Mental Wellness and General Hospital is a center for specialized psychiatric care with holistic health services to the people of Central Luzon by 2023.

MISSION

We provide and advocate for quality mental and medical health care through promotive, preventive, curative and rehabilitative services with training and research.

QUALITY POLICY

The Mariveles Mental Wellness and General Hospital is committed to provide affordable and quality mental and medical health care with Integrity, Innovation, Inclusivity, Compassion, Excellence and Responsiveness.
We shall ensure compliance with statutory and regulatory requirements.
We pledge to continually improve our Quality Management System to exceed our clients' satisfaction.



Department of Health
Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105



Trunkline: +63479354617; Office of the COH: +63476339006

mail@mmwgh.gov.ph

mmwgh.gov.ph

ITEM NO. 269

TERMS OF REFERENCE

Unit Cost: P92,950.00

Name of Project
<p style="text-align: center;">Supply, Delivery, Testing and Commissioning of Brand New ELECTROCARDIOGRAPH MACHINE (Public Bidding)</p>
Technical Specification
<ol style="list-style-type: none"> 1. Power supply: mains or battery power 2. Battery: 12V 1.8Ah 3. Battery type: lithium-ion 4. Battery capacity: approx. 8.5 hours in operation 5. Weight: approximately 1 kg 6. Dimensions: L 143 x W 224 x H 54 cm 7. Internal storage: approx. 500 ECG measurements 8. Ports: 2 USB, 1 microSD 9. CMRR (Common Mode Rejection Ratio): ≤ 140 dB 10. Bandwidth: 0.01 - 300 Hz 11. Sampling rate: 16,000 Hz 12. OTHER FEATURES: <ul style="list-style-type: none"> Compact 3-channel resting ECG Integrated thermal printer 5" multicolor touchscreen Color-coded display visualizing signal quality One-button operation Complies with metrological control 12 simultaneous leads



VISION

Mariveles Mental Wellness and General Hospital is a center for specialized psychiatric care with holistic health services to the people of Central Luzon by 2023.

MISSION

We provide and advocate for quality mental and medical health care through promotive, preventive, curative and rehabilitative services with training and research.

QUALITY POLICY

The Mariveles Mental Wellness and General Hospital is committed to provide affordable and quality mental and medical health care with Integrity, Innovation, Inclusivity, Compassion, Excellence and Responsiveness.
We shall ensure compliance with statutory and regulatory requirements.
We pledge to continually improve our Quality Management System to exceed our clients' satisfaction.



Automatic support for interpretation and evaluation

13. STANDARD ACCESSORIES

- 1 patient cable
- 6 suction electrodes
- 4 clip electrodes
- 1 roll of recording paper
- 1 power supply unit
- 1 li-ion battery

Documentary Requirements

1. Product brochure or technical data sheet(s) of the equipment showing the technical specification in English language.
2. Valid and current Certificate of Compliance of manufacturer of the equipment with the latest version of ISO 13485: Quality Management System – Requirements for regulatory purposes in the name of the **manufacturer**. The Certificates must be issued by an independent Certifying Body/Agency.
3. Valid and current Certificate of Compliance and/or Test Report on **IEC 60601-2-5** Medical electrical equipment - Part 2-5: Particular requirements for the basic safety and essential performance of Electrocardiograph (ECG) Machine. The Certificate and/or Test Report must be issued by an independent Certifying Agency.
4. Valid Marketing Authorization, Registration Approval or Free Sale Certificate for each equipment issued by the Health Authority in the country of origin.
5. Valid Certificate of Distribution (as first Tier Distributor) issued by the Manufacturer of each equipment authorizing the bidder to sell/distribute the offered equipment.
6. Proof (such as sales invoice) that the Brand of the equipment has been sold to other health facilities in the Philippines.
7. Notarized Certificate from the bidder:
 - a) That the brand of the equipment has been in the local and/or international market for at least ten (10) years.
 - b) That the equipment and its accessories are brand new, unused, not discontinued models and were not subjected to any product recall.
 - c) Bidder's valid and current License to Operate (LTO) as medical device distributor issued by the Philippine Food and Drug Administration. In case of expired LTO, the following must be submitted:
 - i. Copy of expired LTO
 - ii. Application for renewal



VISION

Mariveles Mental Wellness and General Hospital is a center for specialized psychiatric care with holistic health services to the people of Central Luzon by 2023.

MISSION

We provide and advocate for quality mental and medical health care through promotive, preventive, curative and rehabilitative services with training and research.

QUALITY POLICY

The Mariveles Mental Wellness and General Hospital is committed to provide affordable and quality mental and medical health care with Integrity, Innovation, Inclusivity, Compassion, Excellence and Responsiveness.
 We shall ensure compliance with statutory and regulatory requirements.
 We pledge to continually improve our Quality Management System to exceed our clients' satisfaction.



iii. Official Receipt as proof of payment for the renewal of LTO

8. Certificate of training of machine technicians and engineers in handling the equipment issued by the manufacturer.

i. Please include the list of technicians and engineers and their corresponding licenses

9. Certificate of Calibration

Requirements if awarded the Contract

1. **Completion period:** The delivery, testing and commissioning of the equipment and its accessories, including the training of end-user and maintenance staff must be completed within **45 calendar days** upon receipt of notice to proceed.

2. **Testing:** Prior to acceptance, the end user shall conduct a physical inspection and functionality test. The equipment must be functioning and must have no physical damage and defect.

3. **Training:** The supplier shall provide a training on proper use and maintenance of the equipment to the end-users and to the hospital maintenance staff.

4. **Warranty:** Warranty certificate for two (2) years on parts and on services. The supplier shall either repair or replace any item or part in the equipment that is found to be defective in material or in workmanship under normal use. The warranty period shall commence from the date of acceptance by the end-user after testing and commissioning.


5. Notarized undertaking that the supplier shall conduct the necessary corrective maintenance within five (5) calendar days upon notification of equipment breakdown from the end-user. The undertaking shall include a statement that the number of days where the equipment is unusable due to defective material or workmanship, shall be added to warranty period.

6. **Manuals:** The supplier provide the end-user one (1) original hard copy and one (1) soft copy of the following:
a. Service manual in English language
b. Operations manual in English language


Prepared by:


JANINE MARIE ELIZABETH B. TOLENTINO, RN
Nurse I/End-user

Attested by:


MEYNARD ANTHONY V. BANZON, ECE
Engineer II/ BAC TWG

Approved by:


RELIA I. VILLEGAS, RN, MAN, Ed.D
Chief Nurse/ BAC Chairperson



VISION

Mariveles Mental Wellness and General Hospital is a center for specialized psychiatric care with holistic health services to the people of Central Luzon by 2023.

MISSION

We provide and advocate for quality mental and medical health care through promotive, preventive, curative and rehabilitative services with training and research.

QUALITY POLICY

The Mariveles Mental Wellness and General Hospital is committed to provide affordable and quality mental and medical health care with Integrity, Innovation, Inclusivity, Compassion, Excellence and Responsiveness.
We shall ensure compliance with statutory and regulatory requirements.
We pledge to continually improve our Quality Management System to exceed our clients' satisfaction.



Department of Health
Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Momoe Street, Poblacion, Mariveles, Bataan, Philippines, 2105



Trunkline: +63479354617; Office of the COH: +63476339006

mail@mmwgh.gov.ph

mmwgh.gov.ph

ITEM NO. 271

TERMS OF REFERENCE

UNIT COST: 120,000.00

Name of Project
Supply, Delivery, Testing and Commissioning of Brand New STRETCHER BED TROLLEY (Public Bidding)
Technical Specification
<p>Overall Size: L-185cm x W-65cm x H 75cm (min. size requirement)</p> <p>Mattress: L-180cm x W-65cm or should match overall size</p> <p>Thickness: comfortable foam at least 3 inches</p> <p>-Top made Flat stainless sheet, strong stainless frame and Leg part is fixed</p> <p>Caster Size: 8", heavy duty caster wheels</p> <p>Materials: Stainless Steel or Combination of Powder Coated and Stainless Steel</p> <p>Features</p> <ol style="list-style-type: none"> 1. With IV Pole 2. 8-inches heavy duty caster wheel, with 2 brakes 3. With foldable stainless-steel guardrails (at least 1000mm) 4. With rubber bumpers on the 4 corners <p>FUNCTIONS:</p> <ul style="list-style-type: none"> - Use to transport patients unable to move because of illness or trauma. - Use for easy transport of patient during emergencies.

Documentary Requirements
<ol style="list-style-type: none"> 1. Product brochure or technical data sheet(s) of the equipment showing the technical specification in English language. 2. Valid and current Certificate of Compliance of manufacturer of the equipment with the latest version of ISO 13485: Quality Management System – Requirements for regulatory purposes in the name of the manufacturer. The Certificates must be issued by an independent Certifying Body/Agency. 3. Valid and current Certificate of Compliance and/or Test Report on the latest version of ISO 22882. The Certificate and/or Test Report must be issued by an independent Certifying Agency.



VISION

Mariveles Mental Wellness and General Hospital is a center for specialized psychiatric care with holistic health services to the people of Central Luzon by 2023.

MISSION

We provide and advocate for quality mental and medical health care through promotive, preventive, curative and rehabilitative services with training and research.

QUALITY POLICY

The Mariveles Mental Wellness and General Hospital is committed to provide affordable and quality mental and medical health care with Integrity, Innovation, Inclusivity, Compassion, Excellence and Responsiveness.
We shall ensure compliance with statutory and regulatory requirements.
We pledge to continually improve our Quality Management System to exceed our clients' satisfaction.



4. Valid Certificate of Distribution (as Authorized Distributor) issued by the Manufacturer of each equipment authorizing the bidder to sell/distribute the offered equipment.
5. Proof (such as sales invoice) that the Brand of the equipment has been sold to other health facilities in the Philippines.
6. Notarized Certificate from the bidder:
 - a) That the brand of the equipment has been in the local and/or international market for at least five (5) years.
 - b) That the equipment and its accessories are brand new, unused, not discontinued models and were not subjected to any product recall.
 - c) Bidder's valid and current License to Operate (LTO) as medical device distributor issued by the Philippine Food and Drug Administration. In case of expired LTO, the following must be submitted:
 - i. Copy of expired LTO
 - ii. Application for renewal
 - iii. Official Receipt as proof of payment for the renewal of LTO

Requirements if awarded the Contract

1. **Completion period:** The delivery, testing and commissioning of the equipment and its accessories, including the training of end-user and maintenance staff must be completed within **45 calendar days** upon receipt of the Notice to Proceed.
2. **Testing:** Prior to acceptance, the end user shall conduct a physical inspection and functionality test. The equipment must be functioning and must have no physical damage and defect.
3. **Training:** The supplier shall provide a training on proper use and maintenance of the equipment to the end-users and to the hospital maintenance staff.
4. **Warranty:** Warranty certificate for two (2) years on parts and on services. The supplier shall either repair or replace any item or part in the equipment that is found to be defective in material or in workmanship under normal use. The warranty period shall commence from the date of acceptance by the end-user after testing and commissioning.
5. The supplier must be amenable to customize the required power supply of the equipment to the necessary electrical requirements needed for the operation of the equipment in the hospital.
6. Notarized undertaking that the supplier shall conduct the necessary corrective maintenance within five (5) calendar days upon notification of equipment breakdown from the end-user. The undertaking shall include a statement that the number of days where the equipment is unusable due to defective material or workmanship, shall be added to warranty period.
7. Notarized undertaking that the supplier shall provide free quarterly preventive maintenance and calibration service of the equipment for at least one (1) year.



Certification Partner Global

VISION

Mariveles Mental Wellness and General Hospital is a center for specialized psychiatric care with holistic health services to the people of Central Luzon by 2023.

MISSION

We provide and advocate for quality mental and medical health care through promotive, preventive, curative and rehabilitative services with training and research.

QUALITY POLICY

The Mariveles Mental Wellness and General Hospital is committed to provide affordable and quality mental and medical health care with integrity, Innovation, Inclusivity, Compassion, Excellence and Responsiveness.
We shall ensure compliance with statutory and regulatory requirements.
We pledge to continually improve our Quality Management System to exceed our clients' satisfaction.



Department of Health
 Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105



Trunkline: +63479354617; Office of the COH: +63476339006

mail@mmwgh.gov.ph


mmwgh.gov.ph

8. **Manuals:** The supplier provide the end-user one (1) hard copy of the following:
 a. Operations manual in English language

Prepared by:


KATHRINA K. CAMPOS, MD, FPNA
 OIC, Neurology Unit

Approved by:


RELIA I. VILLEGAS, RN, MAN, Ed.D.
 Chief Nurse, Nursing Service
 BAC Chairperson

Attested by:


MEYNARD ANTHONY V. BANZON, ECE
 Engineer II – Healthcare Technology Management Section
 TWG



VISION

Mariveles Mental Wellness and General Hospital is a center for specialized psychiatric care with holistic health services to the people of Central Luzon by 2023.

MISSION

We provide and advocate for quality mental and medical health care through promotive, preventive, curative and rehabilitative services with training and research.

QUALITY POLICY

The Mariveles Mental Wellness and General Hospital is committed to provide affordable and quality mental and medical health care with Integrity, Innovation, Inclusivity, Compassion, Excellence and Responsiveness.
 We shall ensure compliance with statutory and regulatory requirements.
 We pledge to continually improve our Quality Management System to exceed our clients' satisfaction.

Bid Form

Date: _____
Invitation to Bid¹ N^o: _____

To: *[name and address of Procuring Entity]*

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said Bidding Documents for the sum of *[total Bid amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in **BDS** provision for **ITB** Clause **Error! Reference source not found.** and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:²

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause **Error! Reference source not found.** of the Bidding Documents.

We likewise certify/confirm that the undersigned, *[for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of Name of Bidder, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the Name of Project of the Name of the Procuring Entity]* *[for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the*

¹ If ADB, JICA and WB funded projects, use IFB.

² Applicable only if the Funding Source is the ADB, JICA or WB.

Name of Bidder, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for Name of Project of the Name of the Procuring Entity].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this _____ day of _____ 20_____.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

For Goods Offered From Abroad

Name of Bidder _____, Invitation to Bid¹ Number ____, Page ____ of _____:

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

¹ If ADB, JICA and WB funded projects, use IFB.

For Goods Offered From Within the Philippines

Name of Bidder _____ . Invitation to Bid² Number _ . Page . of ____.

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

² If ADB, JICA and WB funded projects, use IFB.

Statement of all Ongoing Government & Private contracts including contracts awarded but not yet started

Business Name : _____

Business Address : _____

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Amount		End user's acceptance or official receipt(s) or sales invoice issued for the contract
						Contract	Value of Outstanding Contract	
<u>Government</u>								
<u>Private</u>								
						Total Cost		

Note: This statement shall be supported with:

- 1 Notice of Award , Contract, NTP, and other docs, if necessary

Submitted by : _____
(Printed Name & Signature)

Designation : _____

Date : _____

Statement of all completed Government & private contracts which are similar in nature and complexity to the Contract to be Bid

Business Name : _____
 Business Address : _____

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Contract Amount	End user's acceptance or official receipt(s) or sales invoice issued for the contract
<u>Government</u>							
<u>Private</u>							

Note: This statement shall be supported with:
 1 Notice of Award, Contract, NTP, and other docs, if necessary

Submitted by : _____
 (Printed Name & Signature)
 Designation : _____
 Date : _____

Statement of Bidder's Single Largest Completed Contract (SLCC)

Business Name : _____

Business Address : _____

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Amount of completed contracts, adjusted by the Bidder	End user's acceptance or official receipt(s) and sales invoice issued for the contract
<u>Government</u>							
<u>Private</u>							
						Total Cost	

Note: This statement shall be supported with:
 1 Notice of Award, Contract, NTP, and other docs, if necessary

Submitted by : _____
(Printed Name & Signature)

Designation : _____

Date : _____