

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Procurement of Miscellaneous Supplies and Equipment for 2025 (EPA)

2024-39

Government of the Republic of the Philippines

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid.....	7
Section II. Instructions to Bidders.....	10
1. Scope of Bid	11
2. Funding Information.....	11
3. Bidding Requirements	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5. Eligible Bidders.....	12
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	13
9. Clarification and Amendment of Bidding Documents	13
10. Documents comprising the Bid: Eligibility and Technical Components	13
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	15
14. Bid Security	15
15. Sealing and Marking of Bids	15
16. Deadline for Submission of Bids	15
17. Opening and Preliminary Examination of Bids	15
18. Domestic Preference	16
19. Detailed Evaluation and Comparison of Bids	16
20. Post-Qualification	17
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract	30
1. Scope of Contract	32
2. Advance Payment and Terms of Payment	32
3. Performance Security	32
4. Inspection and Tests	32
5. Warranty	33
6. Liability of the Supplier	33
Section V. Special Conditions of Contract	34
Section VI. Schedule of Requirements	39
Section VII. Technical Specifications	40
Section VIII. Checklist of Technical and Financial Documents	56

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex-works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – **Government Procurement Policy Board.**

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Department of Health
Central Luzon Center for Health Development

MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-6726 mail@mmwgh.gov.ph mmwgh.com

INVITATION TO BID FOR THE PROCUREMENT OF MISCELLANEOUS SUPPLIES AND EQUIPMENT FOR 2025 (EPA)

1. The **Mariveles Mental Wellness and General Hospital**, is conducting the Procurement of Miscellaneous Supplies and Equipment for 2025 (EPA) / 2024-39 through the early procurement activity (EPA) for Fiscal Year 2025, consistent with Section 7.6 of RA 9184, where the procuring entity is allowed to undertake the procurement activities short of an award.

The **Mariveles Mental Wellness and General Hospital**, through the **National Expenditure Program (NEP) of 2025** intends to apply a total of **Thirteen Million Five Hundred Five Thousand Three Hundred Eighty-One Pesos and 35/100 only (Php 13,505,381.35)** as the ABC to payments under the contract for the **Procurement of Miscellaneous Supplies and Equipment for 2025 (EPA) / 2024-39**. Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The **Mariveles Mental Wellness and General Hospital** now invites bids for the above Procurement Project. Delivery of the Goods is required by **February to June 2025**. Bidders should have completed, within **two (2) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from **MMWGH** and inspect the Bidding Documents at the address given below during Mondays to Fridays; 08:00 am to 05:00 pm, except holidays and work suspensions.
5. A complete set of Bidding Documents may be acquired by interested Bidders from **December 11, 2024, to January 2, 2025**, from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Twenty-Five Thousand Pesos only (Php 25,000.00)**.

The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

6. The **MMWGH** will hold a Pre-Bid Conference on **December 19, 2024, at 02:00 PM** at the given address below and/or through video conferencing or webcasting via [Zoom](#), which shall be open to prospective bidders

7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **January 03, 2025**, at **02:00 PM**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

The MMWGH may request the bidders to extend the validity of the bid securities beyond one hundred twenty (120) calendar days, prior to the expiration, if the funding source has yet to be approved and made effective. A change in the form of bid security is allowed if this is made prior to the expiration of the bid validity sought to be extended. If the bidder refuses to extend the bid validity, the MMWGH shall reject the bid submitted by the said bidder.

9. Bid opening shall be on **January 03, 2025**, at **02:00 PM** at the given address below and/or via [Zoom](#). Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. ***Notice of Award (NOA) will only be issued upon the approval and effectivity of the General Appropriations Act 2025.***
11. The **MMWGH** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:

MARY RODELINE M. CASUAYAN
BAC Secretariat
Procurement Unit
Mariveles Mental Wellness and General Hospital
P. Monroe Street, Brgy. Poblacion, Mariveles, Bataan
Email Address: procurement@mmwgh.gov.ph
Website: www.mmwgh.com
Contact No.: +639-688545320

13. You may visit the following website(s):

For downloading of Bidding Documents: <https://mmwgh.com/invitation-to-bid/>

Date of Issue: December 11, 2024

SGD.

RELIA I. VILLEGAS, RN, MAN, Ed. D
Chairperson, BAC

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and the award of contract.

1. Scope of Bid

The Procuring Entity, **Mariveles Mental Wellness, and General Hospital** wish to receive Bids for the **Procurement of Miscellaneous Supplies and Equipment for 2025 (EPA)**, with identification number **2024-39**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as “Project”) is composed of **156 Items**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for **2025** in the amount of **Thirteen Million Five Hundred Five Thousand Three Hundred Eighty-One Pesos and 35/100 only (Php 13,505,381.35)**

2.2. The source of funding is:

a. **NEP, National Expenditure Program.**

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules, and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration, and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allows foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
 - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements: *[Select either failure or monopoly of bidding based on market research conducted]*
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies* of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through video conferencing or webcasting *via Zoom* as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **Two (2) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in a foreign language other than English, they must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be

authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern the interpretation of the bid.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **May 03, 2025**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting, or other similar technologies will be used, the attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as follows:

One Project that has several items shall be awarded as one contract.

- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause					
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <p>a. <i>[provide the definition or description of similar contracts].</i></p> <p>b. completed within two (2) years prior to the deadline for the submission and receipt of bids.</p>				
12	<p>The price of the Goods shall be quoted DDP <i>[state place of destination]</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.</p>				
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p>a. The amount of not less than Two Hundred Seventy Thousand One Hundred Seven Pesos and 63/100 only (Php 270,107.63)</p> <p style="padding-left: 40px;">if bid security is in cash, cashier's/manager's check, bank draft/guarantee, or irrevocable letter of credit; or</p> <p>b. The amount of not less than Six Hundred Seventy-Five Thousand Two Hundred Sixty-Nine Pesos and 07/100 only (Php 675,269.07)</p> <p style="padding-left: 40px;">if bid security is in Surety Bond.</p>				
19.3	No	ITEMS	QTY	UNIT	TOTAL AMOUNT
	1	12-Door Cabinet Locker, Dimension: Width: 90cm, Depth: 40cm, Height: 185cm, Color: Gray, Material: Stainless Steel	6	piece	97,020.00
	2	5 Layer Cabinet, with 2 full steel swing doors, Dimension: Width: 900mm, Depth: 400mm, Height: 1850mm, Color: Gray, Material: Stainless Steel	12	piece	217,800.00
	3	5 Layer Cabinet, with 2- sliding door, glass window, Dimension: Width: 900mm, Depth: 400mm, Height: 1850mm, Color: Gray, Material: Stainless Steel	3	piece	49,500.00
	4	5 Layer Janitorial Cabinet, Dimension: Width: 900mm, Depth: 400mm, Height: 1850mm, Color: Gray, Material: Stainless Steel	2	piece	16,500.00
	5	9-Door Cabinet Locker, Dimension: Width: 90cm, Depth: 40cm, Height: 185cm, Color: Gray, Material: Stainless Steel	9	piece	133,866.00
	6	Air Purifier Noise Level: 61 dB (A) Net Weight: 5.5 kg Dimensions: 31 cm x 16 cm x 50 cm Rated Power: 50 W Rated Voltage: 220V-60Hz Specifications: Airflow Rate: 120 m ³ /h, 100 m ³ /h, 80 m ³ /h Applicable Area: 35 m ² - 100 m ² Touch and wireless operation for convenience Backlit LCD display shows air quality directly	2	piece	4,710.20
	7	Aircon (Split type) 1hp Cooling Capacity: 9,495 kJ/hr	1	unit	27,000.00

	Rated Input Power: 810W CSPF: 4.6 (5 stars) Product Dimension: [WDH] (mm): Indoor: 715x194x285 Outdoor:720x270x495 Packaged Dimension: [WDH] (mm): 780x270x360, 835x300x540 Net Weight: 7.2kg / 18.8kg			
8	Aircon (Window type) 1.5hp Cooling Capacity (Btu/h) - 5600 Power Input (W) - 660 Refrigerant - R32 Inverter High-Efficiency Air Filter Energy Efficient Compressor 7-in-1 Air Purifying Filters (HEPA, Silver Ion, Active Carbon, Vitamin C, Bio, Anti-Allergy, High-Density Clean Air Filter Gold Fin Condenser Remote Control with Timer Dehumidifier Auto ON & OFF Timer Quite Operation LED Display Super Quiet Operation Compact Size 1129 Watts Dimensions (H:W:D) 385:505:585 mmH) - 406x335x306mm Hydrophilic Aluminum Fins High-Efficiency Design, Dripless	1	unit	23,000.00
9	Apron, Oil and waterproof, canvass material, ankle-length, adjustable tie, free size	68	piece	12,002.00
10	Baru-baruan (longsleeves 3's white)	60	set	19,734.00
11	Basin, Industrial Grade Rubberized Plastic, oval-shaped, 68Liters	10	piece	9,350.00
12	Bath towel, cotton, absorbent, 29x52 inches, any color except white	626	piece	241,010.00
13	Bath towel, cotton, absorbent, 29x52",	140	piece	31,570.00
14	Battery AA,1.5V (Alkaline/Zinc Carbon)	1811	piece	80,680.05
15	Battery AAA, 1.5V (Alkaline/Zinc Carbon)	1038	piece	51,578.22
16	Boots, material: rubber, waterproof, design: round toe, with grip and traction on slippery surface, high cut, color black, height: at least 33cm size: 12 inches	5	piece	6,000.00
17	Boots, material: rubber, waterproof, design: round toe, with grip and traction on slippery surface, high cut, color black, height: at least 33cm, size: 14 inches	1	piece	1,200.00
18	Boots, material: rubber, waterproof, design: round toe, with grip and traction on slippery surface, high cut, color black,height: at least 33cm, size: 13 inches	1	piece	1,200.00
19	Boots, material: rubber, waterproof, design: round toe, with grip and traction on slippery surfaces, high cut, color black, height: at least 33cm, size: 11 inches	31	piece	37,200.00
20	Boots, rubber, color black, waterproof, round toe, with grip and traction on slippery surfaces, hi-cut height 33cm, size: 10	5	pair	1,892.00

21	Boots, rubber, color black, waterproof, round toe, with grip and traction on slippery surfaces, hi-cut height 33cm, size: 8	70	pair	26,488.00
22	Boots, rubber, color black, waterproof, round toe, with grip and traction on slippery surfaces, hi-cut height 33cm, size: 9	51	pair	19,298.40
23	Boots, type: PPE safety boots, design: Steel-toe outdoor work safety boots, material: leather, color: Brown, Size: 7 US men's size	40	piece	176,400.00
24	Bottle dispenser holder, type: wall-mounted, material: metal, color: white or silver-coated, hole size: 33 mm in diameter, load capacity: 2 kg	100	piece	28,000.00
25	Bottle dispenser, type: refillable bottle dispenser with pump, Material: Plastic, Capacity: 500ml, Color: White	100	piece	23,000.00
26	Broom, Cob Web, 7ft.	40	piece	8,800.00
27	Cabinet, standard, for index cards Dimensions: • Height: 46-48" • Width: 38-40" • Depth: 16-18" • Height Stand: 12-13" Finish: Enamel Steel thickness: 0.6mm-0.8mm Features: • 24 Drawers for 5" x 8" index card size • 2 Pull-out trays • Built-in cardholders • Built-in handles	1	set	30,960.00
28	Chair, monoblock Material: Plastic (Made from polypropylene or polyethylene) Dimensions: • Seat Height: 43 - 45 cm (17 - 18 inches) • Seat Width: 40 - 45 cm (16 - 18 inches) • Seat Depth: 40 - 45 cm (16 - 18 inches) • Overall Height: 75 - 85 cm (30 - 33 inches) Weight: Lightweight: Around 2 - 4 kg (4 - 9 lbs) Load Capacity: Weight Support: Can generally support up to 120 - 150 kg (265 - 330 lbs). Color: White Durability: Waterproof Special Features: Can be stackable for easy storage	375	piece	189,000.00
29	Chair, office, highback Materials: • Frame: Made from metal (steel or aluminum) • Seat: Mesh+ Polypropylene backrest and fabric-padded seat • Base: Made from nylon and metal (steel or aluminum) • Casters: Made from nylon Dimensions: • Overall Height: Typically 110 - 130 cm (43 - 51 inches) • Seat Height: Adjustable from 40 - 55 cm (16 - 22 inches) • Seat Width: Around 45 - 55 cm (18 - 22 inches) • Seat Depth: Around 45 - 50 cm (18 - 20 inches) for thigh support. • Backrest Height: High backrest of around 65 - 85 cm (25 - 33 inches) Weight Capacity: 100-150kg (220-330 lbs) Color: Black Additional Features: • Recline feature: 90° - 135° or more	20	piece	152,400.00

	• Swivel Base: 360-degree rotation for mobility Warranty: 1 year			
30	Clay pots, height 3.5 inches diameter 3.8 inches	20	piece	3,300.00
31	Cling wrap, Polyethylene based material, 32–60 gauge thickness, 12" x 500 meters *Provide Sample*	14	piece	7,571.20
32	Clipper for fingernail with file, Made from stainless steel, Provides precise and sharp clipping, Width: 5cm, Height: 12.5cm, Depth: 1.4cm	52	piece	5,200.00
33	Clock, Type: Digital, Electronic, LED display, Color: Black Dimensions: 18" L x 3.5" H Time: Shows hours, minutes, and seconds (HH:MM). Date: Displays the current date. Day: Shows the day of the week. Room Temperature: Includes a temperature display to show the current room temperature. Power Supply: 220V, power less than or equal to 4.5W	15	piece	21,780.00
34	Clog Remover 500 ml., non-caustic and odorless, non-corrosive	60	bottle	9,600.00
35	Cloth brush with handle, soft bristles, plastic, reusable, any color	100	piece	6,500.00
36	Cloth Door Mat, Length: 54cm, Width: 37cm,	820	piece	82,000.00
37	Comb to straight hair, wide tooth with a handle, Material: Plastic	38	piece	15,200.00
38	Computer table with printer shelf Material: • Frame: Particleboard with a laminated surface • Surface: Engineered wood, MDF (Medium Density Fiberboard) • Finish: PVC coating Dimensions: • Width: 100 - 150 cm (40 - 60 inches) • Depth: 50 - 75 cm (20 - 30 inches) • Height: 70 - 75 cm (28 - 30 inches) • Printer shelf size: 35 - 50 cm wide Design and Layout: • Has upper shelf, main work surface, lower shelf, and keyboard tray Weight Capacity: • Desktop: Should support up to 50 - 100 kg (110 - 220 lbs) • Printer Shelf: Should support 10 - 20 kg (22 - 44 lbs) Additional Features: • USB Hub or Power outlet • Adjustable or retractable shelves	11	set	65,340.00
39	Detergent, Powder, all-purpose, with fabric conditioner, 1 kilo per pack	8044	pack	1,106,050.00
40	Dipper, Diameter: 29cm, Height: 12cm *Provide Sample*	112	piece	6,720.00
41	Dishwashing Liquid, Antibacterial, Concentrate, at least 780mL, properly labeled *Provide Sample*	2093	bottle	690,690.00
42	Dishwashing Sponge, heavy-duty, web with yellow sponge size, 3 pieces per pack (minimum), 100mmx75mmx30mm, well-absorbent foam,	12	pack	1,620.00
43	Dishwashing sponge, scrubbing pad, 2 in 1 kitchen scrubber (nylon and sponge)	32	piece	2,112.00
44	Doormat, cloth, 54cm length & 37 cm width, Any light color	50	piece	2,145.00

45	<p>Drawer, 5-layer, plastic, collapsible Dimensions: • Height: The total height of the 5-layer unit is between 30" to 50" (76 cm to 127 cm). • Width: Varies between 12" to 20" (30 cm to 50 cm) • Depth: Usually around 14" to 18" (35 cm to 45 cm). Drawer Size: Height per drawer: Around 5" to 8" (13 cm to 20 cm). Material: ABS plastic Weight Capacity: • Per Drawer Capacity: Each drawer can usually support between 3 kg to 5 kg (6.6 lbs to 11 lbs), • Total Unit Capacity: The combined capacity of the entire unit, typically 15 kg to 25 kg (33 lbs to 55 lbs). Drawer Mechanism: Sliding System With locking mechanism Color: white Weight of the Unit: The overall weight of the unit itself, typically 3 kg to 7 kg (6.6 lbs to 15.4 lbs)</p>	1	set	4,440.00
46	Dry Shampoo, Paraben-free, Size: 150mL, Spray bottle type	20	bottle	11,000.00
47	Electric Fan, 16" banana blade, motor: 165 W, 230 W, Rated frequency: 60 Hz, 3 speed, w/ thermal cutoff fuse box, Wall-mounted rotary switch, and 360 degrees oscillation, Aluminum motor housing w/ sealed type bearing motor	18	unit	45,000.00
48	Extension Cord, Length: 2 meters, Plug: 15A, Wire: Flat Cord #16, Outlet: 15A, 4-gang, with grounding	26	piece	19,500.00
49	Fabric conditioner, lavender scent, 1 liter/bottle	3520	bottle	638,880.00
50	Fabric, linen, color white (for table cloth)	300	yard	47,850.00
51	Face towel, Color: white, Made from medical-grade antibacterial cotton, Size: 12 x 30 in, Suitable for all types of skin	110	piece	17,600.00
52	Filing Cabinet, Steel, Width: 45.5 cm, Depth: 62 cm, Height: 131.5 cm, Color: Grey, Material: 0.6mm Steel Sheet, Finish: Powder Coated, Drawer Slide: 16", Number of Drawers: 4, Anti-tilt mechanism, Central Locking System, Drawer Weight Capacity: 20kgs	5	unit	57,860.00
53	Flat table Napkin, plain white, 2 ply 280 x 250mm x 100 sheets, safe for food *Provide Sample*	120	pack	7,260.00
54	Floor and window wiper and scraper, 180 degrees Rotatable, Stainless Steel Handle, length: 110 cm, Floor scraper size: 50cm *Provide Sample*	6	piece	1,347.48
55	Flower Pot, Material: Plastic, Height: 27cm, Diameter: 18cm, Color: Any	40	piece	6,000.00
56	Folding Table 6ft, Length: 180-182cm, Width: 74-76cm, Height: 74cm, Material: HDPE plastic and Steel Frame	15	unit	86,400.00
57	Food trays, stainless, includes a well-fitted cover with MMWGH print, 5 division, dimension: LxWxH 28.5 cm x 22.5 cm x 4.5 cm *Provide Sample*	50	piece	11,450.00
58	Food weighing scale, generic electronic kitchen digital weighing scale, up to 10kg, flat type AA battery *Provide Sample*	1	unit	583.00
59	Garden Hose, Diameter: 1/2", Length: 24 meters, With hose connector and adjustable Spray Nozzle	20	set	20,000.00
60	Garter, color white, 1/4 inch thick, 10 yards per roll	500	yard	37,675.00

61	Garter, color white, 3/4 inch thick, 10 yards per roll	1000	yard	180,000.00
62	Gloves, plastic (cast polyethylene) disposable, small, 100 pieces per pack *Provide Sample*	300	pack	15,750.00
63	Hairnet, cap mesh black, washable, adjustable string *Provide Sample*	80	piece	2,360.00
64	Hand Towel (25cmx25cm), 100 % cotton, any light color except white	62	piece	1,643.00
65	High stool monobloc chair, Dimension: Width: 270mm, Depth: 330mm, Height: 610mm, Color: Beige, Material: Polypropylene plastic material (PP)	4	piece	2,180.00
66	Hose, Flexible-1/2" (electrical) 50m / roll, orange	9	roll	4,194.63
67	Hose, Green, 30 meters long at least 1/2 inches in diameter, 3 ply, with braided layer, PVC, Set inclusion of Pressure Washer, Spray Nozzles and water saving spray gun	3	set	2,308.35
68	Hot air blower heat gun, plastic sealer, 2000w, 220v	12	piece	9,900.00
69	Kitchen Knife, blade material: German tungsten steel, 29-31 cm knife length, blade length; 18.5 - 20 cm, blade thickness: 0.30 cm, blade diameter 5.4 cm, Handle length: 12.4 cm, handle material: wood (black or brown), overall weight: 258 -292 g. *Provide Sample*	80	piece	38,720.00
70	Ladle, long handle, made of aluminum, at least 23 inches long	15	piece	4,125.00
71	Laptop holder, type: Floor Stand, with rotary swivel joint, material: made of aluminum alloy, height range: at least 31cm-108cm	1	unit	4,200.00
72	Linen Hamper, plastic, color mocha, size: length 40cm, width 35cm, height 55cm	14	piece	7,616.00
73	Lithium Battery, CR2032, 3V	61	piece	15,250.00
74	Mattress, Type: Topper, Egg Crate, Size: 36 inches x 75 inches, Material: made from foam, soft, lightweight, and provides cushioning, Thickness: 2 inches	66	piece	139,392.00
75	Mesh Chair, Width: 60 cm, Depth: 53 cm, Height: 84-94 cm, Seat Height: 43-53 cm Materials: Seat: Plywood frame with foam covered with mesh fabric, Backrest: PP frame with mesh Color: Black, Weight Capacity: 90 kgs, Adjustable height, Swivel 360 degrees	63	unit	235,620.00
76	Mobile Pedestal Cabinet (3 drawers with lock), Material: Metal, Length: 40cm (15.7""), Width: 40cm (15.7""), Height: 60cm (23.6"")	4	unit	24,200.00
77	Muriatic Acid, 1-gallon container	32	gallon	9,280.00
78	Newborn Receiving Blanket Pranela 29x29 (White), 1piece pack • 100% US-grown cotton • AZZO safe • Lead-free • phthalate-free • formaldehyde-free. • pH Value safe Shelf life: 3- 5 years upon delivery	120	pack	50,160.00
79	Office chair Color: Black Measurements: - Depth: 71 cm (28")	6	piece	42,000.00

	<ul style="list-style-type: none"> - Max. Height: 114 cm (44 7/8") - Max. seat height: 58 cm (22 7/8") - Min. seat height: 45 cm (17 3/4") - Seat depth: 49 cm (19 1/4") - Seat width: 46 cm (18 1/8") - Width: 71 cm (28") <p>Features:</p> <ul style="list-style-type: none"> - Adjustable seat height - Tilt mechanism - Tilt lock - Automatic tilt tension - Synchronized tilt mechanism - Lumbar support - Removable and washable cover 			
80	Office Desk, with two (2) side drawers in the metal frame Specifications: • Dimension: 100x 48 x 75 cm (LxWxH) • Frame: 20x20x0.8 mm thick, Black Square Metal in powdered coating finish. • Color: Walnut • Material: 15 mm thick particle board laminated with Melamine	3	piece	17,325.00
81	Office Table, Material: MDF, Color: Wenge, Length: 880mm, Width:450mm, Height:720 mm	13	unit	25,740.00
82	Office Table, Material: MDF, Color: Wenge, Length:47", Width:23", H:29"	15	unit	71,820.00
83	Oil, all-purpose, for sewing machine, 250mL/bottle	20	bottle	2,100.00
84	Padlock, Material: Brass, Size: at least 50mm,	107	piece	87,804.20
85	Paper cup, 12 oz, disposable, environment-friendly material, plain white, without lid, suitable for hot and cold drinks	17650	piece	39,712.50
86	Paper towel, 2 ply, 200 x 200mm, 150 pulls *Provide Sample*	1212	piece	56,964.00
87	Pedestal Metal Cabinet- 3 Layer, Length: 39-40cm, Width: 52-52.7cm, Height: 59-60cm, Material: Metal, Finish: Powder Coated, 4-Rotating, Caster Wheels, Caster Wheel with Lock	1	unit	6,120.00
88	Peeler, Silver, 17x6.8 cm Y-shaped with sharp stainless steel blade & 12 cm non-slip handle, body made of aluminum alloy *Provide Sample*	80	piece	7,369.60
89	Plastic Bag, Resealable, small, width: 100-120mm x Height: 140mm-150mm,100's	12	pack	1,320.00
90	Plastic Pail, With Steel Handle, 10 liters capacity, *Provide Sample*	206	piece	24,720.00
91	Plastic Trash Bag, Sando, Size: Large, Thickness: 0.07mm, Color: Green x 100's	492	pack	67,650.00
92	Plastic Trash Bag, Sando, Size: Large, Thickness: 0.07mm, Color: Yellow x 100's	512	pack	70,400.00
93	Plastic Trash Bag, Size: Medium, Thickness: 0.07mm, Color: Black x 100's	605	pack	423,500.00
94	Plastic Trash Bag, Size: XL, Thickness: 0.07mm, Color: Black x 100's	540	pack	459,000.00
95	Plastic Trash Bag, Size: XL, Thickness: 0.07mm, Color: Green x 100's	510	pack	433,500.00
96	Plastic Trash Bag, Size: XL, Thickness: 0.07mm, Color: Yellow x 100's	490	pack	416,500.00
97	Platform push cart, foldable trolley	10	piece	121,000.00

98	Podium, design: floor-standing podium, type: customized, with the logo of MMWGH, material: acrylic transparent clear, height: at least 45 inches	3	unit	97,920.00
99	Polishing Carbon, Filter	60	piece	39,000.00
100	Rag, made of cotton, any color	312	kilo	29,172.00
101	Raincoat, suit with pants, waterproof, with hoodie, made of nylon, unisex design, any color, size Large	213	pair	86,222.40
102	Refrigerator and Freezer thermometer, digital, wireless, with two remote sensor and one LCD display unit, 2-way bracket hangs or stands, safe for extreme temperatures	8	unit	4,567.20
103	Refrigerator, Two door, No frost, Adjustable shelves, 203 L, 220 V, 1800 W	1	unit	23,000.00
104	Rubber Door Mat, Anti-Slip, Length: 54cm, Width: 37cm	540	piece	172,800.00
105	Rubber Gloves, Length: 55cm	3860	pair	270,200.00
106	Safety helmet, design: standard brim hard hats, with adjustable chin strap, material: made of ABS (Acrylonitrile Butadiene Styrene), color: green (for safety officers)	40	piece	48,000.00
107	Sando Bag, White/Transparent, Large, 100 pcs per pack, 11.87x19.25", plastic	39	pack	2,125.50
108	Sando Bag, White/Transparent, Medium, 100 pcs per pack, 9.5x18", plastic	24	pack	912.00
109	Shampoo, Anti-dandruff, bottle with Pump, approximately 800ml -1.2L	1016	bottle	873,760.00
110	Sharpening Stone, Carborundum, 109 "S", 200 mmx50mmx25mm	4	piece	480.00
111	Shaver, Disposable, Double Blade	880	pcs	48,400.00
112	Shaver, electric Color: Black Dimensions (H x W x D) 92mm x 162mm x 245mm For wet and dry shaving Charging time: 1 hour full charge, with 5 min quick charge With 3 levels LED display With rubber grip technology and with protective cap With pop-up trimmer One touch open for easy cleaning With 2 year warranty	6	unit	58,800.00
113	Signages • Type: Suspended/ceiling hung department sign(information on two side) • Material: 2mm thick, double-sided clear acrylic sheet • Frame size: 312.93mm x 125mm • Inclusion: 1.5mm aluminum cable	7	piece	5,390.00
114	Signages design: Building Name and Number size: 30inches x 12inches x 2mm inclusion: 4 pcs 19mm diameter stainless standoff bolt mount	41	set	81,180.00
115	Signages design: Electrical Room Signage dimension: 16"x7"x2 mm thick 4 pcs 19mm diameter stainless standoff bolt mount	7	set	3,570.00
116	Signages design: Entrance Signage dimension: 16"x7"x2 mm thick	71	set	36,210.00

	4 pcs 19mm diameter stainless standoff bolt mount			
117	Signages design: Escape Plan Signage dimension: A4x2mm thick 4 pcs 19 mm diameter stainless standoff bolt mount	69	set	35,190.00
118	Signages design: Fire Exit Signage dimension: 16"x7"x2 mm thick 4 pcs 19mm diameter stainless standoff bolt mount	88	set	44,880.00
119	Signages design: Fire Extinguisher Signage size: 5inches x 7inches x 2mm 4 pcs 19 mm diameter stainless standoff bolt mount	87	set	44,370.00
120	Signages design: PWD signages dimension: 5"x7"x2mm thick 4 pcs 19 mm diameter stainless standoff bolt mount	4	set	2,040.00
121	Signages design: Ramp Access Signage size: A4 x 2mm 4 pcs 19 mm diameter stainless standoff bolt mount	26	set	13,260.00
122	Signages design: Storage Room Signage dimension: 16"x7"x2 mm thick 4 pcs 19mm diameter stainless standoff bolt mount	26	set	13,260.00
123	Signages design: surface-fixed room name Size: 250x125mm (WxH) Thickness: 2mm inclusion: 2 pcs 19 mm diameter stainless standoff bolt mount	308	set	206,360.00
124	Signages design: Toilet signages (Female) size: 5inches x 7inches x 2mm 4 pcs 19 mm diameter stainless standoff bolt mount	12	set	6,120.00
125	Signages design: Toilet signages (Male) size: 5inches x 7inches x 2mm 4 pcs 19 mm diameter stainless standoff bolt mount	19	set	9,690.00
126	Signages design: Toilet signages (Shared) size: 5inches x 7inches x 2mm 4 pcs 19 mm diameter stainless standoff bolt mount	104	set	53,040.00
127	Signages design: Wall Mounted Signage (double-sided signage) Size: 312.93mmx125mm (WxH) Thickness: 2mm acrylic sheet on each side inclusion: 4 pcs 3" screw with tox, 1/8" aluminum C Bar anchored on the wall with mounting holes, and 3" screw with tox	308	set	237,160.00
128	Soap Type: Hypoallergenic (made of mild, non-irritating base ingredients such as glycerin, vegetable oils (e.g., olive oil, coconut oil, shea butter), or natural fatty acids) Size: 115g Dermatologically tested, with hypoallergenic labeling. Expiry: with at least 1 - 2-year expiration.	1809	piece	197,000.10
129	Soap Type: Moisturizing (made of natural, skin-friendly base	8417	per piece	841,700.00

	ingredients such as saponified oils (e.g., olive oil, coconut oil, palm oil, or shea butter. Moisturizing agents such as glycerin, natural oils, butter, and aloe vera.) Suitable for dry and sensitive skin Size: 135g Expiry: with at least 1 to 2-year expiration.			
130	Soap, germicidal, 80-90 grams, any scent	7400	piece	333,000.00
131	Soap, Type: Sulfur (contains 3% to 10% sulfur by weight), Size: 135g, Expiry: with at least 1 - 2-year expiration.	198	piece	13,860.00
132	Sodium hypochlorite, cleaning formula, fresh original scent, 1 gallon *Provide Sample*	245	gallon	53,900.00
133	Sodium Hypochlorite, Lemon/Original Scent, 1 gallon/3.785 L and 3.8 kg in weight with at least 5-6% Concentration of sodium hypochlorite, properly sealed & labeled with a visible expiry date, not repacked	6220	gallon	964,100.00
134	Split Raincoat Set, (2 pieces), XL, Black or Sky-Blue, Nano polyester pongee 240T lotus leaves style waterproof fabric, Double cuffed with neck protection and hood with detachable face shield *Provide Sample*	30	pair	12,540.00
135	Stool, revolving with wheels, stainless Dimensions: • Seat Height: Ranges from 18" to 24" (46 cm to 61 cm) • Seat Diameter: Between 12" to 16" (30 cm to 41 cm). • Base Diameter: Ranges from 16" to 20" (41 cm to 51 cm) Material: • Seat Material: Padded seat • Frame Material: High-grade stainless steel Revolving Mechanism: • 360-Degree Rotation • Ball Bearing Swivel Weight Capacity: • Capacity: Supports between 200 lbs to 300 lbs (91 kg to 136 kg) Leg Design: • Base: Usually features a 5-legged stainless steel base for stability. • Feet: Equipped with non-slip rubber feet Adjustability: • Height Adjustment Mechanism: Commonly features a pneumatic gas-lift for height adjustment. • Range: Height adjustment range typically spans 6" to 10" (15 cm to 25 cm). Mobility • Wheels with lock 8. Weight of the Stool • Total Weight: Between 10 lbs to 20 lbs (4.5 kg to 9 kg) 9. Finish • Polished Stainless Steel	2	piece	8,760.00
136	Strainer, Silver, 24 cm in diameter for the top part and with at least 33 cm built-in handle, Made from Aluminum *Provide Sample*	10	piece	3,000.00
137	Table • Type: for desktop • Size: 123 x 48 x 76 cm (LWH) • Weight: 26kg • Material: Particle board + PVC + Powder coated Frame • Color: Natural Oak • With two drawers • Alloy Metal legs	1	piece	6,800.00

138	Talc Powder, 200 Grams	12	bottle	2,640.00
139	Tape, type: warning sign with visible CAUTION print, material: made with polythene material, can withstand rain or heat (weather resistant), length: 500 meters, width: 7cm, thickness: 0.5mm, color: yellow	2	roll	1,300.00
140	Television, Resolution: 1366 x 768, Smart TV, WiFi direct, Remote Access, HDMI: 2, USB: 1, Ethernet, Digital audio out, AC 1W - 240V, 50/60 Hz, 50 W	11	unit	148,500.00
141	Tong stainless steel, Silver, at least 16" long thick (L43.9cm x W4cm x H1.5cm), 0.18kg in weight, made of 1.0 mm stainless steel, Scalloped-edge design *Provide Sample*	30	piece	4,650.00
142	Trash bag, biodegradable, leak-proof, 100 pieces/pack, color green, size: L (13 x 13 x 32) inches	50	pack	22,385.00
143	Trash bin, for outdoor, with well-fitted lid with handle, mobile, 660 Liters capacity, with wheels, green *See Reference Photo*	1	piece	16,550.00
144	Trash bin, step-on with well-fitted cover, 120Liters capacity, with two wheels, black *See Reference Photo*	2	piece	5,666.66
145	Trash bin, step-on with well-fitted cover, 120Liters capacity, with two wheels, yellow *See Reference Photo*	2	piece	5,666.66
146	Trash Can with Cover, Material: Plastic, Capacity: 12 Liters	123	piece	55,350.00
147	Utility box, 100 liters capacity, made of hard plastic, with cover, stackable, with carry handle, any color	89	piece	59,719.00
148	Utility box, type: with cover, stackable, with carry handle, without wheels, material: made of hard plastic, capacity: 120 Liters, color: black	19	piece	13,490.00
149	Utility box, type: with cover, stackable, with carry handle, without wheels, material: made of hard plastic, capacity: 30 Liters, color: black	4	piece	1,680.00
150	Utility can, with cover, 100 liters capacity, made of thermoplastic resin	64	piece	72,960.00
151	Utility Pail, Blue, 10 liters capacity, 29 x 27.5 x 27 cm, Made of prime and virgin HDPE thermoplastic resins and with metal handle,	6	piece	858.00
152	UV light bulb, water filter, 25 watts	10	piece	13,200.00
153	Water Dispenser With hot and cold settings Type: Bottom load, freestanding. Water Bottle Position: Bottle stored at the base (hidden compartment), typically 3 to 5-gallon capacity. Water Options: Hot water Cold water Room temperature water Heating & Cooling System: Electric heating element for hot water (~185°F/85°C) Compressor-based cooling system (~45°F/7°C) Material: Stainless steel and plastic Child Safety Lock: On hot water tap. LED Indicator Lights: for power, heating, cooling, and empty bottle alerts. Drip Tray: Removable for easy cleaning. Dimensions: Typically around 40-45 inches (height) x 12-14 inches (width) x 12-14 inches (depth). 1-year warranty	13	unit	195,000.00

	154	Water filter/purifier replacement, 10 inches height x 2.5 inches diameter	24	piece	10,800.00
	155	Water Ladle, Stainless steel, heavy Duty, 26cm top diameter, 45 cm handle, ht 8.5cm *Provide Sample*	10	piece	2,200.00
	156	Window wiper, rotatable, 52 cm, 180 degrees angle	50	piece	13,750.00

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing the performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, that may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitations that were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	<p><i>[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on their applicability to this Contract:]</i></p> <p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is Mr. Vincent A. Isip, Chief Administrative Officer</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	<ol style="list-style-type: none"> e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof is included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

	<p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic</p>

	<p>Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from the use of the Goods or any part thereof.</p>
2.2	<i>[If partial payment is allowed, state]</i> “The terms of payment shall be as follows: request for partial payment shall be made in writing to HoPE.”
4	The inspections and tests that will be conducted are Inspection and Product checking.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
	Refer to the Purchase Order and/or attached Terms of Reference.			

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality to the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidder’s Bid and cross-referenced to that evidence. Evidence shall be in the form of the manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification, or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
1	12-Door Cabinet Locker, Dimension: Width: 90cm, Depth: 40cm, Height: 185cm, Color: Gray, Material: Stainless Steel	
2	5 Layer Cabinet, with 2 full steel swing doors, Dimension: Width: 900mm, Depth: 400mm, Height: 1850mm, Color: Gray, Material: Stainless Steel	
3	5 Layer Cabinet, with 2- sliding door, glass window, Dimension: Width: 900mm, Depth: 400mm, Height: 1850mm, Color: Gray, Material: Stainless Steel	

4	5 Layer Janitorial Cabinet, Dimension: Width: 900mm, Depth: 400mm, Height: 1850mm, Color: Gray, Material: Stainless Steel	
5	9-Door Cabinet Locker, Dimension: Width: 90cm, Depth: 40cm, Height: 185cm, Color: Gray, Material: Stainless Steel	
6	Air Purifier Noise Level: 61 dB (A) Net Weight: 5.5 kg Dimensions: 31 cm x 16 cm x 50 cm Rated Power: 50 W Rated Voltage: 220V-60Hz Specifications: Airflow Rate: 120 m ³ /h, 100 m ³ /h, 80 m ³ /h Applicable Area: 35 m ² - 100 m ² Touch and wireless operation for convenience Backlit LCD display shows air quality directly	
7	Aircon (Split type) 1hp Cooling Capacity: 9,495 kJ/hr Rated Input Power: 810W CSPF: 4.6 (5 stars) Product Dimension: [WDH] (mm): Indoor: 715x194x285 Outdoor:720x270x495 Packaged Dimension: [WDH] (mm): 780x270x360, 835x300x540 Net Weight: 7.2kg / 18.8kg	
8	Aircon (Window type) 1.5hp Cooling Capacity (Btu/h) - 5600 Power Input (W) - 660 Refrigerant - R32 Inverter High-Efficiency Air Filter Energy Efficient Compressor 7-in-1 Air Purifying Filters (HEPA, Silver Ion, Active Carbon, Vitamin C, Bio, Anti-Allergy, High-Density Clean Air Filter Gold Fin Condenser Remote Control with Timer Dehumidifier Auto ON & OFF Timer Quiet Operation LED Display Super Quiet Operation Compact Size 1129 Watts Dimensions (H:W:D) 385:505:585 mmH) - 406x335x306mm Hydrophilic Aluminum Fins High-Efficiency Design, Dripless	
9	Apron, Oil and waterproof, canvass material, ankle-length, adjustable tie, free size	
10	Baru-baruan (longsleeves 3's white)	

11	Basin, Industrial Grade Rubberized Plastic, oval-shaped, 68Liters	
12	Bath towel, cotton, absorbent, 29x52 inches, any color except white	
13	Bath towel, cotton, absorbent, 29x52",	
14	Battery AA, 1.5V (Alkaline/Zinc Carbon)	
15	Battery AAA, 1.5V (Alkaline/Zinc Carbon)	
16	Boots, material: rubber, waterproof, design: round toe, with grip and traction on a slippery surface, high cut, color black, height: at least 33cm size: 12 inches	
17	Boots, material: rubber, waterproof, design: round toe, with grip and traction on slippery surface, high cut, color black, height: at least 33cm, size: 14 inches	
18	Boots, material: rubber, waterproof, design: round toe, with grip and traction on slippery surface, high cut, color black, height: at least 33cm, size: 13 inches	
19	Boots, material: rubber, waterproof, design: round toe, with grip and traction on slippery surfaces, high cut, color black, height: at least 33cm, size: 11 inches	
20	Boots, rubber, color black, waterproof, round toe, with grip and traction on slippery surfaces, hi-cut height 33cm, size: 10	
21	Boots, rubber, color black, waterproof, round toe, with grip and traction on slippery surfaces, hi-cut height 33cm, size: 8	
22	Boots, rubber, color black, waterproof, round toe, with grip and traction on slippery surfaces, hi-cut height 33cm, size: 9	
23	Boots, type: PPE safety boots, design: Steel-toe outdoor work safety boots, material: leather, color: Brown, Size: 7 US men's size	
24	Bottle dispenser holder, type: wall-mounted, material: metal, color: white or silver-coated, hole size: 33 mm in diameter, load capacity: 2 kg	
25	Bottle dispenser, type: refillable bottle dispenser with pump, Material: Plastic, Capacity: 500ml, Color: White	
26	Broom, Cob Web, 7ft.	
27	Cabinet, standard, for index cards Dimensions: • Height: 46-48" • Width: 38-40" • Depth: 16-18"	

	<ul style="list-style-type: none"> • Height Stand: 12-13" Finish: Enamel Steel thickness: 0.6mm-0.8mm Features: <ul style="list-style-type: none"> • 24 Drawers for 5" x 8" index card size • 2 Pull-out trays • Built-in cardholders • Built-in handles 	
28	Chair, monoblock Material: Plastic (Made from polypropylene or polyethylene) Dimensions: <ul style="list-style-type: none"> • Seat Height: 43 - 45 cm (17 - 18 inches) • Seat Width: 40 - 45 cm (16 - 18 inches) • Seat Depth: 40 - 45 cm (16 - 18 inches) • Overall Height: 75 - 85 cm (30 - 33 inches) Weight: Lightweight: Around 2 - 4 kg (4 - 9 lbs) Load Capacity: Weight Support: Can generally support up to 120 - 150 kg (265 - 330 lbs). Color: White Durability: Waterproof Special Features: Can be stackable for easy storage	
29	Chair, office, high back Materials: <ul style="list-style-type: none"> • Frame: Made from metal (steel or aluminum) • Seat: Mesh+ Polypropylene backrest and fabric-padded seat • Base: Made from nylon and metal (steel or aluminum) • Casters: Made from nylon Dimensions: <ul style="list-style-type: none"> • Overall Height: Typically 110 - 130 cm (43 - 51 inches) • Seat Height: Adjustable from 40 - 55 cm (16 - 22 inches) • Seat Width: Around 45 - 55 cm (18 - 22 inches) • Seat Depth: Around 45 - 50 cm (18 - 20 inches) for high support. • Backrest Height: High backrest of around 65 - 85 cm (25 - 33 inches) Weight Capacity: 100-150kg (220-330 lbs) Color: Black Additional Features: <ul style="list-style-type: none"> • Recline feature: 90° - 135° or more • Swivel Base: 360-degree rotation for mobility Warranty: 1 year	
30	Clay pots, height 3.5 inches diameter 3.8 inches	
31	Cling wrap, Polyethylene based material, 32–60 gauge thickness, 12" x 500 meters *Provide Sample*	
32	Clipper for fingernail with file, made from stainless steel, Provides precise and sharp clipping, Width: 5cm, Height: 12.5cm, Depth: 1.4cm	
33	Clock, Type: Digital, Electronic, LED display, Color: Black Dimensions: 18" L x 3.5" H	

	<p>Time: Shows hours, minutes, and seconds (HH:MM). Date: Displays the current date. Day: Shows the day of the week. Room Temperature: Includes a temperature display to show the current room temperature. Power Supply: 220V, power less than or equal to 4.5W</p>	
34	Clog Remover 500 ml., non-caustic and odorless, non-corrosive	
35	Cloth brush with handle, soft bristles, plastic, reusable, any color	
36	Cloth Door Mat, Length: 54cm, Width: 37cm,	
37	Comb to straight hair, a wide tooth with a handle, Material: Plastic	
38	<p>Computer table with printer shelf Material: • Frame: Particleboard with a laminated surface • Surface: Engineered wood, MDF (Medium Density Fiberboard) • Finish: PVC coating Dimensions: • Width: 100 - 150 cm (40 - 60 inches) • Depth: 50 - 75 cm (20 - 30 inches) • Height: 70 - 75 cm (28 - 30 inches) • Printer shelf size: 35 - 50 cm wide Design and Layout: • Has upper shelf, main work surface, lower shelf, and keyboard tray Weight Capacity: • Desktop: Should support up to 50 - 100 kg (110 - 220 lbs) • Printer Shelf: Should support 10 - 20 kg (22 - 44 lbs) Additional Features: • USB Hub or Power outlet • Adjustable or retractable shelves</p>	
39	Detergent, Powder, all-purpose, with fabric conditioner, 1 kilo per pack	
40	Dipper, Diameter: 29cm, Height: 12cm *Provide Sample*	
41	Dishwashing Liquid, Antibacterial, Concentrate, at least 780mL, properly labeled *Provide Sample*	
42	Dishwashing Sponge, heavy-duty, web with yellow sponge size, 3 pieces per pack (minimum), 100mmx75mmx30mm, well-absorbent foam,	
43	Dishwashing sponge, scrubbing pad, 2 in 1 kitchen scrubber (nylon and sponge)	
44	Doormat, cloth, 54cm length & 37 cm width, Any light color	

45	<p>Drawer, 5-layer, plastic, collapsible</p> <p>Dimensions:</p> <ul style="list-style-type: none"> • Height: The total height of the 5-layer unit is between 30" to 50" (76 cm to 127 cm). • Width: Varies between 12" to 20" (30 cm to 50 cm) • Depth: Usually around 14" to 18" (35 cm to 45 cm). <p>Drawer Size: Height per drawer: Around 5" to 8" (13 cm to 20 cm).</p> <p>Material: ABS plastic</p> <p>Weight Capacity:</p> <ul style="list-style-type: none"> • Per Drawer Capacity: Each drawer can usually support between 3 kg to 5 kg (6.6 lbs to 11 lbs), • Total Unit Capacity: The combined capacity of the entire unit, typically 15 kg to 25 kg (33 lbs to 55 lbs). <p>Drawer Mechanism: Sliding System</p> <p>With locking mechanism</p> <p>Color: white</p> <p>Weight of the Unit: The overall weight of the unit itself, typically 3 kg to 7 kg (6.6 lbs to 15.4 lbs)</p>	
46	Dry Shampoo, Paraben-free, Size: 150mL, Spray bottle type	
47	Electric Fan, 16" banana blade, motor: 165 W, 230 W, Rated frequency: 60 Hz, 3 speed, w/ thermal cutoff fuse box, Wall-mounted rotary switch, and 360 degrees oscillation, Aluminum motor housing w/ sealed type bearing motor	
48	Extension Cord, Length: 2 meters, Plug: 15A, Wire: Flat Cord #16, Outlet: 15A, 4-gang, with grounding	
49	Fabric conditioner, lavender scent, 1 liter/bottle	
50	Fabric, linen, color white (for table cloth)	
51	Face towel, Color: white, Made from medical-grade antibacterial cotton, Size: 12 x 30 in, Suitable for all types of skin	
52	Filing Cabinet, Steel, Width: 45.5 cm, Depth: 62 cm, Height: 131.5 cm, Color: Grey, Material: 0.6mm Steel Sheet, Finish: Powder Coated, Drawer Slide: 16", Number of Drawers: 4, Anti-tilt mechanism, Central Locking System, Drawer Weight Capacity: 20kgs	
53	Flat table Napkin, plain white, 2 ply 280 x 250mm x 100 sheets, safe for food *Provide Sample*	
54	Floor and window wiper and scraper, 180 degrees Rotatable, Stainless-Steel Handle, length: 110 cm, Floor scraper size: 50cm *Provide Sample*	
55	Flower Pot, Material: Plastic, Height: 27cm, Diameter: 18cm, Color: Any	
56	Folding Table 6ft, Length: 180-182cm, Width: 74-76cm, Height: 74cm, Material: HDPE plastic and Steel Frame	

57	Food trays, stainless, includes a well-fitted cover with MMWGH print, 5 division, dimension: LxWxH 28.5 cm x 22.5 cm x 4.5 cm *Provide Sample*	
58	Food weighing scale, generic electronic kitchen digital weighing scale, up to 10kg, flat type AA battery *Provide Sample*	
59	Garden Hose, Diameter: 1/2", Length: 24 meters, With hose connector and adjustable Spray Nozzle	
60	Garter, color white, 1/4 inch thick, 10 yards per roll	
61	Garter, color white, 3/4 inch thick, 10 yards per roll	
62	Gloves, plastic (cast polyethylene) disposable, small, 100 pieces per pack *Provide Sample*	
63	Hairnet, cap mesh black, washable, adjustable string *Provide Sample*	
64	Hand Towel (25cmx25cm), 100 % cotton, any light color except white	
65	High stool monobloc chair, Dimension: Width: 270mm, Depth: 330mm, Height: 610mm, Color: Beige, Material: Polypropylene plastic material (PP)	
66	Hose, Flexible-1/2" (electrical) 50m / roll, orange	
67	Hose, Green, 30 meters long at least 1/2 inches in diameter, 3 ply, with braided layer, PVC, set inclusion of Pressure Washer, Spray Nozzles, and water-saving spray gun	
68	Hot air blower heat gun, plastic sealer, 2000w, 220v	
69	Kitchen Knife, blade material: German tungsten steel, 29-31 cm knife length, blade length; 18.5 - 20 cm, blade thickness: 0.30 cm, blade diameter 5.4 cm, Handle length: 12.4 cm, handle material: wood (black or brown), overall weight: 258 -292 g. *Provide Sample*	
70	Ladle, long handle, made of aluminum, at least 23 inches long	
71	Laptop holder, type: Floor Stand, with rotary swivel joint, material: made of aluminum alloy, height range: at least 31cm-108cm	
72	Linen Hamper, plastic, color mocha, size: length 40cm, width 35cm, height 55cm	
73	Lithium Battery, CR2032, 3V	

74	Mattress, Type: Topper, Egg Crate, Size: 36 inches x 75 inches, Material: made from foam, soft, lightweight, and provides cushioning, Thickness: 2 inches	
75	Mesh Chair, Width: 60 cm, Depth: 53 cm, Height: 84-94 cm, Seat Height: 43-53 cm Materials: Seat: Plywood frame with foam covered with mesh fabric, Backrest: PP frame with mesh Color: Black, Weight Capacity: 90 kgs, Adjustable height, Swivel 360 degrees	
76	Mobile Pedestal Cabinet (3 drawers with lock), Material: Metal, Length: 40cm (15.7"), Width: 40cm (15.7"), Height: 60cm (23.6")	
77	Muriatic Acid, 1-gallon container	
78	Newborn Receiving Blanket Pranela 29x29 (White), 1piece pack <ul style="list-style-type: none"> • 100% US-grown cotton • AZZO safe • Lead-free • phthalate-free • formaldehyde-free. • pH Value safe Shelf life: 3- 5 years upon delivery	
79	Office chair Color: Black Measurements: <ul style="list-style-type: none"> - Depth: 71 cm (28") - Max. Height: 114 cm (44 7/8") - Max. seat height: 58 cm (22 7/8") - Min. seat height: 45 cm (17 3/4") - Seat depth: 49 cm (19 1/4") - Seat width: 46 cm (18 1/8") - Width: 71 cm (28") Features: <ul style="list-style-type: none"> - Adjustable seat height - Tilt mechanism - Tilt lock - Automatic tilt tension - Synchronized tilt mechanism - Lumbar support - Removable and washable cover 	
80	Office Desk, with two (2) side drawers in the metal frame Specifications: <ul style="list-style-type: none"> • Dimension: 100x 48 x 75 cm (LxWxH) • Frame: 20x20x0.8 mm thick, Black Square Metal in powdered coating finish. • Color: Walnut • Material: 15 mm thick particle board laminated with Melamine 	
81	Office Table, Material: MDF, Color: Wenge, Length: 880mm, Width:450mm, Height:720 mm	

82	Office Table, Material: MDF, Color: Wenge, Length:47", Width:23", H:29"	
83	Oil, all-purpose, for sewing machine, 250mL/bottle	
84	Padlock, Material: Brass, Size: at least 50mm,	
85	Paper cup, 12 oz, disposable, environment-friendly material, plain white, without lid, suitable for hot and cold drinks	
86	Paper towel, 2 ply, 200 x 200mm, 150 pulls *Provide Sample*	
87	Pedestal Metal Cabinet- 3 Layer, Length: 39-40cm, Width: 52-52.7cm, Height: 59-60cm, Material: Metal, Finish: Powder Coated, 4-Rotating, Caster Wheels, Caster Wheel with Lock	
88	Peeler, Silver, 17x6.8 cm Y-shaped with sharp stainless steel blade & 12 cm non-slip handle, body made of aluminum alloy *Provide Sample*	
89	Plastic Bag, Resealable, small, width: 100-120mm x Height: 140mm-150mm, 100's	
90	Plastic Pail, With Steel Handle, 10 liters capacity, *Provide Sample*	
91	Plastic Trash Bag, Sando, Size: Large, Thickness: 0.07mm, Color: Green x 100's	
92	Plastic Trash Bag, Sando, Size: Large, Thickness: 0.07mm, Color: Yellow x 100's	
93	Plastic Trash Bag, Size: Medium, Thickness: 0.07mm, Color: Black x 100's	
94	Plastic Trash Bag, Size: XL, Thickness: 0.07mm, Color: Black x 100's	
95	Plastic Trash Bag, Size: XL, Thickness: 0.07mm, Color: Green x 100's	
96	Plastic Trash Bag, Size: XL, Thickness: 0.07mm, Color: Yellow x 100's	
97	Platform push cart, foldable trolley	
98	Podium, design: floor-standing podium, type: customized, with the logo of MMWGH, material: acrylic transparent clear, height: at least 45 inches	
99	Polishing Carbon, Filter	
100	Rag, made of cotton, any color	

101	Raincoat, suit with pants, waterproof, with hoodie, made of nylon, unisex design, any color, size Large	
102	Refrigerator and Freezer thermometer, digital, wireless, with two remote sensor and one LCD display unit, 2-way bracket hangs or stands, safe for extreme temperatures	
103	Refrigerator, Two door, No frost, Adjustable shelves, 203 L, 220 V, 1800 W	
104	Rubber Door Mat, Anti-Slip, Length: 54cm, Width: 37cm	
105	Rubber Gloves, Length: 55cm	
106	Safety helmet, design: standard brim hard hats, with adjustable chin strap, material: made of ABS (Acrylonitrile Butadiene Styrene), color: green (for safety officers)	
107	Sando Bag, White/Transparent, Large, 100 pcs per pack, 11.87x19.25", plastic	
108	Sando Bag, White/Transparent, Medium, 100 pcs per pack, 9.5x18", plastic	
109	Shampoo, Anti-dandruff, bottle with Pump, approximately 800ml -1.2L	
110	Sharpening Stone, Carborundum, 109 "S", 200 mmx50mmx25mm	
111	Shaver, Disposable, Double Blade	
112	Shaver, electric Color: Black Dimensions (H x W x D) 92mm x 162mm x 245mm For wet and dry shaving Charging time: 1 hour full charge, with 5 min quick charge With 3 levels LED display With rubber grip technology and with protective cap With pop-up trimmer One touch open for easy cleaning With 2 year warranty	
113	Signages • Type: Suspended/ceiling-hung department sign (information on two sides) • Material: 2mm thick, double-sided clear acrylic sheet • Frame size: 312.93mm x 125mm • Inclusion: 1.5mm aluminum cable	
114	Signages design: Building Name and Number size: 30inches x 12inches x 2mm inclusion: 4 pcs 19mm diameter stainless standoff bolt mount	

115	Signages design: Electrical Room Signage dimension: 16"x7"x2 mm thick 4 pcs 19mm diameter stainless standoff bolt mount	
116	Signages design: Entrance Signage dimension: 16"x7"x2 mm thick 4 pcs 19mm diameter stainless standoff bolt mount	
117	Signages design: Escape Plan Signage dimension: A4x2mm thick 4 pcs 19 mm diameter stainless standoff bolt mount	
118	Signages design: Fire Exit Signage dimension: 16"x7"x2 mm thick 4 pcs 19mm diameter stainless standoff bolt mount	
119	Signages design: Fire Extinguisher Signage size: 5inches x 7inches x 2mm 4 pcs 19 mm diameter stainless standoff bolt mount	
120	Signages design: PWD signages dimension: 5"x7"x2mm thick 4 pcs 19 mm diameter stainless standoff bolt mount	
121	Signages design: Ramp Access Signage size: A4 x 2mm 4 pcs 19 mm diameter stainless standoff bolt mount	
122	Signages design: Storage Room Signage dimension: 16"x7"x2 mm thick 4 pcs 19mm diameter stainless standoff bolt mount	
123	Signages design: surface-fixed room name Size: 250x125mm (WxH) Thickness: 2mm inclusion: 2 pcs 19 mm diameter stainless standoff bolt mount	
124	Signages design: Toilet signages (Female) size: 5inches x 7inches x 2mm 4 pcs 19 mm diameter stainless standoff bolt mount	
125	Signages design: Toilet signages (Male) size: 5inches x 7inches x 2mm 4 pcs 19 mm diameter stainless standoff bolt mount	

126	Signages design: Toilet signages (Shared) size: 5inches x 7inches x 2mm 4 pcs 19 mm diameter stainless standoff bolt mount	
127	Signages design: Wall Mounted Signage (double-sided signage) Size: 312.93mmx125mm (WxH) Thickness: 2mm acrylic sheet on each side inclusion: 4 pcs 3" screw with tox, 1/8" aluminum C Bar anchored on the wall with mounting holes, and 3" screw with tox	
128	Soap Type: Hypoallergenic (made of mild, non-irritating base ingredients such as glycerin, vegetable oils (e.g., olive oil, coconut oil, shea butter), or natural fatty acids) Size: 115g Dermatologically tested, with hypoallergenic labeling. Expiry: with at least 1 - 2-year expiration.	
129	Soap Type: Moisturizing (made of natural, skin-friendly base ingredients such as saponified oils (e.g., olive oil, coconut oil, palm oil, or shea butter. Moisturizing agents such as glycerin, natural oils, butter, and aloe vera.) Suitable for dry and sensitive skin Size: 135g Expiry: with at least 1 to 2-year expiration.	
130	Soap, germicidal, 80-90 grams, any scent	
131	Soap, Type: Sulfur (contains 3% to 10% sulfur by weight), Size: 135g, Expiry: with at least 1 - 2-year expiration.	
132	Sodium hypochlorite, cleaning formula, fresh original scent, 1 gallon *Provide Sample*	
133	Sodium Hypochlorite, Lemon/Original Scent, 1 gallon/3.785 L and 3.8 kg in weight with at least 5-6% Concentration of sodium hypochlorite, properly sealed & labeled with a visible expiry date, not repacked	
134	Split Raincoat Set, (2 pieces), XL, Black or Sky-Blue, Nano polyester pongee 240T lotus leaves style waterproof fabric, Double cuffed with neck protection and hood with detachable face shield *Provide Sample*	
135	Stool, revolving with wheels, stainless Dimensions: <ul style="list-style-type: none"> • Seat Height: Ranges from 18" to 24" (46 cm to 61 cm) • Seat Diameter: Between 12" to 16" (30 cm to 41 cm). • Base Diameter: Ranges from 16" to 20" (41 cm to 51 cm) Material: <ul style="list-style-type: none"> • Seat Material: Padded seat • Frame Material: High-grade stainless steel 	

	<p>Revolving Mechanism:</p> <ul style="list-style-type: none"> • 360-Degree Rotation • Ball Bearing Swivel <p>Weight Capacity:</p> <ul style="list-style-type: none"> • Capacity: Supports between 200 lbs to 300 lbs (91 kg to 136 kg) <p>Leg Design:</p> <ul style="list-style-type: none"> • Base: Usually features a 5-legged stainless steel base for stability. • Feet: Equipped with non-slip rubber feet <p>Adjustability:</p> <ul style="list-style-type: none"> • Height Adjustment Mechanism: Commonly features a pneumatic gas-lift for height adjustment. • Range: Height adjustment range typically spans 6" to 10" (15 cm to 25 cm). <p>Mobility</p> <ul style="list-style-type: none"> • Wheels with lock <p>8. Weight of the Stool</p> <ul style="list-style-type: none"> • Total Weight: Between 10 lbs to 20 lbs (4.5 kg to 9 kg) <p>9. Finish</p> <ul style="list-style-type: none"> • Polished Stainless Steel 	
136	Strainer, Silver, 24 cm in diameter for the top part and with at least 33 cm built-in handle, Made from Aluminum *Provide Sample*	
137	<p>Table</p> <ul style="list-style-type: none"> • Type: for desktop • Size: 123 x 48 x 76 cm (LWH) • Weight: 26kg • Material: Particle board + PVC + Powder coated <p>Frame</p> <ul style="list-style-type: none"> • Color: Natural Oak • With two drawers • Alloy Metal legs 	
138	Talc Powder, 200 Grams	
139	Tape, type: warning sign with visible CAUTION print, material: made with polythene material, can withstand rain or heat (weather resistant), length: 500 meters, width: 7cm, thickness: 0.5mm, color: yellow	
140	Television, Resolution: 1366 x 768, Smart TV, WiFi direct, Remote Access, HDMI: 2, USB: 1, Ethernet, Digital audio out, AC 1W - 240V, 50/60 Hz, 50 W	
141	Tong stainless steel, Silver, at least 16" long thick (L43.9cm x W4cm x H1.5cm), 0.18kg in weight, made of 1.0 mm stainless steel, Scalloped-edge design *Provide Sample*	
142	Trash bag, biodegradable, leak-proof, 100 pieces/pack, color green, size: L (13 x 13 x 32) inches	
143	Trash bin, for outdoor, with well-fitted lid with handle, mobile, 660 Liters capacity, with wheels, green	

	See Reference Photo	
144	Trash bin, step-on with well-fitted cover, 120Liters capacity, with two wheels, black *See Reference Photo*	
145	Trash bin, step-on with well-fitted cover, 120Liters capacity, with two wheels, yellow *See Reference Photo*	
146	Trash Can with Cover, Material: Plastic, Capacity: 12 Liters	
147	Utility box, 100 liters capacity, made of hard plastic, with cover, stackable, with carry handle, any color	
148	Utility box, type: with cover, stackable, with carry handle, without wheels, material: made of hard plastic, capacity: 120 Liters, color: black	
149	Utility box, type: with cover, stackable, with carry handle, without wheels, material: made of hard plastic, capacity: 30 Liters, color: black	
150	Utility can, with cover, 100 liters capacity, made of thermoplastic resin	
151	Utility Pail, Blue, 10 liters capacity, 29 × 27.5 × 27 cm, Made of prime and virgin HDPE thermoplastic resins and with metal handle,	
152	UV light bulb, water filter, 25 watts	
153	Water Dispenser With hot and cold settings Type: Bottom load, freestanding. Water Bottle Position: Bottle stored at the base (hidden compartment), typically 3 to 5-gallon capacity. Water Options: Hot water, Cold water Room temperature water Heating & Cooling System: Electric heating element for hot water (~185°F/85°C) Compressor-based cooling system (~45°F/7°C) Material: Stainless steel and plastic Child Safety Lock: On hot water tap. LED Indicator Lights: for power, heating, cooling, and empty bottle alerts. Drip Tray: Removable for easy cleaning. Dimensions: Typically around 40-45 inches (height) x 12-14 inches (width) x 12-14 inches (depth). 1-year warranty	
154	Water filter/purifier replacement, 10 inches height x 2.5 inches diameter	
155	Water Ladle, Stainless steel, heavy Duty, 26cm top diameter, 45 cm handle, ht 8.5cm *Provide Sample*	
156	Window wiper, rotatable, 52 cm, 180 degrees angle	

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during the State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**
- (b) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (c) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (d) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (e) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (f) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (g) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (h) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (i) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- (j) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (k) *[For foreign bidders claiming by reason of their country’s extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

25 FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

Note: Any missing document in the above-mentioned checklist is a ground for outright rejection of the bid.

Post Qualification Documents

1. BIR Form 2303 (BIR Registration Certificate)
2. Business and Income Tax Return

Note: It is encouraged to submit the above-mentioned Post Qualification documents during Bid Opening to expedite the bidding process.

Requirements upon delivery

1. Retention money in an amount equivalent to 2.5% of every progress payment, or a special bank guarantee equivalent to 2.5% of the total contract price.



Procurement of Misc., Semi-Expendables & Housekeeping Supplies Reference Pictures

Item# 143 Trash bin, for outdoor, with well-fitted lid with handle, mobile, 660 Liters capacity, with wheels, green



Item#144 and 145 Trash bin, step-on with well-fitted cover, 120Liters capacity, with two wheels, black & yellow



Multiple colors

Bid Form

Date: _____
Invitation to Bid¹ N^o: _____

To: *[name and address of Procuring Entity]*

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform] [description of the Goods]* in conformity with the said Bidding Documents for the sum of *[total Bid amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

If our bid is accepted, we undertake to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our bid is accepted, we undertake to provide performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in the **BDS** provision for **ITB** Clause 18.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:²

Name and address of the agent	Amount and Currency	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, *[for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of Name of Bidder, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the Name of Project of the Name of the Procuring Entity]* *[for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the*

¹ If ADB, JICA and WB funded projects, use IFB.

² Applicable only if the Funding Source is the ADB, JICA or WB.

Name of Bidder, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for Name of Project of the Name of the Procuring Entity].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this _____ day of _____ 20_____.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

For Goods Offered From Abroad

Name of Bidder _____ Invitation to Bid¹ Number ____ Page ____ of _____

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

_____ *[signature]*

_____ *[in the capacity of]*

Duly authorized to sign Bid for and on behalf of _____

¹ If ADB, JICA and WB funded projects, use IFB.

For Goods Offered From Within the Philippines

Name of Bidder _____ . Invitation to Bid² Number _ . Page . of ____.

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

² If ADB, JICA and WB funded projects, use IFB.

Statement of all Ongoing Government & Private contracts including contracts awarded but not yet started

Business Name : _____

Business Address : _____

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Amount		End user's acceptance or official receipt(s) or sales invoice issued for the contract
						Contract	Value of Outstanding Contract	
<u>Government</u>								
<u>Private</u>								
						Total Cost		

Note: This statement shall be supported with:

- 1 Notice of Award , Contract, NTP, and other docs, if necessary

Submitted by : _____
(Printed Name & Signature)

Designation : _____

Date : _____

Statement of all completed Government & private contracts which are similar in nature and complexity to the Contract to be Bid

Business Name : _____

Business Address : _____

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Contract Amount	End user's acceptance or official receipt(s) or sales invoice issued for the contract
<u>Government</u>							
<u>Private</u>							

Note: This statement shall be supported with:

- 1 Notice of Award, Contract, NTP, and other docs, if necessary

Submitted by : _____
(Printed Name & Signature)

Designation : _____

Date : _____

Statement of Bidder's Single Largest Completed Contract (SLCC)

Business Name : _____

Business Address : _____

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Amount of completed contracts, adjusted by the Bidder	End user's acceptance or official receipt(s) and sales invoice issued for the contract
<u>Government</u>							
<u>Private</u>							
						Total Cost	

Note: This statement shall be supported with:
 1 Notice of Award, Contract, NTP, and other docs, if necessary

Submitted by : _____
(Printed Name & Signature)

Designation : _____

Date : _____